



2003

Catalog - Division #3

Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Our Cables make "Right Connection"

Celebrating our 25th and Silver Anniversary Year of Connectivity

JML Computer Products Incorporated

West Berlin, NJ

USA

In terms of sheer sweep of technological advancement the 25 years since JML began providing custom, state-of-the-art computer interface cables represents an era of unparalleled progress.

This catalog features over 15,000 custom products which we provide today for a constantly expanding base of customers of every size, on six continents.

JML has been presented numerous Supplier Recognition Awards for its excellence in supplying quality products on time with superior service.

Other Divisions of JML Catalog:

#1) Cables: Network - Voice - Data - Communication - Video - Audio - Telecommunication - Fiber - SCSI - Unisys - HP - IBM

#2) Cable Adapters: Network - Voice - Communication - Video - Audio - Telecommunication - Fiber - SCSI

#3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

#4) Bulk Cable: Network - Voice - Data - Communication - Video - Audio - Alarm - Telecommunication - Fiber - Underground - Aerial

#5) Cisco Cables

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



About Our Part Number

The JML 10 digit part # =
JML Key# + T + L + NNN

T	T Description
A	Adapter
E	Equipment
K	Connector Kit
Q	Tool
S	Switch Kit

L	L Description
X	Special

NNN
000
RED
BGE
BLK
BLU
YLW
WHT
GRN



About Us

JML can design, build and/or install custom, standard, network and fiber cables for computer and phone systems.

JML builds Copper and Fiber Cables for PC Computer/ Sun/ Unisys/ IBM/ HP/ DEC/ MAC/ Network/ and Mainframe Systems. We can build your cable in any variation and still Ship it in 24 Hours. Each cable is fully tested twice to ensure high quality and long life.

JML cables have a unique serial # which gives them an identity that signifies quality, workmanship, and the honor of a 15 year warranty.

JML has been building Computer Cables since 1979 and along the way our customers have asked us to solve a few of their other communication problems. As a result **JML** can also furnish you with the following products:

- 1) Voice/ Data/ Video infrastructure design, build and service.
- 2) Private Fiber Networks (aerial and underground).
- 3) Documentation, custom cabling and custom solutions for ongoing help desk support and data center moves.
- 4) Authorized dealer/ installer for the top of the line Samsung Telecommunications Business Phone Systems. Digital systems allowing from 3 to 500 users in a single system, with an optional 10/100 Ethernet VoIP port. This port will allow up to 63 of these 500 user systems to talk over a LAN or WAN using the purest form of VoIP available, H.323. Support and service for other systems is also availableavailable.

JML is fully focused on solving the cabling problems of the World. I have 20+ years experience in solving cabling problems and supplying the solution in a timely manner. Call me anytime and I will gladly share my cabling knowledge with you.

Sincerely,

John McLaughlin Jr
President, BSEE, RCDD
800-326-4565 x202



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector Kits
 Primary Description: Multimode (62.5/125)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AMP Light Crimp"ST" Style	Male	Stainless Steel	F6LC1	K	X	000
Epoxy "FDDI" Style	Male	Ceramic	F6012	K	X	000
Epoxy "SMA" Style	Male	Stainless Steel	F6010	K	X	000
Epoxy "ST" Style	Male	Ceramic	F6011	K	X	000

Platform: FIBER
 Category: Connector Kits
 Primary Description: Singlemode (8/125)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Epoxy "ST" Style	Male	Ceramic	F8011	K	X	000

Platform: FIBER
 Category: Connector panel housing.
 Primary Description: Rackmount(19/ 23 inch) or Wallmountable.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Add Connector Panels seperately.	24 PORT	Steel	FMB24	E	X	000
Add Connector Panels seperately.	72 PORT	Steel	FMB72	E	X	000
Add Connector Panels seperately.	96 PORT	Steel	FMB96	E	X	000

Platform: FIBER
 Category: Connector panel housing.
 Primary Description: Wallmountable.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Add Connector Panels seperately.	12 PORT	Steel	FMB12	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector panel housing.
 Primary Description: Wallmountable.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Add Connector Panels seperately.	24 PORT	Steel	FMBW4	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); D4 (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Phosphor Bronze	F6F69	E	X	000
Use w/JML# FMB96EX000	8 x 1	Phosphor Bronze	F6F89	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); Dual SC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	3 x 2	Phosphor Bronze	F6W64	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	3 x 2	Ceramic	F6F64	E	X	000
Use w/JML# FMB96EX000	4 x 2	Phosphor Bronze	F6F84	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); ESCON to ST (F-F)



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); ESCON to ST (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	3 x 2	Ceramic	F6W66	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	3 x 2	Ceramic	F6F66	E	X	000
Use w/JML# FMB96EX000	4 x 2	Ceramic	F6F86	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); FC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Phosphor Bronze	F6F68	E	X	000
Use w/JML# FMB96EX000	8 x 1	Phosphor Bronze	F6F88	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); FDDI to ST (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	3 x 2	Ceramic	F6W65	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	3 x 2	Ceramic	F6F65	E	X	000
Use w/JML# FMB96EX000	4 x 2	Ceramic	F6F85	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); SC (F-F)



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); SC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	6 x 1	Phosphor Bronze	F6W60	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Phosphor Bronze	F6F60	E	X	000
Use w/JML# FMB96EX000	8 x 1	Phosphor Bronze	F6F80	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: mm(62.5/125); ST (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	6 x 1	Ceramic	F6W61	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Ceramic	F6F61	E	X	000
Use w/JML# FMB96EX000	8 x 1	Ceramic	F6F81	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: sm(8/125); D4 (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Phosphor Bronze	F8F69	E	X	000
Use w/JML# FMB96EX000	8 x 1	Phosphor Bronze	F8F89	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector Panels
 Primary Description: sm(8/125); Dual SC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	3 x 2	Ceramic	F8W64	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	3 x 2	Ceramic	F8F64	E	X	000
Use w/JML# FMB96EX000	4 x 2	Ceramic	F8F84	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: sm(8/125); FC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Phosphor Bronze	F8F68	E	X	000
Use w/JML# FMB96EX000	8 x 1	Phosphor Bronze	F8F88	E	X	000

Platform: FIBER
 Category: Connector Panels
 Primary Description: sm(8/125); SC (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	6 x 1	Ceramic	F8W60	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Ceramic	F8F60	E	X	000
Use w/JML# FMB96EX000	8 x 1	Ceramic	F8F80	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Connector Panels
 Primary Description: sm(8/125); ST (F-F)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use w/JML# FMB12EX000 / FMBW4EX000	6 x 1	Ceramic	F8W61	E	X	000
Use w/JML# FMB24EX000 / FMB72EX000	6 x 1	Ceramic	F8F61	E	X	000
Use w/JML# FMB96EX000	8 x 1	Ceramic	F8F81	E	X	000

Platform: FIBER
 Category: Fiber Optic Extenders
 Primary Description: KVM + Serial, Rx

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Seperate H&V, MUX, BNC(5)	N/A	Model 160	JLW02	E	X	000

Platform: FIBER
 Category: Fiber Optic Extenders
 Primary Description: KVM + Serial, Tx

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Seperate H&V, MUX, BNC(5)	N/A	Model 160	JLW01	E	X	000

Platform: FIBER
 Category: Lightwave Equipment
 Primary Description: Extender CPU End

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
200.000.020			JLW07	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: FIBER
 Category: Lightwave Equipment
 Primary Description: Extender Remote End

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
200.000.021			JLW06	E	X	000

Platform: FIBER
 Category: Lightwave Equipment
 Primary Description: Panel conversion kit

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
200.805.240			JLW08	E	X	000

Platform: FIBER
 Category: Lightwave Equipment
 Primary Description: SGI serial Card

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
200.000.0002			JLW05	E	X	000

Platform: FIBER
 Category: Lightwave Equipment
 Primary Description: USB personality pair

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
200.000.016			JLW09	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
Category: 19 inch Patch Panels
Primary Description: Preloaded with Cat 5 RJ45 jacks; 110 type.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
24 PORT	2 RMUs	Steel	N23L5	E	X	000
48 PORT	4 RMUs	Steel	N26L5	A	X	000
48 PORT	4 RMUs	Steel	N26L5	E	X	000

Platform: GENERAL
Category: 19 inch Patch Panels
Primary Description: Prewired with Category 3 RJ11 jacks; 1pr/jack.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
w/ 50 pos male telco whips, 12 feet	24 PORT	1 whip	N121A	E	X	000
w/ 50 pos male telco whips, 12 feet	48 PORT	2 whips	N121E	E	X	000

Platform: GENERAL
Category: 19 inch Patch Panels
Primary Description: Prewired with Category 3 RJ11 jacks; 2pr/jack.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
w/ 50 pos male telco whips, 12 feet	24 PORT	2 whips	N121B	E	X	000
w/ 50 pos male telco whips, 12 feet	48 PORT	4 whips	N121C	E	X	000

Platform: GENERAL
Category: 19 inch Patch Panels
Primary Description: Unloaded Keystone Ports (Order Jacks seperately)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
24 PORT	2 RMUs	Steel	N23KJ	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: 19 inch Racks and Enclosures
 Primary Description: Enclosed Rack w/ feet.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Overall: 83.5"(H) x 25"(W) x 25"(D)	44 RMUs	Steel/ Plexi	NR008	E	X	000

Platform: GENERAL
 Category: 19 inch Racks and Enclosures
 Primary Description: Open Rack; floor mount base.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
84"(H)	45 RMUs	Aluminum	NR009	E	X	000

Platform: GENERAL
 Category: 19 inch Racks and Enclosures
 Primary Description: Open Rack; free standing wide base.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
77"(H)	44 RMUs	Steel	NR001	E	X	000

Platform: GENERAL
 Category: 19 inch Racks and Enclosures
 Primary Description: Wallmount Enclosure.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Overall: 48"(H) x 21"(D)	26 RMU	Steel/ Plexi	NR007	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: 19 inch Racks and Enclosures
 Primary Description: Wallmount Rack.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
36"(H) x 18"(D)	18 RMUs	Aluminum	NR005	E	X	000
48"(H) x 18"(D)	24 RMUs	Aluminum	NR006	E	X	000

Platform: GENERAL
 Category: Audio/ Video
 Primary Description: Switch

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Video, RCA Jack	2 to 1	Steel	NVSWT	E	X	000
Video, RCA Jack	2 to 1	Steel	NVSWT	S	X	000

Platform: GENERAL
 Category: CATV
 Primary Description: 1GHZ; Splitter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Indoor	2 to 1	Steel	N5SP2	A	X	000
Indoor	3 to 1	Steel	N5SP3	A	X	000
Indoor	4 to 1	Steel	N5SP4	E	X	000
Indoor	8 to 1	Steel	N5SP8	E	X	000

Platform: GENERAL
 Category: CATV
 Primary Description: Video Balun 300 ohm to 75 ohm

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Right angle slip on	2 to 1	Steel	N5VBR	A	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: CATV
 Primary Description: Video Balun 300 ohm to 75 ohm

Platform: GENERAL
 Category: Conduit and Raceways.
 Primary Description: Surface mount raceway w/ double sided tape.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
72"(L) x .75"(W) x .5"(D)	N/A	Plastic	NRW01	E	X	0IV
72"(L) x .75"(W) x .5"(D)	N/A	Plastic	NRW01	E	X	WH
72"(L) x 1.25"(W) x .75"(D)	N/A	Plastic	NRW02	E	X	0IV
72"(L) x 1.25"(W) x .75"(D)	N/A	Plastic	NRW02	E	X	0WH
72"(L) x 1.75"(W) x 1"(D)	N/A	Plastic	NRW03	E	X	0IV
72"(L) x 1.75"(W) x 1"(D)	N/A	Plastic	NRW03	E	X	0WH

Platform: GENERAL
 Category: Connector Kits
 Primary Description: CATV

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
F type screw on for RG 6 PVC	Male	Steel	N5R6X	A	X	000
F type screw on for RG59 PVC	Male	Steel	N5R9X	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: DB style Connector, EMI hood, and pins

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
DB 15	Female	Shielded	ND15F	K	X	000
DB 15	Male	Shielded	ND15M	K	X	000
DB 25	Female	Shielded	ND25F	K	X	000
DB 25	Male	Shielded	ND25M	K	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Connector Kits
 Primary Description: DB style Connector, EMI hood, and pins

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
DB 50	Male	Shielded	ND50M	K	X	000
DB 9	Female	Shielded	ND09F	K	X	000
DB 9	Male	Shielded	ND09M	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; MMJ 6 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N53MJ	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; RJ11 4 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N5260	K	X	000
For round solid wire.	Male	Unshielded	N5240	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; RJ11 4 Pin (handset)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N5160	K	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; RJ12 6 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N5360	K	X	000
For round solid wire.	Male	Unshielded	N5340	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; RJ45 10 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N5560	K	X	000
For round solid wire.	Male	Unshielded	N5540	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Modular; RJ45 8 Pin; 50 micron gold

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For flat silver satin.	Male	Unshielded	N5460	K	X	000

Platform: GENERAL
 Category: Connector Kits
 Primary Description: Multimode (62.5/125)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Epoxy "SC" Style	Male	Ceramic	F6014	K	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: 6 Pin Fem. Mini Din(PS2) and HD 15 Fem.(VGA)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM2KV	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: Centronics 36 Female

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM362	S	X	000
Manual.	4 to 1	Steel	NM364	S	X	000
Manual.	X-Switch	Steel	NM36X	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: DB 25 Female Connectors

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Auto; Parallel; bi-di.; non-powered.	2 to 1	Plastic	NAB21	S	X	000
Auto; Parallel; bi-di.; non-powered.	4 to 1	Plastic	NAB41	S	X	000
Auto; Parallel; non-powered.	2 to 1	Plastic	NAP21	S	X	000
Auto; Parallel; non-powered.	4 to 1	Plastic	NAP41	S	X	000
Manual.	2 to 1	Steel	NM252	S	X	000
Manual.	4 to 1	Steel	NM254	S	X	000
Manual.	X-Switch	Steel	NM25X	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: DB 37 Female Connectors



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: DB 37 Female Connectors

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM372	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: DB 9 Female Connectors

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM092	S	X	000
Manual.	4 to 1	Steel	NM094	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: RJ11 4 wire recepticles

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM112	S	X	000

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: V.35 Female Connectors

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NM352	S	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Data Switch Boxes
 Primary Description: VGA - High Density 15 Female Connectors

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Manual.	2 to 1	Steel	NMVG2	S	X	000
Manual.	4 to 1	Steel	NMVG4	S	X	000

Platform: GENERAL
 Category: Innerduct
 Primary Description: Indoor

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1" Diameter	N/A	Plenum Rated	ND001	E	X	000

Platform: GENERAL
 Category: Keystone Jacks
 Primary Description: RJ12 6 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Category 4; Lacing Cap	1 PORT	Unshielded	N7412	A	X	OIV
Category 4; Lacing Cap	1 PORT	Unshielded	N7412	A	X	BGE
Category 4; Lacing Cap	1 PORT	Unshielded	N7412	A	X	BLK
Category 4; Lacing Cap	1 PORT	Unshielded	N7412	A	X	WHT
Category 4; Mod 110	1 PORT	Unshielded	N7612	A	X	OIV
Category 4; Mod 110	1 PORT	Unshielded	N7612	A	X	BGE
Category 4; Mod 110	1 PORT	Unshielded	N7612	A	X	BLK
Category 4; Mod 110	1 PORT	Unshielded	N7612	A	X	WHT

Platform: GENERAL
 Category: Keystone Jacks
 Primary Description: RJ45 8 Pin



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Keystone Jacks
 Primary Description: RJ45 8 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	0IV
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	BGE
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	BLK
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	BLU
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	GRN
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	RED
Category 5 Enhanced; Mod 110 w/ cap	1 PORT	Unshielded	N7E45	A	X	WHT
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	BGE
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	BLK
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	BLU
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	GRN
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	RED
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	WHT
Category 5; Mod 110 w/ cap	1 PORT	Unshielded	N7545	A	X	YLW
Category 6; Mod 110 w/ cap	1 PORT	Unshielded	N7645	A	X	GRN
Category 6; Mod 110 w/ cap	1 PORT	Unshielded	N7645	A	X	RED
Category 6; Mod 110 w/ cap	1 PORT	Unshielded	N7645	A	X	WHT

Platform: GENERAL
 Category: Patch Panel Acces.
 Primary Description: 19" Wallmount Bracket.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1.75"(H) x 6"(D)	1 RMU	Black Steel	N3175	E	X	000
10.5"(H) x 6"(D)	6 RMUs	Black Steel	N3105	E	X	000
12.25"(H) x 6"(D)	7 RMUs	Black Steel	N3122	E	X	000
3.5"(H) x 6"(D)	2 RMUs	Black Steel	N3350	E	X	BLK
5.25"(H) x 6"(D)	3 RMUs	Black Steel	N3525	E	X	000
7"(H) x 6"(D)	4 RMUs	Black Steel	N3700	E	X	000
7"(H) x 6"(D)	4 RMUs	Black Steel	N3700	E	X	6I2
8.75"(H) x 6"(D)	5 RMUs	Black Steel	N3875	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Punch Down Block; Acces.
 Primary Description: 110 Type; Category 5.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Connecting block/ clip.	4 pair	Plastic	N11ZN	E	X	000

Platform: GENERAL
 Category: Punch Down Block; Acces.
 Primary Description: 66 Type; Category 5.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Bridging Clip	1	Steel	N66CP	K	X	000

Platform: GENERAL
 Category: Punch Down Block; Category 5
 Primary Description: 110 Type; w/ legs.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Field termination kit.	100 pair		N11ZB	E	X	000
Field termination kit.	300 pair		N11ZC	E	X	000
Field termination kit.	50 pair		N11ZJ	E	X	000
w/ 50 pos male telco whips.	2 whips		N11ZL	E	X	000
w/ 50 pos male telco whips.	4 whips		N11ZM	E	X	000
w/ RJ45 4 pair jacks onboard.	12 PORTS		N11ZA	E	X	000
w/ RJ45 4 pair jacks onboard.	36		N11ZD	E	X	000

Platform: GENERAL
 Category: Punch Down Block; Category 5
 Primary Description: 110 Type; w/ metal troughs.



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Punch Down Block; Category 5
 Primary Description: 110 Type; w/ metal troughs.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Field termination kit.	300 pair		N11ZG	E	X	000
Field termination kit.	900 pair		N11ZH	E	X	000
w/ 50 pos male telco whips.	12 whips		N110B	E	X	000
w/ 50 pos male telco whips.	6 whips		N11ZK	E	X	000
w/ RJ45 4 pair jacks onboard.	108		N11ZF	E	X	000
w/ RJ45 4 pair jacks onboard.	36		N11ZE	E	X	000

Platform: GENERAL
 Category: Punch Down Block; Category 5
 Primary Description: 66 Type; w/ mtg. bracket.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Unwired	50 Pair	Plastic	N6650	E	X	000
w/ 50 pos female telco whips-12 feet	1 whip	Plastic	N6651	E	X	000

Platform: GENERAL
 Category: Racks and Enclosures; Acces.
 Primary Description: Power strip. (horizontal)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Mounts in Enclosures and on Racks.	6 PORT	Steel	NRE01	E	X	000

Platform: GENERAL
 Category: Racks and Enclosures; Acces.
 Primary Description: Power strip. (vertical)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Mounts in Enclosures only.	10 Ports	Steel	NRE02	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Racks and Enclosures; Acces.
 Primary Description: Power strip. (vertical)

Platform: GENERAL
 Category: Surface Mount Box
 Primary Description: For Standard Wallplates

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; 1.89" Deep	N/A	Plastic	NB189	E	X	BGE
1 Gang; 1.89" Deep	N/A	Plastic	NB189	E	X	WHT

Platform: GENERAL
 Category: Tools
 Primary Description: 110 Type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	N/A	Steel	NT110	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: 66 Type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	N/A	Steel	NTX66	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: RJ11 4 pin (handset)



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Tools
 Primary Description: RJ11 4 pin (handset)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	N/A	Steel	NTXHS	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: RJ11/12 (4 or 6) Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AMP	N/A	Steel	NTA11	E	X	000
Generic	N/A	Steel	NTX11	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: RJ11/12 (4 or 6) Pin and RJ45 8 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AMP	N/A	Steel	NTA15	E	X	000
Generic	N/A	Steel	NTX15	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: RJ45 10 PIN

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	N/A	Steel	NTX10	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Tools
 Primary Description: RJ45 8 Pin

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	N/A	Steel	NTX45	E	X	000

Platform: GENERAL
 Category: Tools
 Primary Description: RJ45 8 Pin Cat 5

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AMP	N/A	Steel	NTA45	E	X	000

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with Cat 2 RJ45 (8 wire); Screw type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Flush mount	1 PORT	Unshielded	N8134	E	X	0IV
1 Gang; Flush mount	2 PORT	Unshielded	N8234	E	X	0IV
Surface Mount	1 PORT	Unshielded	N8133	E	X	0IV

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with Cat 5 RJ45 (8 wire); 110 type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Surface mount	1 PORT	Unshielded	N8135	E	X	0IV
1 Gang; Surface mount	2 PORT	Unshielded	N8235	E	X	0IV
1 Gang; Surface mount	3 PORTS	Unshielded	N8335	E	X	BGE
1 Gang; Surface mount	4 PORT	Unshielded	N8435	E	X	0IV

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with Cat 5 RJ45 (8 wire); 110 type

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with RJ11 (4 wire); Screw type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Flush mount	1 PORT	Unshielded	N8114	E	X	0IV
1 Gang; Flush mount	2 PORT	Unshielded	N8214	E	X	0IV

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with RJ11 and RJ45; Screw type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Flush mount	2 PORT	Unshielded	N8254	E	X	0IV

Platform: GENERAL
 Category: Wallplates
 Primary Description: Preloaded with RJ12 (6 wire); Screw type

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Surface Mount	1 PORT	Unshielded	N8123	E	X	0IV

Platform: GENERAL
 Category: Wallplates
 Primary Description: Unloaded Keystone Ports (Order Jacks seperately)



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: GENERAL
 Category: Wallplates
 Primary Description: Unloaded Keystone Ports (Order Jacks seperately)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Flush mount	1 PORT	Plastic	N81X6	E	X	BGE
1 Gang; Flush mount	1 PORT	Plastic	N81X6	E	X	WHT
1 Gang; Flush mount	2 PORT	Plastic	N82X6	E	X	BGE
1 Gang; Flush mount	2 PORT	Plastic	N82X6	E	X	WHT
1 Gang; Flush mount	3 PORTS	Plastic	N83X6	E	X	BGE
1 Gang; Flush mount	3 PORTS	Plastic	N83X6	E	X	WHT
1 Gang; Flush mount	4 PORT	Plastic	N84X6	E	X	BGE
1 Gang; Flush mount	4 PORT	Plastic	N84X6	E	X	WHT
1 Gang; Flush mount	6 PORT	Plastic	N86X6	E	X	BGE
1 Gang; Flush mount	6 PORT	Plastic	N86X6	E	X	WHT

Platform: GENERAL
 Category: Wallplates; acess.
 Primary Description: Blank Insert

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Gang; Flush mount	1 PORT	Plastic	N2BKJ	E	X	OIV

Platform: HP
 Category: Connector Kits
 Primary Description: HP

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
ATP 3 Pin; RS-232C	Female	Shielded	H224B	K	X	000
ATP 3 Pin; RS-232C	Male	Shielded	H224A	K	X	000
ATP 5 Pin; RS-422	Female	Shielded	H225B	K	X	000
ATP 5 Pin; RS-422	Male	Shielded	H225A	K	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: IBM
 Category: 19 inch Patch Panels
 Primary Description: Distribution Panel for IBM Data Connector

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Cable Guides and Shielding Clips	32 PORTS	Steel	BT132	E	X	000
Cable Guides and Shielding Clips	64 PORTS	Steel	BT164	E	X	000
Just Panel	12 PORTS	Steel	BT112	E	X	000

Platform: IBM
 Category: 19 inch Patch Panels
 Primary Description: IBM Loop Wiring Concentrator

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	I/O + 8	Steel	B1077	E	X	000

Platform: IBM
 Category: Active Star Hub
 Primary Description: DUAL HUB W/ 2 RJ-12 IN, 14 RJ12 OUT

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
PINS 2, 5 ACTIVE			B0014	E	X	000
PINS 3, 4 ACTIVE			B0013	E	X	000

Platform: IBM
 Category: Active Star Hub
 Primary Description: DUAL HUB W/ 2 RJ-45 IN, 14 RJ45 OUT

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
PINS 4, 5 ACTIVE			B0020	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: IBM
 Category: Connector Kits
 Primary Description: Twin Ax Connector

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
	Male	Steel	B0001	K	X	000

Platform: IBM
 Category: Grounding Kit
 Primary Description: For IBM Distribution Rack

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA	NA	Steel	BT1GK	E	X	000

Platform: IBM
 Category: Surface Mount Box
 Primary Description: Surface Mount Box w/ Type 1 faceplate, DC only

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
with magnet	1 PORT	Plastic	B0486	E	X	000

Platform: IBM
 Category: Surface Mount Box
 Primary Description: Surface Mount Box w/ Type 2 faceplate, DC and 3/ 4 pair

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
with magnet	2 PORT	Plastic	B1029	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: IBM
 Category: Wallplates
 Primary Description: Type 1 Faceplate, DC only

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA	1 PORT	Plastic	B0572	E	X	000

Platform: IBM
 Category: Wallplates
 Primary Description: Type 2 Faceplate, DC and 3/ 4 pair jack

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA	2 PORT	Plastic	B1025	E	X	000

Platform: NETWORK
 Category: Connector Kits
 Primary Description: "N"-Type; Thicknet

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Generic	Male	Steel	N700X	K	X	000

Platform: NETWORK
 Category: Connector Kits
 Primary Description: Modular; RJ45 8 Pin; 50 micron gold

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For round solid wire.	Male	Shielded	N5441	K	X	000
For round solid wire.	Male	Unshielded	N5440	K	X	000
For round stranded wire.	Male	Unshielded	N5445	K	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK
 Category: Ethernet Switches
 Primary Description: 10/100 Mbps N-Way Switch

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
5 x 10/100Mbps	5 PORTS	1 yr power/ Life	NES05	E	X	000

Platform: NETWORK
 Category: Ethernet T adapter
 Primary Description: BNC "T", F-M-F

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA	2 to 1	Steel	NBFMF	A	X	000

Platform: NETWORK
 Category: Ethernet Terminator
 Primary Description: Terminator

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
BNC; 50 ohm; Ungrounded	Female	Steel	NBN50	T	X	050
BNC; 50 ohm; w/ Grounding Chain	Female	Steel	NBN5G	T	X	050
N Type; 50 ohm; Ungrounded	Female	Steel	NT50F	T	X	050
N Type; 50 ohm; Ungrounded	Male	Steel	NT50M	T	X	050
N Type; 50 ohm; w/ Grounding Chain	Female	Steel	NT5GF	T	X	050
N Type; 50 ohm; w/ Grounding Chain	Male	Steel	NT5GM	T	X	050

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps Enhanced Pocket Adapter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Combo(TP & BNC)		5 Year Warranty	NEPA1	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps Enhanced Pocket Adapter

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps PnP ISA

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
16 bit (TP only)	N/A	5 Year Warranty	NEAS4	E	X	000
16 bit (TP only); 50 pk	N/A	5 Year Warranty	NEAS5	E	X	000
16 bit Combo (TP & BNC)	N/A	5 Year Warranty	NEAS6	E	X	000
16 bit Combo (TP & BNC); 50 pk	N/A	5 Year Warranty	NEAS7	E	X	000
16 bit Combo (TP, BNC & AUI)	N/A	5 Year Warranty	NEAS8	E	X	000
Boot ROM for Netware & Windows NT	N/A	5 Year Warranty	NEAS9	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps PnP PCI

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Boot ROM for Netware & Windows NT	N/A	5 Year Warranty	NEAC4	E	X	000
PnP 32 bit PCI (TP & BNC)	N/A	5 Year Warranty	NEAC1	E	X	000
PnP 32 bit PCI (TP & BNC); 50 pk	N/A	5 Year Warranty	NEAC2	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps Software Configurable ISA

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
16 bit (TP only)	N/A	5 Year Warranty	NEAS1	E	X	000
16 bit Combo (TP & BNC)	N/A	5 Year Warranty	NEAS2	E	X	000
Boot ROM for Netware & Windows NT	N/A	5 Year Warranty	NEAS3	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbps Software Configurable ISA

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10 Mbs PnP PCIw/ Digital Chipset

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Boot ROM for Netware & Windows NT	N/A	5 Year Warranty	NEAC5	E	X	000
PnP 32 bit PCI (TP & BNC)	N/A	5 Year Warranty	NEAC3	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Adapter Cards
 Primary Description: 10/100 Mbps PnP Fast Ethernet PCI

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Boot ROM for Netware & Windows NT	N/A	5 Year Warranty	NE003	E	X	000
Digital Chipset	RJ45	5 Year Warranty	NE001	E	X	000
Digital Chipset; 10 pk	RJ45	5 Year Warranty	NE002	E	X	000
PNIC Chipset	RJ45	5 Year Warranty	NE004	E	X	000
PNIC Chipset; 10 pack	RJ45	5 Year Warranty	NE005	E	X	000
Winbond Chipset	RJ45	5 Year Warranty	NE006	E	X	000
Winbond Chipset; 10pack	RJ45	5 Year Warranty	NE007	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Converter
 Primary Description: 100 Mbps Fiber Converter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
100Base-Tx to Dual "SC" fiber	N/A	5 Year Warranty	NECXT	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Equipment Acces.
 Primary Description: 19 inch Rack Mount Kit

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For NEZ08EX000 or NEZ16EX000	N/A		NE008	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10 Mbps SNMP Hub; Slide in Module

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
BNC Slide-in Module	BNC	5 Year Warranty	NPAC2	E	X	000
Dual "SC" fiber Slide-in Module	Dual SC	5 Year Warranty	NPACF	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10 Mbps SNMP Hub; Stackable x 5

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
SNMP Master; Rackmount	12 RJ45	5 Year Warranty	NPM12	E	X	000
SNMP Master; Rackmount	24 RJ45	5 Year Warranty	NPM24	E	X	000
SNMP Slave; Rackmount	12 RJ45	5 Year Warranty	NPS12	E	X	000
SNMP Slave; Rackmount	24 RJ45	5 Year Warranty	NPS24	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10 Mbps Unmanaged Hubs; Rack Mount

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP; 1 BNC; & 1 AUI PORT	12 PORTS	5 Year Warranty	NEM12	E	X	000
RJ45 TP; 1 BNC; & 1 AUI PORT	16 PORTS	5 Year Warranty	NEM16	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10 Mbps Unmanaged Hubs; Rack Mount

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP; 1 BNC; & 1 AUI PORT	24 PORTS	5 Year Warranty	NEM24	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10 Mbps Unmanaged Hubs; Stand Alone

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports	5 PORTS	5 Year Warranty	NEH05	E	X	000
RJ45 TP Ports	8 PORTS	5 Year Warranty	NEH08	E	X	000
RJ45 TP Ports	9 PORTS	5 Year Warranty	NEH09	E	X	000
RJ45 TP W/ 1 BNC PORT	16 PORTS	5 Year Warranty	NEJ16	E	X	000
RJ45 TP W/ 1 BNC PORT	8 PORTS	5 Year Warranty	NEM08	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Dual Speed SNMP Hub; Slide in Module

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
10/100Mbps Switch	N/A	1 yr power/ Life	NZAST	E	X	000
100Base-FX	Dual SC	1 yr power/ Life	NZASF	E	X	000
100Base-TX	RJ45	1 yr power/ Life	NZASV	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Dual Speed SNMP Hub; Stackable x 5

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
SNMP Master; Rackmount	24 RJ45	1 yr power/ Life	NZS24	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Dual Speed SNMP Hub; Stackable x 5

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
SNMP Network Management	N/A		NZSNS	E	X	000
SNMP Slave; Rackmount	24 RJ45	1 yr power/ Life	NZM24	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Switching Hub

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports; Standalone	8 PORTS	1 yr power/ Life	NEY08	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Switching Hub; Fiber Module

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For NEX16,24,32 or NH116,24	Dual SC	1 yr power/ Life	NEXSC	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Switching Hub; Stackable x 4

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports; Rackmount	16 PORTS	1 yr power/ Life	NEX16	E	X	000
RJ45 TP Ports; Rackmount	24 PORTS	1 yr power/ Life	NEX24	E	X	000
RJ45 TP Ports; Rackmount	32 PORTS	1 yr power/ Life	NEX32	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 10/100 Mbps Switching Hub; Stackable x 5

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports; Standalone	16 PORTS	1 yr power/ Life	NEZ16	E	X	000
RJ45 TP Ports; Standalone	8 PORTS	1 yr power/ Life	NEZ08	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 100Base-TX Hub

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports; Standalone	5 PORT	5 Year Warranty	NH105	E	X	000
RJ45 TP Ports; Standalone	8 PORTS	5 Year Warranty	NH108	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 100Base-TX Hub; Fiber Module

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
For NEX16,24,32 or NH116,24	Dual SC	1 yr power/ Life	NEXSC	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Hubs
 Primary Description: 100Base-TX Hub; Stackable x 4

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
RJ45 TP Ports; Rack Mount	16 PORTS	5 Year Warranty	NH116	E	X	000
RJ45 TP Ports; Rack Mount	24 PORTS	5 Year Warranty	NH124	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet PCMCIA Adapters
 Primary Description: 10 Mbps PCMCIA Type-II Adapter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Combo(TP & BNC)		5 Year Warranty	NEPC1	E	X	000
TP + 33.6K Fax Modem		5 Year Warranty	NEPC4	E	X	000
TP + 56K (V.90)Fax Modem		5 Year Warranty	NEPC5	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet PCMCIA Adapters
 Primary Description: 10/100 Mbps PCMCIA Type-II Adapter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
32-bit Card Bus Ethernet Card	RJ45	5 Year Warranty	NEPC6	E	X	000
Ethernet Card	RJ45	5 Year Warranty	NEPC7	E	X	000
TP + 56K (V.90)Fax Modem	N/A	5 Year Warranty	NEPC8	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Print Servers
 Primary Description: 10 M Print Server for Novell, TCP/IP, Win 95/NT

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
(RJ45 & BNC) 1 Parallel Port	N/A	5 Year Warranty	NEPS1	E	X	000
(RJ45 & BNC) 2 Parallel + 1 Serial	N/A	5 Year Warranty	NEPS2	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Print Servers
 Primary Description: 10/100 M Print Serv. for Nov., TCP/IP, Win 95/NT

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
1 Parallel Port	RJ45	5 Year Warranty	NEPS3	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Print Servers
 Primary Description: 10/100 M Print Serv. for Nov., TCP/IP, Win 95/NT

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
2 Parallel + 1 Serial	RJ45	5 Year Warranty	NEPS4	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Repeater
 Primary Description: 10 Mbps (Micro)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
BNC/ RJ45	2 PORT	Steel	NER2T	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Repeater
 Primary Description: 10 Mbps Standalone

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
2 BNC & 2 AUI Ports	N/A	5 Year Warranty	NR22A	E	X	000
4 BNC & 4 AUI Ports	N/A	5 Year Warranty	NR42A	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Switches
 Primary Description: 10/100 Mbps N-Way Switch

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
2 x 10/100Mbps	2 PORTS	1 yr power/ Life	NES02	E	X	000
8 x 10/100Mbps	8 PORTS	1 yr power/ Life	NES08	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Switches
 Primary Description: 10/100 Mbps N-Way Switch; Rackmount

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
12 x 10/100Mbps	12 PORTS	1 yr power/ Life	NES12	E	X	000
2 x 10/100Mbps + 8 x 10Mbps	10 PORTS	1 yr power/ Life	NES10	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Switches
 Primary Description: 10/100 Mbs Switch

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
10/100Mbps to Dual "SC" fiber	2 PORTS	1 yr power/ Life	NESF2	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Transciever
 Primary Description: 10 Mbps (Micro)

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AUI/ 10BASE-FL Dual "SC" Fiber Jacks	1 PORT	Steel	FECTF	E	X	000
AUI/ 10BASE-FL Dual "ST" Fiber Jacks	1 PORT	Steel	FECAF	E	X	000
AUI/ 10BASE-T RJ45	1 PORT	Steel	NECAT	E	X	000
AUI/ BNC	1 PORT	Steel	NECA2	E	X	000
BNC/ RJ45	N/A	5 Year Warranty	NEC2T	E	X	000
RJ45/ Dual Fiber "ST" jacks	N/A	Steel	FECXF	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Transciever
 Primary Description: 10 Mbps Standalone



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: NETWORK HDWR
 Category: Ethernet Transceiver
 Primary Description: 10 Mbps Standalone

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
AUI/ BNC	1 PORT	Steel	NET21	E	X	000
AUI/ ThickNet N Connector	1 PORT	Steel	NET51	E	X	000
AUI/ Vampire Tap	1 PORT	Steel	NETV1	E	X	000
AUI/ Vampire Tap	2 PORT	Steel	NETV2	E	X	000
AUI/ Vampire Tap	4 PORT	Steel	NETV4	E	X	000

Platform: NETWORK HDWR
 Category: Ethernet Web Cruiser
 Primary Description: ISP Sharing device w// RJ45 or BNC

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
One Async Com Port (230.4K)	N/A	5 Year Warranty	NEWC1	E	X	000
Two Async Com Ports (230.4K)	N/A	5 Year Warranty	NEWC2	E	X	000

Platform: NETWORK HDWR
 Category: Fax/Modems
 Primary Description: PCMCIA Type-II Adapter

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
56K (V.90) Cirrus Logic Chipset		5 Year Warranty	NEPC3	E	X	000
56K (V.90) Lucent Chipset		5 Year Warranty	NEPC2	E	X	000

Platform: Phones
 Category: Accessory Sales
 Primary Description: Bell Ringer

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Outdoor w/ dual 4" bells	N/A	Steel	JDRGR	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: Phones
 Category: Accessory Sales
 Primary Description: Bell Ringer

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Active

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Differential	Micro DB50 male pins w/ spring latches.	Low Profile (0.224" High) Shielded	JT1D3	T	X	000
Differential	Micro DB68 female sockets.	Unshielded	JT3I3	T	X	000
Single ended	50 position dual 25 female socket.	Unshielded	J3TAC	T	X	000
Single ended	50 position dual 25 male - female.	Unshielded	J2TAC	T	X	000
Single ended	50 position dual 25 male pins.	Unshielded	J1TAC	T	X	000
Single ended	Attaches to Ribbon Cable	Unshielded	J5TAC	T	X	000
Single ended	Centronics 50 male w/ bail locks.	Shielded	J1TA1	T	X	000
Single ended	DB 50 position male pins.	Shielded	J1TAE	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Low Profile (0.224" High) Shielded	J1TA2	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Standard Height (0.495" High) Shielded	J1TAS	T	X	000
Single ended	Micro DB68 female sockets.	Shielded	J3TA3	T	X	000
Single ended	Micro DB68 male pins w/ male lock screws.	Low Profile (0.224" High) Shielded	J1TA3	T	X	000
Single ended	Micro DB68 male pins w/ spring latches.	Shielded	J6TA3	T	X	000

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Diagnostic Remote Indicator with 4 ft of cable.

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Diagnostic Remote Indicator with 4 ft of cable.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Use with J1DA1TX000, J1DA2TX000, J1DA3TX000, JD1A3TX000	5 pin	Shielded	J1DRM	T	X	000

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Diagnostic. Order remote indicator seperately.

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Differential	Micro DB68 male pins w/ male lock screws.	Shielded	JD1A3	T	X	000
Single ended	Centronics 50 male w/ bail locks.	Shielded	J1DA1	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Shielded	J1DA2	T	X	000
Single ended	Micro DB68 male pins w/ male lock screws.	Shielded	J1DA3	T	X	000

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Forced Perfect

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA	Centronics 50 male w/ bail locks.	Shielded	J1TF1	T	X	000

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: High Line



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: High Line

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
External	SCSI III female to SCSI II male.	Shielded	JE43E	T	X	000
External	SCSI III male to SCSI I female.	Shielded	JE231	T	X	000
External	SCSI III male to SCSI II female.	Shielded	JE232	T	X	000
Internal	SCSI III female to 50 pin IDC female.	Unshielded	J133C	T	X	000
Internal	SCSI III male to 50 pin IDC male.	Unshielded	J113C	T	X	000

Platform: SCSI
 Category: SCSI Terminators
 Primary Description: Passive

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Differential	Centronics 50 male w/ bail locks.	Shielded	JT1P1	T	X	000
Differential	Micro DB50 male pins w/ spring latches.	Standard Height (0.495" High) Shielded	JT1PS	T	X	000
Single ended	50 position dual 25 male - female.	Unshielded	J2TPC	T	X	000
Single ended	50 position dual 25 male pins.	Unshielded	J1TPC	T	X	000
Single ended	Centronics 50 male w/ bail locks.	Shielded	J1TP1	T	X	000
Single ended	DB 50 position male pins.	Shielded	J1TPE	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Low Profile (0.224" High) Shielded	J1TP2	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Low Profile (0.224" High) Unshielded	J1TU2	T	X	000
Single ended	Micro DB50 male pins w/ spring latches.	Standard Height (0.495" High) Shielded	J1TPS	T	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: LS9100 PRG, 70-19620-02

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB15	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Multi-Inl Industrial Scanner, P302FZY-1000

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB08	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Omnilink Interface Controller w/ PM-103 S/W, LL-500-1200-103

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB03	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: P406/P302 Intellistand, 20-37298-01

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB09	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Power Supply 5/12/V for Omnilink, 50-04000-041

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB04	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Power Supply 5V for DB9 hood, 50-14000-008

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB17	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Power Supply 5V for Synapse Cable, 50-16002-009

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB12	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Wand Holder, 50-01400-182

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB02	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: Wand Scanner 12 10Mil Red, LP-1500

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB01	E	X	000

Platform: SYMBOL
 Category: Bar Code Equipment
 Primary Description: White Scanner, LS9100-002A04900

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NA			JSB14	E	X	000

Platform: UNISYS
 Category: Terminator
 Primary Description: Bus Terminator

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
DB 50	Male	CBL50-TER-B	J0094	T	X	094

Platform: UNISYS
 Category: Terminator
 Primary Description: Tag Terminator

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
DB 50	Male	CBL50-TER-T	J0093	T	X	094



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: VIDEO
 Category: Camera
 Primary Description: 1/3 inch Color CCD

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
DSP 420 TV Lines			VP591	E	X	000
Triangle DSP Camera			V2911	E	X	000

Platform: VIDEO
 Category: Camera
 Primary Description: 1/3 inch Color CMOS

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Super mini			VM25P	E	X	000

Platform: VIDEO
 Category: Camera
 Primary Description: 1/4 inch Color CCD

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Board Lens			V364F	E	X	000
Ultra Color w/ Variable Focus			V161R	E	X	000
Ultra mini Pin Lens			VCG26	E	X	000
Waterproof, Little Finger			V25FR	E	X	000

Platform: VIDEO
 Category: Camera
 Primary Description: 1/4 inch Day & Night Color CCD IR, In/Outdoor

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
10 meter effective IR night vision			V00CI	E	X	000

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: VIDEO
 Category: Camera
 Primary Description: Pin Hole B/W CMOS

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
(17 X 16 X 15mm)			V0BSS	E	X	000

Platform: VIDEO
 Category: Camera
 Primary Description: Pin Hole Color CMOS

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
(18 x 18 x 18mm)			V0CSS	E	X	000

Platform: VIDEO
 Category: Camera for Car, Truck, or other, 12V
 Primary Description: 1/4 inch Minature Color CCD, Weatherproof, 1 lux

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
NTSC: (H x V): 542 x 496, 525 lines, 60fps, Anodized Alum.	Drilled Type	380 TV Lines	V2CCV	E	X	000
NTSC: (H x V): 542 x 496, 525 lines, 60fps, Anodized Alum.	with bracket	380 TV Lines	V2CCL	E	X	000

Platform: VIDEO
 Category: Camera for Car, Truck, or other, 12V
 Primary Description: 130 degrees wide-angle

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Drilled/ Mounted anti-salt anti-mist design		CCD image sensor	V0RVC	E	X	000



Division #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks

Platform: VIDEO
 Category: Cameras-Wireless
 Primary Description: Super Mini Tx and Rx, 50mW, 900MHz to 1.2GHz freq

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
250K Pixel (EIA)/ 290K (CCIR), .5 lux	300mA, 9VDC Battery	380 TV Lines, (15 x 20 x 22mm)	V50MW	E	X	000

Platform: VIDEO
 Category: Display for Car Truck or other, 12V
 Primary Description: Rear Mirror w/ built-in display, Wide-angle lens

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
2.5 inch TFT-LCD, built in			VM25M	E	X	000

Platform: VIDEO
 Category: DVD Player Car, Truck, or other, 12V
 Primary Description: DVD/SVCD/CD/MP3 Compatible

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
Dolby Pro Logic surround Sound/ DTS ready			V0MP8	E	X	000

Platform: VIDEO
 Category: DVR for Car Truck or other, 12V
 Primary Description: Compact, records Video + Audio

Secondary Description	Ports	Composition	JKEY#	T	L	NNN
20GB, 22 Hours recording, NTSC: 720 x 486 pixels		30 fps real-time	V166A	E	X	000