



27th Year in Business
Our Cables make the “Right Connection”
The Original “24 Hour Cable”
JML, “We’re plugged in”

2004
Catalog - Division #9
SUN Cables

JML Computer Products Incorporated
West Berlin, NJ
USA

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Other Divisions of JML Catalog:

- #1) Cables: Network - Voice - Data - Communication - Video - Audio - Telecommunication - Fiber - SCSI - Unisys - HP - IBM**
- #2) Cable Adapters: Network - Voice - Communication - Video - Audio - Telecommunication - Fiber - SCSI**
- #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks**
- #4) Bulk Cable: Network - Voice - Data - Communication - Video - Audio - Alarm - Telecommunication - Fiber - Underground - Aerial**
- #5) Cisco Cables**
- #6) Unisys Cables**
- #7) IBM Cables**
- #8) HP Cables**
- #9) SUN Cables**
- #10) Storage Technology Cables**
- #11) EMC Cables**
- #12) SGI Cables**
- #14) Nortel Cables**
- #15) Avaya Cables**
- #16) Lucent Cables**
- #17) Equinox Cables**
- #18) Belkin Cables**
- #19) Belden Cables**
- #20) APC Cables**
- #21) IMC Cables**
- #22) BlackBox Cables**
- #23) AMP Cables**
- #24) Amphenol Cables**
- #25) Viewsonic Cables**
- #26) Levitron Cables**
- #27) Panduit Cables**
- #28) Lantronix Cables**
- #29) Power Cords**
- #30) Power Supplies**



About Our Part Number

The JML 10 digit part # =
JML Key# + T + L + NNN

T	T Description
A	Adapter
B	Bulk PVC (CL2)
C	Fully Assembled; PVC (CL2)
D	Prepped for conduit; PVC (CL2)
E	Equipment
G	Miscellaneous Labor
H	Technical Help
K	Connector Kit
L	Bulk Shotgun; Plenum (CL2P)
M	Modular Version; PVC(CL2)
N	Bulk Plenum (CL2P)
P	Fully Assembled; Plenum (CL2P)
Q	Tool
R	Prepped for conduit; Plenum (CL2P)
S	Switch Kit
T	Terminator
V	Molded; PVC (CL2)
W	Modular Version; Plenum(CL2P)
Y	"Y" Cable; PVC (CL2)
Z	Bulk Shotgun; PVC (CL2)

L	L Description
F	FEET
M	METER(S)
N	INCHES
T	THOUSAND FEET
X	Special

NNN
001 to 999

Examples:

For a **6 inch**, fully assembled, PVC(CL2) rated cable with a JKEY# of **JS132**:
 The JML Part# = **JS132** + (T = **C**) + (L = **N**) + (NNN = **006**)
 = **JS132 C N 006**
 = **JS132CN006**

For a **10 foot**, fully assembled, PVC(CL2) rated cable with a JKEY# of **JS111**:
 The JML Part# = **JS111** + (T = **C**) + (L = **F**) + (NNN = **010**)
 = **JS111 C F 010**
 = **JS111CF010**

For a **10 meter**, fully assembled, Plenum(CL2P) rated cable with a JKEY# of **JS131**:
 The JML Part# = **JS131** + (T = **P**) + (L = **M**) + (NNN = **010**)
 = **JS131 P M 010**
 = **JS131PM010**

For an adapter JKEY# of **JS135**:
 The JML Part# = **JS135** + (T = **A**) + (L = **X**) + (NNN = **000**)
 = **JS135 A X 000**
 = **JS135AX000**



Dear cable user:

2004

Our Quality control is simple, every JMLCable is fully tested twice for resistance and capacitance to ensure high quality, then labeled with a unique serial # which gives it an identity that symbolizes the quality and workmanship that went into making it.

JMLCable is a BICSI certified Registered Communications Distribution Designer. The RCDD is a professional designation of superior design expertise in the implementation and integration of telecommunications and data communications transport systems, and related infrastructure.

In terms of sheer sweep of technological advancement the 27 years since JMLCable began providing custom, state-of-the-art computer interface cables represents an era of unparalleled progress.

JMLCable produces over 20,000 custom products which we provide today for a constantly expanding base of customers of every size, on six continents.

JMLCable has been presented numerous Supplier Recognition Awards for its excellence in supplying quality products on-time with superior service.

We here at JMLCable focus on three main areas in cabling:

#1) Cable Manufacturer(1980 - Present) - Built with copper, glass or plastic fiber optic material purchased direct from the industries top manufacturers like Madison Cable(Tyco), Alcoa(AFL) Fiber Cable, Quabbin Wire and Cable, Coleman Cable, Berk-Tek, Comtran Cable, AMP(Tyco) and Amphenol.

Cable types include:

- Bulk Cable and Connectors
- Computer and peripheral device data interface cables
- Network interface cables
- Internal and external SCSI cables
- Wireless antenna cables
- Analog/ Digital audio/ video cables
- Power cords(US/International), equipment cords, power strips, and replacement power supplies(laptops, monitors, scanners, etc.)
- CATV/ Satellite cables



Our cables are currently in use connecting the following system platforms:
Sperry/ Unisys, HP, IBM, SGI, Storage Technology, SUN, DEC, Cisco, etc.

JMLCable has built and shipped cables to every US Air Force base in the world, every FAA ARTCC facility; every Sperry Univac/Unisys office; and every Crown Cork & Seal facility in the country. We provide these and countless other customers with thousands of quality compatible cables.

#2) Design and Build Premise Wire Cabling Infrastructure(1981 - Present) - Onsite cabling includes Cat 5e, Cat 6, telco, RG-58, RG-59, RG-62, RG-6, Hadix, V.35, RS-232, RS-530, RS-449, USB, PS2, Block Mux Channel, IBAG, singlemode / multimode fiber and radar control.

We design, supply, and install complete telecommunication system. Racks, patch panels and cable management all configured with your servers, switches, shelves, and KVM+ extenders that also include grounding and installation of seismic tie downs if needed.

These premise cabling systems come complete with testing, a labeling system, with as built documentation and are supported over the life of the cable system.

Here is a list of some big installations completed by JMLCable:

FAA facilities(1992 - Present) - We installed over 1000 Cat 5e data cable runs in (4) of the Air Route Traffic Control Centers(ARTCC), over 300 fiber cable runs in (6) of the Air Traffic Control Towers(ACTC), and over 4000 custom built cables in the Tech Center(ACT).

United Parcel Service facilities(2001 - present) - We installed over 1400 Cat 5e data cable runs including multi-pair demarc extension runs in over 10 Philly/NY/DC locations.

#3) Certified National Accounts Dealer, and installer for the following products:

Samsung VoIP Phone Systems(1992 - Present) - Samsung iDCS500 Release 2 voice over IP system allowing 50+ systems linked via voIP with 500+ users each, including fully featured remote IP and wireless 802.11b IP KeyPhones and all connected with JMLCable brand telco and network cables.

Lantronix - Lightwave (service depot location) - Fiber optic extenders(over a mile), extending high quality analog and digital video, USB, PS2, and RS232 signals using Lightwave VDE 160/350 units all connected with JMLCable brand fiber cables. This system allows the Workstation or PC to be located in one location and the monitor, keyboard, mouse, and or bar code reader in another.



Symbol - Bar code readers all connected with JMLCable brand power and signal extender cables

Extron - Video splitters and boosters all connected with JMLCable brand video coax cables

NTI - Keyboard , Video, Mouse extensions and switches with JMLCable brand KVM cables

My 20+ years of practical experience in this industry is literally available to you 24/7. So, call me anytime you need a cable or just advice and I will do my best to support you.

Regards,

John McLaughlin Jr
BSEE, RCDD
800.326.4565 x202
sales@jmlcable.com
www.jmlcable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: #180-

JKEY#	Description	Compatible Sun#
S1000	CBL PWR/DRV/ATLDR-DDS3Y FORM	#180-1751
S1001	POWER CORD W/LOCK T3	#180-1918

Category Code: #370-

JKEY#	Description	Compatible Sun#
S1002	ETL X-AXIS UMBILICAL CABLE	#370-2861
S1003	FRUCABLE ASSY10 METER	#370-4288
S1004	REFURB - FIBER CHANNEL OPTICAL MODULE	#370-1426RFB

Category Code: #530-

JKEY#	Description	Compatible Sun#
S1005	#180W P/SS DC EXTENDER CABLE	#530-2281
S1006	#BKPLN SCSI LPBCK CBL 194MM	#530-2268
S1007	#CABLE CNTRLR-AC FLTR/SWCH	#530-2260
S1008	#CBL SCI 10 METER W/FERRITE	#530-2578
S1009	#CNTRLR/SYS BDPOWER RESET CABL	#530-2292
S1010	#CONTROLLER FOR UPS CABLE E150	#530-2259
S1011	#FAN DC POWER CABLE E150	#530-2262
S1012	#FLOPPY DATA CABLE 190MM E150	#530-2258
S1013	#FLOPPY DC PWR FLTR CBL 76MM	#530-2316
S1014	#FLOPPY/SCSI DATA CABLE E150	#530-2253
S1015	#INTERNAL SCSI CABLE 1M	#530-1911
S1016	#KEYSWITCH CABLE	#530-2225
S1017	#POWER CABLE IN SNFR	#530-2264
S1018	#SCSI ADAPTER TRAY CABLE 1.0M	#530-2224
S1019	#SCSICBL CRD TO SCSI TRAY 5.1M	#530-1835
S1020	#SERIAL CABLE BUNDLE	#530-2124
S1021	1 METER FIBER CHANNEL CABLE	#530-2949

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: #530-

JKEY#	Description	Compatible Sun#
S1022	2.5M POWER CORD DENMARK	#530-1819
S1023	ASSYCBL-RUSCSI-3/VHDCI2MRA	#530-2846
S1024	ASSYCBLSHLDRJ45-RJ6M	#530-2991
S1025	ASSYCBLUSCSI-3/VHDCI2MR/A	#530-2729
S1026	ASSYCBLUSCSI-368P.5MR/A	#530-2905
S1027	ASSYSERIAL PORT CABLE AFB-V	#530-2672
S1028	ASYCBLRACK FAN TRAY TO SEQ	#530-2234
S1029	BKPLN TO DC DIST POWER CABLE	#530-2443
S1030	BKPLN-DC DIST KEY/LED/2C CBL	#530-2525
S1031	CABLE ASSY48VDC BUS POWERSF	#530-2391
S1032	CABLE ASSY48VDC POWER1270MM	#530-2393
S1033	CABLE ASSY48VDC POWER610MM	#530-2392
S1034	CABLE ASSYCARD CAGE POWER	#530-2396
S1035	CABLE ASSYCARD CAGEPWRLLOWER	#530-2399
S1036	CABLE ASSYCCFAN CNTRLINTERN	#530-2397
S1037	CABLE ASSYCTRL BD TO PCU-10FT	#530-2400
S1038	CABLE ASSYPOWER CTRLINTERNAL	#530-2398
S1039	CABLE ASSYPWR CTRL-EXT1322MM	#530-2395
S1040	CABLE ASSYPWR CTRL-EXT915MM	#530-2394
S1041	CABLE ASSYRPCEXT6096MM	#530-2403
S1042	CABLE POWER HARNESS SLR5 DR	#530-2502
S1043	CABLE RME FLOPPY POWER A20	#530-2340
S1044	CABLE RME KEY SWITCH A20	#530-2314
S1045	CABLE SCSI ADDRESS MLR-3	#530-2590
S1046	CABLE SCSI T-1100	#530-2473
S1047	CABLE15PIN VIDEO19 MONITOR	#530-2494
S1048	CABLEAC INPUT TRAY6800	#530-2560
S1049	CABLEASSYSCSILSP	#530-2684
S1050	CABLEFANTRAY C/P PWR 6800	#530-2546



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: #530-

JKEY#	Description	Compatible Sun#
S1051	CABLEIDBOX/SEQS24EXP	#530-2565
S1052	CABLEPERIPHERAL6800	#530-2563
S1053	CABLESHLDTP-ENETRJ45	#530-2573
S1054	CABLESYS C/P PWR 6800	#530-2545
S1055	CBL ASSYAC MAIN PWRUSE10000	#530-2993
S1056	CBL SCI 2 METER W/FERRITE	#530-2576
S1057	CBL3.0 MFCALHSSDCCOMBO	#530-2951
S1058	CBL8SLOTSCSI DATAHWRAIDE45	#530-2744
S1059	CBLASSYSCI5 METER W/FERRITE	#530-2577
S1060	CBLDELRAK AC INPUT INTL2	#530-2675
S1061	CBLDIFFERENTIAL SCSI 4M	#530-2312
S1062	CBLE ASSYCTRL BD TO PCU-5.5FT	#530-2401
S1063	CBLMAMOTHFST WIDEE5500 E650	#530-2528
S1064	CBLSHIELDRJ45CIP-IWF12M	#530-2990
S1065	CBLU SCSI-3/VHDCI68P.8M	#530-2452
S1066	CLUSTERSCI-PCI3 CABLE 5M	#530-2870
S1067	CPU TO DC DIST 4-PIN PWR CABLE	#530-2444
S1068	CPU-DC DIST 14-PIN SENSE CABLE	#530-2480
S1069	CPU-DC DIST 16-PIN SENSE CABLE	#530-2481
S1070	DC POWER CABLE REMVBLE MEDTRAY	#530-2365
S1071	EXT DIFF SCSI CBL68-PIN2.0 M	#530-1885
S1072	EXTERNAL DC POWER CABLE	#530-2063
S1073	FLOPPY DATA CABLE 7CM	#530-2339
S1074	FRU CBLPWRDCMT	#530-2895
S1075	FRU1394 CABLE3METER	#530-2960
S1076	FRUASSYCABLEEXPERT3D6	#530-2989
S1077	FRUCAAC PWR CABLE	#530-2819
S1078	FRUCACONTROL CABLE	#530-2830
S1079	FRUCBLACINPUTSYS RACKI	#530-2568



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: #530-

JKEY#	Description	Compatible Sun#
S1080	FRUCBLFCAL SHIELEDTWIN	#530-3019
S1081	FRUCBLKEY SWITCHS24EXP	#530-2704
S1082	HARD DRIVE CABLE	#530-2062
S1083	INTERLOCK CABLE	#530-2305
S1084	INTERLOCK CABLE	#530-2482
S1085	INTERNAL SCSI CABLE	#530-2254
S1086	LED CABLE	#530-2363
S1087	SCSI ADPTR TOSCSI TRAY PWR CBL	#530-2655
S1088	SCSI POWER CABLE	#530-2223
S1089	SERIAL CONTROLLER CABLE	#530-2273
S1090	SUNBLADE 1000CABLELED	#530-2881

Category Code: #537-

JKEY#	Description	Compatible Sun#
S1091	ASSYCBLFIBR OPTIC15M S-	#537-1014
S1092	FIBER OPTIC CABLE 15M	#537-1006

Category Code: #540-

JKEY#	Description	Compatible Sun#
S1093	ASSYLED BD W/ CLIP & CBL	#540-4487
S1094	ASSYLEDPCB/CABLENETRA	#540-3605
S1095	FRUKEYSWITCH/CABLE ASSY	#540-2393
S1096	KEYSWITCH & LED ASSY W/CABLES	#540-3604

Category Code: #565-

JKEY#	Description	Compatible Sun#
S1097	CBL KIT	#565-1397



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: #595-

JKEY#	Description	Compatible Sun#
S1098	.5M SCSI CABLE/NETRA ST D130	#595-5326
S1099	2.0M SCSI RIGHT CABLE/NETRA ST	#595-5269
S1100	ASSYCBUSCSI-3/VHDCI2MR/A	#595-5114

Category Code: 1132A

JKEY#	Description	Compatible Sun#
S1101	0.8m Cable,SCSI-3 to VHDCI	1132A

Category Code: 1134A

JKEY#	Description	Compatible Sun#
S1102	0.8m Cable, SCSI-3 to SCSI-3	1134A

Category Code: 1139A

JKEY#	Description	Compatible Sun#
S1103	2.0m Cable,SCSI-3 to SCSI-3	1139A

Category Code: 1151A

JKEY#	Description	Compatible Sun#
S1104	Gigabit Ethernet Network Interface card for high performance MMF fiber and PCI a	1151A

Category Code: 130-3

JKEY#	Description	Compatible Sun#
S1105	CABLE, MON ADAPTER HD15F/13W3M	130-3034



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 130-4

JKEY#	Description	Compatible Sun#
S1106	FC CABLE COUPLER T3+	130-4723

Category Code: 180-1

JKEY#	Description	Compatible Sun#
S1107	AC POWER CORD (240V)	180-1125
S1108	AC POWER CORD, RIGHT ANGLE	180-1732
S1109	AC Power Cord (115V)	180-1097
S1110	CBL,ASSY,FDDI,5.0	180-1737
S1111	CORD, AC BASE TO MNT, 115V	180-1117
S1112	FRU, CBL, AC PWR CORD, .61M	180-1946
S1113	FRU, CBL, AC PWR, CORD, SJTO, 1.5M	180-1947
S1114	FRU, CBL, PWER CORD, AC INPUT DM	180-1943
S1115	POWER CORD FOR 72 INCH CAB X3858A	180-1954
S1116	POWER CORD IEC320 TO AMP MATE	180-1948
S1117	POWER CORD WITH LOCK Sun StorEdge T301, T310	180-1918
S1118	Power Cord (230V)	180-1179
S1119	UNIVERSAL AC PWR CORD, 250V	180-1945

Category Code: 1871A

JKEY#	Description	Compatible Sun#
S1120	RJ45-RJ45 4M CAT5 CABLE	1871A

Category Code: 319YA

JKEY#	Description	Compatible Sun#
S1121	POWER CORD, Y CABLE, FOR SUN FIRE 3800 TO 4810 SERVERS,IN RACK	319YA



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 340-7

JKEY#	Description	Compatible Sun#
S1122	LEFT SIDE CABINET PANEL WITH LOGO FOR 15K	340-7192
S1123	RIGHT SIDE CABINET PANEL WITH LOGO 15K	340-7193

Category Code: 370-1

JKEY#	Description	Compatible Sun#
S1124	SER Asynchronous Connector Option	370-1575

Category Code: 370-3

JKEY#	Description	Compatible Sun#
S1125	CABLE SCSI FLT RBN JMP, DLT7K CABLE, SCSI FLT RIBBON JMP, DLT7000	370-3554
S1126	CBL ASSY, KEYSWITCH, SG-RACK	370-3547
S1127	PWR,UNIV INT CBL,SG-RACK	370-3592
S1128	SERVICE KIT W/CBLS, ULTRA 10	370-3267
S1129	SERVICE KIT W/CBLS, ULTRA 5	370-3266
S1130	X AXIS UMBIL CBL, ETL7 3500	370-3300

Category Code: 370-4

JKEY#	Description	Compatible Sun#
S1131	ASSY,CL2 CABLE FOR HSI PCI	370-4068
S1132	ASSY,CL2 CABLE FOR SAI PCI	370-4069
S1133	DIAGNOSTIC KIT, CABLE, T300, OEM Sun StorEDGE T301, T310	370-4119
S1134	FRU, CABLE SERVICE KIT, Sun Blade 100	370-4209
S1135	FRU, CBL, SHLD, RJ45, CIP IWF1	370-4114
S1136	FRU, CBL, WS-G5484 1000 BASE	370-4190



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 370-5

JKEY#	Description	Compatible Sun#
S1137	.45M -1.5FT- EXPANSION CABLE STOREDGE 3310	370-5528
S1138	SCSI JUMPER CABLE - .3 METER STOREDGE 3310	370-5405

Category Code: 370-8

JKEY#	Description	Compatible Sun#
S1139	1M COLOR VIDEO CABLE	370-8602

Category Code: 380-0

JKEY#	Description	Compatible Sun#
S1140	FRU, ASSY, OEM, SYSTEM, SUN RAY 100, NO MANUALS OR RJ45 TO RJ45 CABLE	380-0344

Category Code: 3800A

JKEY#	Description	Compatible Sun#
S1141	OPT PWR CORD FOR ENTERPR. (US)	3800A

Category Code: 3830A

JKEY#	Description	Compatible Sun#
S1142	4M CABLE, SCSI 68 TO VHDC	3830A

Category Code: 3831A

JKEY#	Description	Compatible Sun#
S1143	10M CABLE, SCSI TO VHDC	3831A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 3832A

JKEY#	Description	Compatible Sun#
S1144	2M CABLE, SCSI 68 TO VHDC	3832A

Category Code: 3837A

JKEY#	Description	Compatible Sun#
S1145	OPT 5M ENET CABLE	3837A

Category Code: 3840A

JKEY#	Description	Compatible Sun#
S1146	SCSI Cable, 68-pin to 68-pin, 12 meters	3840A

Category Code: 3841A

JKEY#	Description	Compatible Sun#
S1147	SCSI Cable, RS/6000 68-pin to 68-pin	3841A

Category Code: 3846A

JKEY#	Description	Compatible Sun#
S1148	ESCON Cable, 13 meters	3846A

Category Code: 3847A

JKEY#	Description	Compatible Sun#
S1149	ESCON Cable, 31 meters	3847A

Category Code: 3848A

JKEY#	Description	Compatible Sun#
S1150	OPT PWR CORD F. ENTERPR. (INT)	3848A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 3851A

JKEY#	Description	Compatible Sun#
S1151	E10000 POWER CORD (INTL)	3851A

Category Code: 3858A

JKEY#	Description	Compatible Sun#
S1152	U.S. POWER CORD FOR STOREDGE	3858A

Category Code: 3859A

JKEY#	Description	Compatible Sun#
S1153	INTL. POWER CORD FOR STOREDGE	3859A

Category Code: 3865A

JKEY#	Description	Compatible Sun#
S1154	E10000 PWR CORD (14FT)FOR N.A	3865A

Category Code: 3872A

JKEY#	Description	Compatible Sun#
S1155	VIDEO CONNECTOR ADAPTER HD-15	3872A

Category Code: 4341A

JKEY#	Description	Compatible Sun#
S1156	OPT RTS AC MOD FOR SF EXP CAB	4341A

Category Code: 4347A

JKEY#	Description	Compatible Sun#
S1157	OPT SF CAB EXPANDER KIT	4347A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 501-2

JKEY#	Description	Compatible Sun#
S1158	SUNATM-155/FIBER ADAPTER	501-2794
S1159	SunATM/622MFiber 2.1 Adapter Board	501-2864

Category Code: 501-4

JKEY#	Description	Compatible Sun#
S1160	REMOTE SYS CONSOLE BRD & CBL	501-4818

Category Code: 501-5

JKEY#	Description	Compatible Sun#
S1161	GIGABIT ETHERNET NETWORK INTERFACE CARD FOR HIGH PERFORMANCE MMF FIBER	501-5524

Category Code: 530-1

JKEY#	Description	Compatible Sun#
S1162	.8M EXT CBL,50 PIN,SCSI-2/2	530-1793
S1163	1.2M COLOR VIDEO CABLE	530-1870
S1164	10BASE-T ADPTR CBL,RJ-45,40MM	530-1813
S1165	10BASE-T CABLE, RJ45-RT45, 4M	530-1871
S1166	10BASES Adapter CBL, DB15, 70MM	530-1812
S1167	13W3 TO 2XBNC ADAPTOR CABLE	530-1511
S1168	1M EXTERNAL SCSI CABLE	530-1829
S1169	2.5M POWER CORD, AUSTRALIA/NZ	530-1822
S1170	2.5M POWER CORD, SWISS	530-1818
S1171	2.5M POWER CORD, UK	530-1821
S1172	2M ETHERNET CABLE	530-1696
S1173	2M EXT TP/SMD COM CBL,DB25/27	530-1209
S1174	2M FLT DATA CBL,DD50SA-CENT CN	530-1501
S1175	2M SCSI-2 DATA CABLE,50PIN,FLT	530-1503

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-1

JKEY#	Description	Compatible Sun#
S1176	4M EXTERNAL SCSI CABLE	530-1852
S1177	6 KEYBOARD CABLE M TO M	530-1442
S1178	68 PIN TO 68 PIN EXT SCSI CABLE	530-1884
S1179	6FT SUN-4 KBRD CBL DB15MINIDIN	530-1478
S1180	96 PIN SBUS EXPANSION CABLE	530-1896
S1181	AC POWER CORD, 240V	530-1343
S1182	AC POWERCORD, CONT. EUROPE	530-1817
S1183	ASSY,CBL,1.5M,HAWK2/HOST	530-1684
S1184	AUDIO CABLE ASSEMBLY	530-1594
S1185	AUDIO CABLE ASSEMBLY	530-1856
S1186	AUDIO CBL,SS-SLC/ELC,MINI	530-1702
S1187	CABLE, MINI DIN	530-1443
S1188	CABLE,C2 IBM PARALLEL	530-1861
S1189	CABLE,ETHERNET TRANSCEIVER	530-1241
S1190	CABLE,SCSI EXT 50PIN/DD-505A	530-1435
S1191	CBL.DIIF,SCSI EXT, 12.0 M	530-1886
S1192	CD-ROM GROUNDING CABLE, SS-670	530-1842
S1193	CLR ADAPTER CABLE,4XBNC-DB13W3	530-1446
S1194	Color Cable 1M, DB13W3-DB13W3	530-1839
S1195	DISK COMMAND CABLE	530-1451
S1196	EXT CABLE, SCSI2-SCSI2,2M	530-1836
S1197	EXT DFRNTL SCSI CBL,68PIN,20CM	530-1883
S1198	EXTERNAL IPI CABLE,2M	530-1518
S1199	EXTSCSICBL,SCSI2-CENTRONIC,4 M	530-1568
S1200	FLEX CIRCUIT CABLE	530-1814
S1201	FLEX CIRCUIT CABLE	530-1825
S1202	INT DIFF SCSI CABLE,3.0 M	530-1904
S1203	INTERFACE CBL,SBUS CARD-INTRPN	530-1685
S1204	IPI COMMAND CABLE 8.0M	530-1789

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-1

JKEY#	Description	Compatible Sun#
S1205	IPI DATA CABLE (INT)	530-1753
S1206	KEYBOARD CABLE, 4.6M	530-1479
S1207	LED CABLE	530-1768
S1208	LED,SCSI,&FLOPPY CABLE ASSEMBLY	530-1847
S1209	PARALLEL PORT CABLE,SPARCPRINT	530-1680
S1210	POWER CORD NEMA6/CPC 230	530-1348
S1211	POWER CORD, UK	530-1671
S1212	POWER CORD,230V	530-1351
S1213	POWER/FLOPPY CABLE- SS2	530-1679
S1214	SCSI BUS CABLE, 180CM	530-1642
S1215	SCSI HARNESS CABLE	530-1641
S1216	SERIAL CABLE	530-1662
S1217	SERIAL PORT ADAPTER CABLE	530-1869
S1218	SERIAL PORT BREAKOUT CABLE	530-1677
S1219	System Grounding Cable	530-1619
S1220	VIDEO CABLE,CG6,15 FT	530-1509

Category Code: 530-2

JKEY#	Description	Compatible Sun#
S1221	1.2M 50-68PIN EXT SCSI CABLE	530-2115
S1222	1.5M KEYBOARD CABLE	530-2123
S1223	10BASE-5 ETHER ADAPTER CAB 4M	530-2021
S1224	2M 50 PIN TO 68 PIN SCSI CABLE	530-2228
S1225	4M CABLE, SCSI 68 TO VHDC	530-2454
S1226	5 METER CABLES FOR CLUSTER TERMINAL CONCENTRATOR KIT	530-2826
S1227	AC BOX LED/BLOWER CABLE	530-2161
S1228	AC,POWER CORD	530-2036
S1229	ADAPTER TO SCSI TRAY FAN CABLE	530-2587

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-2

JKEY#	Description	Compatible Sun#
S1230	ASSY,MAM,CBL,DATA,SCSI,620	530-2382
S1231	ASY,CBL,MAIN RACK TO EXP INT	530-2236
S1232	AUDIO CABLE FOR SS5	530-2079
S1233	BAE VIDEO CONNECTOR 13W3F/HD15 FRU, 15HDM/13W3F VIDEO ADAPTER, 24 X471A	530-2917
S1234	BASE BACKPLANE POWER CABLE FOR SUN FIRE V880	530-2841
S1235	BASE EXPANSION CABLE SUN FIRE V880	530-2863
S1236	BKPLN RMA SCSI DEVICE DATA CBL	530-2446
S1237	CABLE 8 SLOT,SCSI DATA,ACME	530-2366
S1238	CABLE ASSY FLOPPY	530-2346
S1239	CABLE ASSY, AC MAIN PWR,EUR E10000	530-2994
S1240	CABLE ASSY, KEYSWITCH, "Y", CABLE ASSY, KEYSWITCH, "Y", RSM ARRAY 2000	530-2369
S1241	CABLE ASSY, RPC, EXT, 508MM	530-2402
S1242	CABLE ASSY,PERIPHERAL	530-2345
S1243	CABLE ULTRA SCSI 68PIN 2M	530-2384
S1244	CABLE ULTRA SCSI 68PIN, .8M	530-2383
S1245	CABLE, FLOPPY, AURORA 2	530-2277
S1246	CABLE, POWER SWITCH TS-1100 Netra 1100/1120	530-2514
S1247	CABLE, SHIELDED RJ45-RJ45, 4M	530-2093
S1248	CABLE, 15PIN VIDEO, 19 MON	530-2494
S1249	CBL, 8 SLOT, SCSI, DATA HWRAID, E45	530-2744
S1250	CBL, ASSY, ADDRESS ID, DLT	530-2372
S1251	CBL, DIFF SCSI, 8M W/FERRITE	530-2575
S1252	CBL, U SCSI-3/UHDCI 68P.8M	530-2452
S1253	CBL,ASSY,ADDRESS 20/40GB TAPE	530-2354
S1254	CBL,DIFF,SCSI EXT,4.0M	530-2352
S1255	CBL,DIFF,SCSI,12.0M W/FERR	530-2375
S1256	CBL,DSCSI, 6Meter w/ Ferrite	530-2574
S1257	CBL,HSI,PCI,MOLDED,SHROUD,FRU	530-2726

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-2

JKEY#	Description	Compatible Sun#
S1257	CBL,HSI,PCI,MOLDED,SHROUD,FRU	530-2726
S1258	CBL,LED,JAVA STN,15HDM/13W3F	530-2300
S1259	CBL,PCI,EXP,32BIT NETRA E1	530-2977
S1260	CBL,U SCSI-3/VHDCI,68P 2M	530-2453
S1261	CBL,ULTA,VHDCI VHDCI 68P	530-2984
S1262	CD-ROM TO CPU AUDIO CBL, 435MM	530-2280
S1263	CDROM SCSI CABLE	530-2129
S1264	CLR EXT CBL,3M,DB13W3M-DB13W3F	530-2020
S1265	Cable 8-disk I-2-C, A20	530-2355
S1266	Cable 8-disk Power, A20	530-2364
S1267	Cable Univ Power CD 10A	530-2197
S1268	DATA CBL 28MM SCSI CD/TAPE	530-2445
S1269	Data Cbl,Remov Media Tray,42cm	530-2368
S1270	E3000 KEYSWITCH CABLE	530-2146
S1271	E3000 KEYSWITCH CABLE	530-2148
S1272	E3000 SCSI CABLE	530-2220
S1273	EX000 DC POWER CABLE	530-2221
S1274	EX000 KEYSWITCH POWER CABLE	530-2226
S1275	EXT DIFF SCSI CBL 68 PIN 25CM 025M Differential SCSI Cable	530-2057
S1276	EXT DIFF SCSI CBL, 68 PIN 1.0 M	530-2022
S1277	EXT SCISICBL, 50PIN,SCSI2-SCSI2	530-2055
S1278	EXTSCSICBL, 50 PIN SCSI2-SCSI2, 1	530-2056
S1279	FAN IO CENTERPLANE CABLE	530-2887
S1280	FAN POWER CABLE	530-2766
S1281	FC AL DATA CABLE 35CM SUN FIRE V880	530-2622
S1282	FC AL DATA CABLE 95CM SUN FIRE V880	530-2623
S1283	FC AL DATA CABLE, 15CM SUN FIRE V880	530-2621
S1284	FLOPPY CABLE ASSEMBLY	530-2067
S1285	FRAME LOCK CABLE ASSEMBLY	530-2754

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-2

JKEY#	Description	Compatible Sun#
S1286	FRU CBL, ASSY, FOR CLASSIC	530-2068
S1287	FRU SCSI CABLE VHDCI/VHDCI 1.2	530-2983
S1288	FRU ULT10M SCSI CBLVHDCI/VHDCI	530-2985
S1289	FRU, 13W3 VIDEO CBL, 18.1 INCH FP MON	530-2893
S1290	FRU, CABLE, COMBINED, A28	530-2583
S1291	FRU, CBL ASSY, I/O, STST MDL, DP 9686A, C9686A, E10K	530-2880
S1292	FRU, CBL, ASSY, 48VDC PWR, TRN 9686A, C9686A, E10K	530-2802
S1293	FRU, CBL, KEY SWITCH, S24, EXP	530-2704
S1294	FRU, CBL, U SCSI-3/VHDCI, 68P 10M	530-2455
S1295	FRU,CABLE,DC POWER,A28	530-2582
S1296	FRU,CBL,FLOPPY,JAVA	530-2439
S1297	FRU,LOOP CABLE,LONG,T3	530-2843
S1298	I2C CABLE, SUN FIRE V880	530-2840
S1299	INT POWER CABLE, UNIPACK	530-2180
S1300	INT TAPE POWER CBL, UNIPACK	530-2179
S1301	INTERNAL 880MM SCSI CABLE	530-2025
S1302	INTERNAL SCSI3 WIDE 3DR CABLE	530-2096
S1303	IO BOARD REMOTE SENSE CABLE	530-2745
S1304	LONG ETHERNET CABLE	530-2150
S1305	LONG SERIAL CABLE	530-2152
S1306	LOWER REAR FAN CABLE 15K	530-2770
S1307	OPT PWR CORD FOR SSA - INT	530-2266
S1308	POWER CABLE EXPANDER REAR FOR 15K	530-2758
S1309	POWER CABLE, TABASCO IN SNFR	530-2264
S1310	POWER HARNESS CABLE ASSY	530-2066
S1311	PRINTER CABLE	530-2033
S1312	PWR SUPPLY TO BACKPLANE CABLE	530-2210
S1313	Peripheral Tray SCSI Cbl93.5cm	530-2381

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-2

JKEY#	Description	Compatible Sun#
S1314	S20 DISK DRIVE FAN CABLE	530-2159
S1315	SCSI ADDRESS CABLE	530-2181
S1316	SCSI Adptr toSCSI Tray Pwr Cbl	530-2655
S1317	SCSI BACKPLANE CABLE	530-2282
S1318	SCSI CBL A27 ADD DEVICE	530-2937
S1319	SCSI CBL, SS5/SS20, AURORA2	530-2278
S1320	SCSI DATA CABLE, 39CM	530-2337
S1321	SCSI Data Cbl,4-Disk Bkpln67cm ACME TAZMO	530-2367
S1322	SCSI power cable	530-2338
S1323	SERIAL CONSOLE CABLE	530-2103
S1324	SHORT SERIAL CABLE	530-2151
S1325	SPEAKER/LED POWER CABLE	530-2080
S1326	SYSTEM CENTERPLANE POWER CABLE	530-2886
S1327	Short ethernet cable	530-2149
S1328	TYPE 5C KEYBOARD EXTENDER CABL	530-2154
S1329	ULTRA ASSY CBL SCSI 660MM	530-2137
S1330	ULTRA INTERNAL SCSI CABLE	530-2153
S1331	ULTRA1 ASSY FLOPPY CABLE INT	530-2187
S1332	ULTRA2 ASSY FLOPPY CABLE INT	530-2138
S1333	UNIPACK LED CABLE	530-2183
S1334	UPPER REAR FAN CABLE 15K	530-2769
S1335	VOYAGER POWER CABLE - UK	530-2073
S1336	VOYAGER POWER CABLE EUROPE	530-2074
S1337	VOYAGER POWER CABLE, US	530-2076
S1338	ethernet cable bundle	530-2105
S1339	fru, assy, cable, multiview 3 , E3D (x)3678A, C3678A	530-2927



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 530-3

JKEY#	Description	Compatible Sun#
S1340	FC-AL POWER CORD FOR SUN FIRE V480	530-3013
S1341	FRU, CABLE, 24.1 INCH LCD	530-3141
S1342	FRU, DVI A 13W3 VIDEO CABLE	530-3130
S1343	VIDEO ADAPTER FOR 24INCH MONITOR 15HDM 13W3F,WITH ACTIVE SYNC	530-3115

Category Code: 537-1

JKEY#	Description	Compatible Sun#
S1344	15 METER LC-SC FC OPTIC CABLE	537-1034
S1345	2 METER LC-SC FC OPTIC CABLE	537-1035
S1346	2.0M FIBER OPTIC CABLE	537-1004
S1347	5 METER LC-SC FC OPTIC CABLE	537-1033
S1348	CBL, Fiberoptic, External, FDDI	537-1009
S1349	FRU, 5M FIBER OPTIC CABLE Sun StorEdge T301, T310	537-1020

Category Code: 540-2

JKEY#	Description	Compatible Sun#
S1350	535MB SINGLE CONNECTORY W/KIT	540-2443
S1351	CABINET, FAN TRAY ASSEMBLY	540-2709
S1352	On/Off Switch & Cable Assembly	540-2991

Category Code: 540-3

JKEY#	Description	Compatible Sun#
S1353	KEYSWITCH & LED ASSY W/CABLES KEYSWITCH & LED ASSY W/CABLES	540-3604



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 540-4

JKEY#	Description	Compatible Sun#
S1354	ASSY, FC BCKPLANE W CBL, EX	540-4182
S1355	FRU, ASSY, CD-ROM/CBL	540-4358
S1356	KEYSWITCH, LED, POWER CABLE FOR E420R	540-4811
S1357	NETRA E1 PCI EXPANDER, AC NO BOARD OR EXPANSION CABLE X1184A	540-4640

Category Code: 560-2

JKEY#	Description	Compatible Sun#
S1358	CABLE KIT, SUN BLADE 1000	560-2613
S1359	FRU KIT, POWER CORD CONN. LOCK FRU KIT, POWER CORD CONN. LOCK SUNFIRE+	560-2523

Category Code: 565-1

JKEY#	Description	Compatible Sun#
S1360	FRU, CBL KIT, NETRA-T14XX	565-1639

Category Code: 6828A

JKEY#	Description	Compatible Sun#
S1361	POWER CABLE, DOMESTIC, SUN RACK 900, FOUR 20A CABLES	6828A

Category Code: 6829A

JKEY#	Description	Compatible Sun#
S1362	POWER CABLE, INTERNATIONAL, SUN RACK 900, FOUR 16A CABLES	6829A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 6856A

JKEY#	Description	Compatible Sun#
S1363	Power Cable, Domestic, Water-Tight Conn., Sun Rack 900	6856A

Category Code: 6859A

JKEY#	Description	Compatible Sun#
S1364	Power Cable, International, Water-Tight Conn., Sun Rack 900 (Four 16A cables)	6859A

Category Code: 902A

JKEY#	Description	Compatible Sun#
S1365	OPT CABLE SCSI 2M 68PIN	902A

Category Code: 9524A

JKEY#	Description	Compatible Sun#
S1366	RJ45 SERIAL CABLE	9524A

Category Code: 9620A

JKEY#	Description	Compatible Sun#
S1367	Second Power Sequencer for Sun Enterprise System and Expansion Cabinets	9620A

Category Code: 9645A

JKEY#	Description	Compatible Sun#
S1368	UNIPACK TRAY WITH POWER CORDS	9645AR4
S1369	UNIPACK TRAY WITH TWO SPLIT POWER CABLES	9645A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 9715A

JKEY#	Description	Compatible Sun#
S1370	5 METER OPTIC CABLE	9715A

Category Code: 9722A

JKEY#	Description	Compatible Sun#
S1371	2 METER LC TO SC FIBRE CHANNEL OPTIC CABLE	9722A

Category Code: 9723A

JKEY#	Description	Compatible Sun#
S1372	5 METER LC TO SC FIBRE CHANNEL OPTIC CABLE	9723A

Category Code: 9724A

JKEY#	Description	Compatible Sun#
S1373	15 METER LC TO SC FIBRE CHANNEL OPTIC CABLE	9724A

Category Code: 9732A

JKEY#	Description	Compatible Sun#
S1374	2M LC TO LC FC OPTICAL CABLE	9732A

Category Code: 9733A

JKEY#	Description	Compatible Sun#
S1375	5M LC TO LC FC OPTICAL CABLE	9733A

Category Code: 9734A

JKEY#	Description	Compatible Sun#
S1376	15M LC TO LC FC OPTICAL CABLE	9734A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: 973A

JKEY#	Description	Compatible Sun#
S1377	2 METER FIBRE CHANNEL CABLE	973A

Category Code: 978A

JKEY#	Description	Compatible Sun#
S1378	15 METER FIBRE CHANNEL CABLE	978A

Category Code: 979A

JKEY#	Description	Compatible Sun#
S1379	OPT CABLE DSCSI 12M	979A

Category Code: 9818A

JKEY#	Description	Compatible Sun#
S1380	DOOR ASSEMBLY 72 CABINET	9818A

Category Code: 9819A

JKEY#	Description	Compatible Sun#
S1381	FAN ASSEMBLY 72 CABINET	9819AR5

Category Code: 9940A

JKEY#	Description	Compatible Sun#
S1382	4.0m Cable, SCSI-3 to SCSI-3	9940A

Category Code: C3851

JKEY#	Description	Compatible Sun#
S1383	E10000 CTO POWER CORD (INTL)	C3851A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: C3865

JKEY#	Description	Compatible Sun#
S1384	E10000 CTO P-CORD 14FT FOR N.A	C3865A

Category Code: C939A

JKEY#	Description	Compatible Sun#
S1385	CTO INT SCSI CABLE U80	C939A

Category Code: ENXC-

JKEY#	Description	Compatible Sun#
S1386	Storage Option 68? Enterprise Expansion Cabinet	ENXC-BRZ
S1387	Storage Option 68? Enterprise Expansion Cabinet	ENXC-GLD
S1388	Storage Option 68? Enterprise Expansion Cabinet	ENXC-PLT
S1389	Storage Option 68? Enterprise Expansion Cabinet	ENXC-SLV

Category Code: RFB50

JKEY#	Description	Compatible Sun#
S1390	RFB CG6 FRM BFRDB13W366/76HZ	RFB501-1996

Category Code: SG-XS

JKEY#	Description	Compatible Sun#
S1391	BROCADE SILKWORM 12000 COUNTRY KIT, NORTH AMERICA, 2 POWER CORDS	SG-XSWBRO-12000-01
S1392	BROCADE SILKWORM 12000 COUNTRY KIT, OTHER. INCL. 2 POWER CORDS.	SG-XSWBRO-12000-05



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: SR9-K

JKEY#	Description	Compatible Sun#
S1393	DSVI ONLY Cabinet, Sun Rack 900, this is an empty rack without power	SR9-KL038A-IP

Category Code: SR9-X

JKEY#	Description	Compatible Sun#
S1394	CABINET, SUN RACK 900, THIS IS AN EMPTY X OPTION RACK WITHOUT POWER	SR9-XKL038A-IP

Category Code: T8-10

JKEY#	Description	Compatible Sun#
S1395	MCDATA AUSTRALIA,4.3M, 250V, 15A POWER CORD	T8-1049
S1396	MCDATA EUROPEAN EMEA, 4.3M,250V 15A RT ANGLE POWER CORD	T8-1052
S1397	MCDATA ISREAL 250V 10A 6 TO 10 FT POWER CORD	T8-1022
S1398	MCDATA ISREAL, 4.3M, 250V 15A POWER CORD	T8-1051
S1399	MCDATA ITALY SOMALIA, 4.3M, 250V 15A POWER CORD	T8-1050
S1400	MCDATA NEW ZEALAND, 4.3M, 250V 15A, WATERTIGHT POWER CORD	T8-1048
S1401	MCDATA SWITZERLAND 250V 10A 6 TO 10FT POWER CABLE	T8-1026
S1402	MCDATA UK 220V 10A 2.5M POWER CORD	T8-1012
S1403	MCDATA UK DENMARK, 4.3M, 250V 10A HIGH POWER POWER CORD	T8-1046
S1404	MCDATA US CANADA, 1.8M, 250V 15A POWER CORD	T8-1043
S1405	MCDATA US CANADA, 1.8M, 250V 15A, LOCKING PLUG POWER CORD	T8-1044
S1406	MCDATA US CANADA, 1.8M, 250V 15A, WATERTIGHT POWER CORD	T8-1042
S1407	MCDATA US CANADA, 4.3M, 250V, 15A, WATERTIGHT POWER CORD	T8-1045



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: T8-10

JKEY#	Description	Compatible Sun#
S1408	MCDATA US CANADA, 4.3M,250V 15A, LOCKING PLUG POWER CORD	T8-1040
S1409	MCDATA US CANADA,4.3M,250V 15A POWER CORD	T8-1041
S1410	MCDATA USA NEMA 5 TO 15 120V 10A 9FT 10IN POWER CORD	T8-1010

Category Code: T8-14

JKEY#	Description	Compatible Sun#
S1411	FIBRE CHANNEL STANDARD DUAL SC CONNECTOR TO DUAL SC CONNECTOR COUPLER FOR ADAPTI	T8-149482

Category Code: T8-15

JKEY#	Description	Compatible Sun#
S1412	MCDATA FIBRE CHANNEL STANDARD CONNECTOR TO STANDARD CONNECTOR SC TO SC, COUPLER	T8-154405

Category Code: T8-59

JKEY#	Description	Compatible Sun#
S1413	MCDATA LC TO SC FIBRE JUMPER 50M,CONNECTS LC SFP CONNECTOR ON MCDATA SWITCH TO S	T8-594-50M

Category Code: T8-DK

JKEY#	Description	Compatible Sun#
S1414	16 device interface cables for connecting the disk controller to L1 unit SE9960	T8-DKC-F410I-L1C
S1415	2 device interface cables for connecting disk unit to disk unit SE9960	T8-DKU-F405I-EXC
S1416	AC power cable for Europe necessary when 3 phase SE9960 disk unit is shipped to	T8-DKU-F405I-3EC



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: T8-DK

JKEY#	Description	Compatible Sun#
S1417	AC power cable for Europe necessary when SE9910 disk controller DKC415i is shipp	T8-DKC-F415I-1EC
S1418	AC power cable for Europe, necessary when SE9900 disk controller DKC415i is ship	T8-DKC-F410I-1EC
S1419	AC power cable for USA necessary when single phase SE9960 disk unit is shipped t	T8-DKU-F405I-1UC
S1420	AC power cable for USA, necessary when SE9960 disk controller DKC415i is shipped	T8-DKC-F410I-1UC
S1421	AC power cable for USA, necessary when order the SE9910 disk controller in the U	T8-DKC-F415I-1UC
S1422	AC power cable for USA,necessary when 3 phase SE9960 disk unit is shipped to USA	T8-DKU-F405I-3UC
S1423	AC power cables for Europe necessary when single phase SE9960 disk unit is shipp	T8-DKU-F405I-1EC
S1424	Device interface cables for connecting disk controller, 2nd disk adapter pair, t	T8-DKC-F410I-R1C

Category Code: T8-IP

JKEY#	Description	Compatible Sun#
S1425	Ethernet Thinnet Cable SE9900	T8-IP0809-100

Category Code: T8-JZ

JKEY#	Description	Compatible Sun#
S1426	1 Plenum Fibre Cable for Tachyon, 15 meters SE9900	T8-JZ-050SS015PC

Category Code: T8FC5

JKEY#	Description	Compatible Sun#
S1427	LC-LC 3M CABLE FOR ISL CONNECTION, MULTIMODE 50 MICRON. THE CABLE CAN BE USED T	T8FC5B5BMETHP59 9-3



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: T9-10

JKEY#	Description	Compatible Sun#
S1428	1 SERIAL CABLE ,PRE REQUISITE MAINFRAME CONNECTION,61M 200FT PLENUM, SE9900	T9-106734395PC
S1429	1 SERIAL CABLE, PRE REQUISITE MAINFRAME CONNECTION,122M 400FT PLENUM SE9900	T9-106734437PC
S1430	ESCON FIBRE OPTIC CABLE 13M 42.6FT PLENUM SE9900	T9-106734353PC
S1431	ESCON FIBRE OPTIC CABLE 22M 72FT PLENUM SE9900	T9-106734361PC
S1432	ESCON FIBRE OPTIC CABLE 31M 101.7FT PLENUM, SE9900	T9-106734379PC
S1433	ESCON FIBRE OPTIC CABLE 46M 151FT PLENUM SE9900	T9-106734387PC

Category Code: T9-46

JKEY#	Description	Compatible Sun#
S1434	SE9980 THREE PHASE POWER CONNECTOR, 60A 250V 3POLE 4W 3 PHASE INLINE POWER CONNE	T9-460C9W

Category Code: T9-DK

JKEY#	Description	Compatible Sun#
S1435	30 AMP AC POWER CABLE FOR EUROPE 50HZ, NECESSARY WHEN THREE PHASE SE9980 DISK CO	T9-DKC-F460I-3ECD
S1436	30 AMP AC POWER SUPPLY CABLE FOR USA 60HZ, NECESSARY WHEN THREE PHASE SE9980 DIS	T9-DKC-F460I-3UCD
S1437	AC POWER CABLE FOR US	T9-DKU-F455I-1UC
S1438	AC POWER CABLE FOR US	T9-DKU-F455I-3UC
S1439	AC POWER CABLE FOR USA 60HZ, NECESSARY WHEN SINGLE PHASE SE9970 INTEGRATED DISK	T9-DKC-F465I-1UC
S1440	AC POWER CABLE FOR USA 60HZ, NECESSARY WHEN THREE PHASE SE9970 INTEGRATED CONTRO	T9-DKC-F465I-3UC
S1441	DEVICE INTERFACE CABLE KIT FOR CONNECTING THE SE9980 DISK CONTROLLER DKC460I TO	T9-DKC-F460I-L1C



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: T9-DK

JKEY#	Description	Compatible Sun#
S1442	DEVICE INTERFACE CABLE KIT FOR CONNECTING TWO SE9980 DISK ARRAY FRAME UNITS,DKU4	T9-DKU-F455I-EXC

Category Code: T9-FI

JKEY#	Description	Compatible Sun#
S1443	100M FIBRE CHANNEL LC-LC LONGWAVE SINGLE MODE 9UM CABLE	T9-FICSMMLCLC100M
S1444	100M FIBRE CHANNEL SC-LC LONGWAVE SINGLE MODE 9UM CABLE FOR SE9980 AND SE9970	T9-FICSMSCCLC100M
S1445	100M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE. FOR SE9980 AND SE9970	T9-FICSMSCSC100M
S1446	25M FIBRE CHANNEL LC-LC LONGWAVE SINGLE MODE 9UM CABLE	T9-FICSMMLCLC025M
S1447	25M FIBRE CHANNEL SC-LC LONGWAVE SINGLE MODE 9UM CABLE. FOR SE9980 AND SE9970	T9-FICSMSCCLC025M
S1448	25M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE. FOR SE9980 AND SE9970	T9-FICSMSCSC025M
S1449	50M FIBRE CHANNEL LC-LC LONGWAVE SINGLE MODE 9UM CABLE	T9-FICSMMLCLC050M
S1450	50M FIBRE CHANNEL SC-LC LONGWAVE SINGLE MODE 9UM CABLE. FOR SE9970 AND SE9980	T9-FICSMSCCLC050M
S1451	50M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE. FOR SE9980 AND SE9970.	T9-FICSMSCSC050M

Category Code: T9-JZ

JKEY#	Description	Compatible Sun#
S1452	1 PLENUM LC TO LC 2GB/SEC FIBRE CHANNEL CABLE, 25M	T9-JZ-050LL025PC
S1453	1 PLENUM LC TO LC FIBRE CHANNEL CABLE, 100M SE9900	T9-JZ-050LL100PC
S1454	1 PLENUM LC TO LC FIBRE CHANNEL CABLE, 50M SE9900	T9-JZ-050LL050PC



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: T9-JZ

JKEY#	Description	Compatible Sun#
S1455	1 PLENUM SC TO LC FIBRE CHANNEL CABLE, 50M SE9900	T9-JZ-050SL050PC
S1456	1 PLENUM SC TO LC FIBRE CHANNEL CABLE,100M SE9900	T9-JZ-050SL100PC
S1457	1 PLENUM SC TO SC FIBRE CABLE, 100 METERS SE9900	T9-JZ-050SS100PC
S1458	1 PLENUM SC TO SC FIBRE CABLE, 25 METERS SE9900	T9-JZ-050SS025PC
S1459	1 PLENUM SC TO SC FIBRE CABLE, 5 METERS SE9900	T9-JZ-050SS005PC
S1460	1 PLENUM SC TO SC FIBRE CABLE, 50 METERS SE9900	T9-JZ-050SS050PC
S1461	1 PLENUM SC TO SC FIBRE CABLE,10 METERS SE9900	T9-JZ-050SS010PC
S1462	1 plenum SC to LC 2gb Fibre channel cable, 25m SE9900	T9-JZ-050SL025PC
S1463	ONE PLENUM SC TO SC FIBRE CABLE,2 METERS SE9900	T9-JZ-050SS002PC

Category Code: TA-33

JKEY#	Description	Compatible Sun#
S1464	Rack Kit,2U,19in. Cab 22-28in.	TA-3310-RK-19S
S1465	Rack Kit,2U,19in. Cab 28-36in.	TA-3310-RK-19L

Category Code: X1132

JKEY#	Description	Compatible Sun#
S1466	Cable,SCSI, VHDCI/SCSI-3, 0.8m	X1132A

Category Code: X1134

JKEY#	Description	Compatible Sun#
S1467	CABLESCSISCSI-3/SCSI-3 0.8M	X1134A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X1136

JKEY#	Description	Compatible Sun#
S1468	Cable SCSI VHDCI/VHDCI 0.8m	X1136A

Category Code: X1137

JKEY#	Description	Compatible Sun#
S1469	CABLE, SCSI, VHDCI/VHDCI, 1.2M	X1137A

Category Code: X1138

JKEY#	Description	Compatible Sun#
S1470	CABLE, SCSI, VHDCI/VHDCI, 2M	X1138A

Category Code: X1139

JKEY#	Description	Compatible Sun#
S1471	CABLESCSISCSI-3/SCSI-3 2.0M	X1139A

Category Code: X1151

JKEY#	Description	Compatible Sun#
S1472	Gigabit Ethernet Network interface card for high performance MMF fiber and PCI a	X1151A

Category Code: X1209

JKEY#	Description	Compatible Sun#
S1473	This option replaces the large cable arm that is shipped standard with the Sun F	X1209A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X3098

JKEY#	Description	Compatible Sun#
S1474	Round Serial cable for SF15K	X3098-SRL

Category Code: X319Y

JKEY#	Description	Compatible Sun#
S1475	POWER CORD, Y CABLE, FOR SUN FIRE 3800 TO 4810 SERVERS, IN RACK	X319YA

Category Code: X3583

JKEY#	Description	Compatible Sun#
S1476	UNIX POWER CORDLESS COUNTRY KT	X3583A

Category Code: X3800

JKEY#	Description	Compatible Sun#
S1477	OPT PWR CORD FOR ENTERPR.(US)	X3800A

Category Code: X3810

JKEY#	Description	Compatible Sun#
S1478	OPT CABLE SCSI 4M 68/68PIN	X3810A

Category Code: X3825

JKEY#	Description	Compatible Sun#
S1479	SC 2.1 SCI CABLE (10M)	X3825A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X3830

JKEY#	Description	Compatible Sun#
S1480	4-meter cable kit, 68-pin SCSI to VHDC (Dual-channel differential PCI)	X3830A
S1481	CABLE-4M ULTRA VHDCI/VHDCI	X3830B

Category Code: X3831

JKEY#	Description	Compatible Sun#
S1482	10 METER, ULTRA VHDCI VHDCI 68 PIN CABLE	X3831B
S1483	10M CABLE SCSI TO VHDC	X3831A

Category Code: X3832

JKEY#	Description	Compatible Sun#
S1484	2-meter cable kit, 68-pin SCSI to VHDC (Dual-channel differential PCI)	X3832A

Category Code: X3836

JKEY#	Description	Compatible Sun#
S1485	5M SERIAL CABLE	X3836A

Category Code: X3837

JKEY#	Description	Compatible Sun#
S1486	OPT 5M ENET CABLE	X3837A

Category Code: X3838

JKEY#	Description	Compatible Sun#
S1487	OPT 6M DIFFERENTIAL SCSI CABLE	X3838A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X3839

JKEY#	Description	Compatible Sun#
S1488	OPT 8M DIFFERENTIAL SCSI CABLE	X3839A

Category Code: X3842

JKEY#	Description	Compatible Sun#
S1489	BMC Cable Pair, 0.5 meters	X3842A

Category Code: X3843

JKEY#	Description	Compatible Sun#
S1490	BMC Cable Pair, 10 meters	X3843A

Category Code: X3844

JKEY#	Description	Compatible Sun#
S1491	BMC Cable Pair, 20 meters	X3844A

Category Code: X3845

JKEY#	Description	Compatible Sun#
S1492	BMC Cable Pair, 30 meters	X3845A

Category Code: X3848

JKEY#	Description	Compatible Sun#
S1493	OPT PWR CORD F. ENTERPR.(INT)	X3848A

Category Code: X3851

JKEY#	Description	Compatible Sun#
S1494	E10000 POWER CORD OUTSIDE N.A	X3851A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X3856

JKEY#	Description	Compatible Sun#
S1495	CABLE-68/68PIN SCSI W/PWR CORD	X3856A

Category Code: X3857

JKEY#	Description	Compatible Sun#
S1496	50-pin to 68-pin 0.8 meter SCSI cable kit with power cord	X3857A

Category Code: X3858

JKEY#	Description	Compatible Sun#
S1497	U.S. POWER CORD FOR STOREDGE	X3858A

Category Code: X3859

JKEY#	Description	Compatible Sun#
S1498	INTL. POWER CORD FOR STOREDGE	X3859A

Category Code: X3865

JKEY#	Description	Compatible Sun#
S1499	E10000 PWR CORD (14FT)FOR N.A	X3865A

Category Code: X3872

JKEY#	Description	Compatible Sun#
S1500	VIDEO CONNECTOR ADAPTER HD-15	X3872A

Category Code: X3901

JKEY#	Description	Compatible Sun#
S1501	CLUSTER PCI CABLE 2M	X3901A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X3902

JKEY#	Description	Compatible Sun#
S1502	PCI-SCI CABLE 5M	X3902A

Category Code: X3903

JKEY#	Description	Compatible Sun#
S1503	CLUSTER PCI CABLE 7.5M	X3903A

Category Code: X4180

JKEY#	Description	Compatible Sun#
S1504	SUN FIRE LINK OPTICAL CABLE, ONE LINK CONSISTING OF 12 FIBERS IN EACH DIRECTION, 5	X4180A

Category Code: X4181

JKEY#	Description	Compatible Sun#
S1505	SUN FIRE LINK OPTICAL CABLE, ONE LINK CONSISTING OF 12 FIBERS IN EACH DIRECTION, 1	X4181A

Category Code: X4182

JKEY#	Description	Compatible Sun#
S1506	SUN FIRE LINK OPTICAL CABLE, ONE LINK CONSISTING OF 12 FIBERS IN EACH DIRECTION,	X4182A

Category Code: X4341

JKEY#	Description	Compatible Sun#
S1507	OPT RTS AC MOD FOR SF EXP CAB	X4341A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X4347

JKEY#	Description	Compatible Sun#
S1508	OPT SF CAB EXPANDER KIT	X4347A

Category Code: X4349

JKEY#	Description	Compatible Sun#
S1509	Earthquake restraint hardware for the Sun Fire 6800 cabinet. Includes a set of f	X4349A

Category Code: X4359

JKEY#	Description	Compatible Sun#
S1510	RACKMOUNT RAILS KIT FOR UNIPACKS IN A SUN FIRE 6800 SERVER CABINET, FOR FIELD INS	X4359A

Category Code: X471A

JKEY#	Description	Compatible Sun#
S1511	BAE VIDEO CONNECTOR 13W3F/HD15	X471A

Category Code: X4812

JKEY#	Description	Compatible Sun#
S1512	PACKETOVERSONET SRP CABLE KIT PROVIDES THE CONNECTIVITY REQUIRED TO ADD A SUN SE	X4812A

Category Code: X6513

JKEY#	Description	Compatible Sun#
S1513	SECOND PWR SEQUENCER F/ECAB	X6513A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X6755

JKEY#	Description	Compatible Sun#
S1514	Sun Fire 880 cable to connect the x 6727a PCI to dual FC AL host bus adapter wit	X6755A

Category Code: X6760

JKEY#	Description	Compatible Sun#
S1515	1 METER FIBRE CHANNEL CABLE,HSSDC TO HSSDC	X6760A

Category Code: X6761

JKEY#	Description	Compatible Sun#
S1516	10 METER FIBRE CHANNEL CABLE,HSSDC TO HSSDC	X6761A

Category Code: X6827

JKEY#	Description	Compatible Sun#
S1517	KIT, POWER JUMER CABLES, SUN RACK 900, PACKAGE OF 20	X6827A

Category Code: X6828

JKEY#	Description	Compatible Sun#
S1518	POWER CABLE,DOMESTIC, SUN RACK 900, FOUR 20A CABLES	X6828A

Category Code: X6829

JKEY#	Description	Compatible Sun#
S1519	POWER CABLE, INTERNATIONAL, SUN RACK 900, FOUR 16A CABLES	X6829A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X6856

JKEY#	Description	Compatible Sun#
S1520	Power Cable, Domestic, Water-Tight Conn., Sun Rack 900 (Four 20A cables)	X6856A

Category Code: X6857

JKEY#	Description	Compatible Sun#
S1521	JUMPER CABLE KIT 2.5M, SUN RACK 900, PACKAGE OF 10	X6857A

Category Code: X6859

JKEY#	Description	Compatible Sun#
S1522	Power Cable, International, Water-Tight Conn., Sun Rack 900 (Four 16A cables)	X6859A

Category Code: X6886

JKEY#	Description	Compatible Sun#
S1523	Sun StorEdge 6120 3U Rack Kit, for Sun Fire system cabinets and 72-in StorEdge R	X6886A

Category Code: X6917

JKEY#	Description	Compatible Sun#
S1524	.5M SCSI CABLE/NETRA ST D130	X6917A

Category Code: X7098

JKEY#	Description	Compatible Sun#
S1525	XOPT- PWR SPLIT CABLE -FJ(ALL)	X7098A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X8569

JKEY#	Description	Compatible Sun#
S1526	EUROPEAN CORDLESS COUNTRY KIT ACCESSORIES TYPE 6 SYSTEM ACCESSORY KIT WITH SUN I	X8569

Category Code: X8584

JKEY#	Description	Compatible Sun#
S1527	Country Kit Accessories Type 6 System Accessory Kits (includes keyboard, cables,	X8584

Category Code: X901A

JKEY#	Description	Compatible Sun#
S1528	OPT CABLE SCSI 0.8M 68PIN	X901A

Category Code: X902A

JKEY#	Description	Compatible Sun#
S1529	OPT CABLE SCSI 2M 68PIN	X902A

Category Code: X903A

JKEY#	Description	Compatible Sun#
S1530	OPT CABLE SCSI 1.2M 50/68PIN	X903A

Category Code: X904A

JKEY#	Description	Compatible Sun#
S1531	OPT CABLE SCSI 2M 50/68PIN	X904A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X907A

JKEY#	Description	Compatible Sun#
S1532	1.5-meter Auxiliary IEC Power Cable	X907A

Category Code: X908A

JKEY#	Description	Compatible Sun#
S1533	2.5-Meter Auxiliary IEC Power Cable	X908A

Category Code: X947A

JKEY#	Description	Compatible Sun#
S1534	4.0M SCSI RIGHT CABLE/NETRA ST	X947A

Category Code: X959A

JKEY#	Description	Compatible Sun#
S1535	2.0M SCSI RIGHT CABLE/NETRA ST	X959A

Category Code: X9601

JKEY#	Description	Compatible Sun#
S1536	ENTRSE EXP. CAB. AIR BAFFLE	X9601A

Category Code: X9622

JKEY#	Description	Compatible Sun#
S1537	9 AIR BAFFLE FOR ENT CABINET	X9622A

Category Code: X9625

JKEY#	Description	Compatible Sun#
S1538	6 AIR BAFFLE FOR ENT CABINET	X9625A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X9645

JKEY#	Description	Compatible Sun#
S1539	UNIPACK TRAY WITH POWER CORDS	X9645A

Category Code: X9654

JKEY#	Description	Compatible Sun#
S1540	A5000 SYS CAB MOUNT KIT	X9654A

Category Code: X9655

JKEY#	Description	Compatible Sun#
S1541	A5000 EXP CAB MOUNT KIT	X9655A

Category Code: X9713

JKEY#	Description	Compatible Sun#
S1542	SUN FIRE V480 CABLE TO CONNECT THE X 6727A PCI TO DUAL FC AL HOST BUS ADAPTER WI	X9713A

Category Code: X9715

JKEY#	Description	Compatible Sun#
S1543	5 METER OPTIC CABLE	X9715A

Category Code: X9720

JKEY#	Description	Compatible Sun#
S1544	SC to SC FC cable coupler	X9720A

Category Code: X9721

JKEY#	Description	Compatible Sun#
S1545	0.4 Meter LC-SC FC Optic cable	X9721A

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X9722

JKEY#	Description	Compatible Sun#
S1546	2 Meter LC-SC FC Optic cable	X9722A

Category Code: X9723

JKEY#	Description	Compatible Sun#
S1547	5 Meter LC-SC FC Optic cable	X9723A

Category Code: X9724

JKEY#	Description	Compatible Sun#
S1548	15 Meter LC-SC FC Optic cable	X9724A

Category Code: X9730

JKEY#	Description	Compatible Sun#
S1549	0.8m LC to LC FC Optical Cable	X9730A

Category Code: X9732

JKEY#	Description	Compatible Sun#
S1550	2M LC TO LC FC OPTICAL CABLE	X9732A

Category Code: X9733

JKEY#	Description	Compatible Sun#
S1551	5M LC TO LC FC OPTICAL CABLE	X9733A

Category Code: X9734

JKEY#	Description	Compatible Sun#
S1552	15M LC TO LC FC OPTICAL CABLE	X9734A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X9735

JKEY#	Description	Compatible Sun#
S1553	25M SC TO LC FC OPTICAL CABLE	X9735A

Category Code: X9736

JKEY#	Description	Compatible Sun#
S1554	25M LC TO LC FC OPTICAL CABLE	X9736A

Category Code: X9737

JKEY#	Description	Compatible Sun#
S1555	50M SC TO LC FC OPTICAL CABLE	X9737A

Category Code: X9738

JKEY#	Description	Compatible Sun#
S1556	50M LC TO LC FC OPTICAL CABLE	X9738A

Category Code: X9739

JKEY#	Description	Compatible Sun#
S1557	100M SC to SC FC Optical Cable	X9739A

Category Code: X973A

JKEY#	Description	Compatible Sun#
S1558	2 METER FIBRE CHANNEL CABLE	X973A

Category Code: X9740

JKEY#	Description	Compatible Sun#
S1559	100M LC to LC FC Optical Cable	X9740A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X978A

JKEY#	Description	Compatible Sun#
S1560	15 METER FIBRE CHANNEL CABLE	X978A

Category Code: X979A

JKEY#	Description	Compatible Sun#
S1561	OPT CABLE DSCSI 12M	X979A

Category Code: X9818

JKEY#	Description	Compatible Sun#
S1562	OPT DOOR ASSEMBLY 72 CABINET	X9818A

Category Code: X9819

JKEY#	Description	Compatible Sun#
S1563	OPT FAN ASSEMBLY 72 CABINET	X9819A

Category Code: X985A

JKEY#	Description	Compatible Sun#
S1564	Serial port splitter cable (s20 and i20 only)	X985A

Category Code: X991A

JKEY#	Description	Compatible Sun#
S1565	0.16M R/A SCSI CABLE/NETRA ST	X991A

Category Code: X992A

JKEY#	Description	Compatible Sun#
S1566	2.0M SCSI LEFT CABLE/NETRA ST	X992A



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: X993A

JKEY#	Description	Compatible Sun#
S1567	4.0M SCSI LEFT CABLE/NETRA ST	X993A

Category Code: X9940

JKEY#	Description	Compatible Sun#
S1568	4.0m Cable, SCSI-3 to SCSI-3	X9940A

Category Code: XT8-0

JKEY#	Description	Compatible Sun#
S1569	18 INCH POWER ADAPTER CABLE RUSSEL & STOLL RS3913 TO NEMA L6-20 SE9900	XT8-041-100036-01

Category Code: XT8-1

JKEY#	Description	Compatible Sun#
S1570	1 ESCON Cable 22m, 72ft riser SE9900	XT8-106734361
S1571	1 ESCON Cable 31m, 101.7ft, riser, SE9900	XT8-106734379
S1572	1 ESCON cable 13m, 42.6ft Riser SE9900	XT8-106734353
S1573	1 ESCON cable 46mRPQ,151ft riser SE9900	XT8-106734387
S1574	1 ESCON cable 61m 200FT riser,SE9900	XT8-106734395
S1575	1 ESCON cable pre requisite mainframe connection 122m 400ft riser SE9900	XT8-106734437
S1576	1 Serial Cable pre requisite mainframe connection 7m, 22.9ft plenum SE9900	XT8-106734346PC
S1577	1 serial cable pre requisite mainfram connection, 61m 200ft plenum SE9900	XT8-106734395PC
S1578	1 serial cable pre requisite mainframe connection 122m 400ft Plenum SE9900	XT8-106734437PC
S1579	ESCON Cable 92m, 301.8ft Riser	XT8-106734411
S1580	ESCON Fibre Optic Cable 13m, 42.6ft Plenum	XT8-106734353PC
S1581	ESCON Fibre Optic Cable 22m 72ft Plenum	XT8-106734361PC

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: XT8-1

JKEY#	Description	Compatible Sun#
S1582	ESCON Fibre Optic Cable 31m, 101.7ft, Plenum	XT8-106734379PC
S1583	ESCON Fibre Optic Cable 46m, 151ft, Plenum	XT8-106734387PC
S1584	ESCON Fibre Optic Cable 92m, 301.8ft, Plenum	XT8-106734411PC

Category Code: XT8-D

JKEY#	Description	Compatible Sun#
S1585	16 device interface cables for connecting the disk controller to L1 disk unit SE	XT8-DKC-F410I-L1C
S1586	2 Device interface cables for connecting disk unit to disk unit	XT8-DKU-F450I-EXC
S1587	2 device interface cables for connecting disk unit to disk unit SE9960	XT8-DKU-F405I-EXC
S1588	Device interface cables for connecting disk controller 2nd disk adapter pair to	XT8-DKC-F410I-R1C

Category Code: XT8-F

JKEY#	Description	Compatible Sun#
S1589	100M FIBRE CHANNEL SC-LC LONGWAVE SINGLE MODE 9UM CABLE SE9900	XT8-FICSMSCLC100M
S1590	100M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE SE9900	XT8-FICSMSCSC100M
S1591	25M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE SE9900	XT8-FICSMSCSC025M
S1592	50M FIBRE CHANNEL SC-LC LONGWAVE SINGLE MODE 9UM CABLE SE9900	XT8-FICSMSCLC050M
S1593	50M FIBRE CHANNEL SC-SC LONGWAVE SINGLE MODE 9UM CABLE SC9900	XT8-FICSMSCSC050M

Category Code: XT8-J

JKEY#	Description	Compatible Sun#
S1594	1 Fibre Cable for Tachyon 122 meters SE9900	XT8-JZ-050SS122

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

(p): 856.753.8500 ● 800.326.4JML(4565) ● (f) 856.753.0355 ● sales@JMLCable.com ● JMLCable.com



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: XT8-J

JKEY#	Description	Compatible Sun#
S1595	1 Fibre Cable for Tachyon 13m SE9900	XT8-JZ-050SS013
S1596	1 Fibre Cable for Tachyon 31m SE9900	XT8-JZ-050SS031
S1597	1 Fibre Cable for Tachyon, 61 meters SE9900	XT8-JZ-050SS061
S1598	1 PLENUM LC TO LC FIBRE CHANNEL CABLE 100M SE9900	XT8-JZ-050LL100PC
S1599	1 PLENUM LC TO LC FIBRE CHANNEL CABLE,50M SE9900	XT8-JZ-050LL050PC
S1600	1 PLENUM SC TO LC FIBRE CHANNEL CABLE, 50M SE9900	XT8-JZ-050SL050PC
S1601	1 PLENUM SC TO LC FIBRE CHANNEL CABLE,100M, SE9900	XT8-JZ-050SL100PC
S1602	1 Pentium SC to LC 2Gb Fibre Channel Cable, 25M - SE9900-	XT8-JZ-050SL025PC
S1603	1 Plenum Fibre Cable for Tachyon 100 meters SE9900	XT8-JZ-050SS100PC
S1604	1 Plenum Fibre Cable for Tachyon, 10 meters SE9900	XT8-JZ-050SS010PC
S1605	1 Plenum Fibre Cable for Tachyon, 15 meters SE9900	XT8-JZ-050SS015PC
S1606	1 Plenum Fibre Cable for Tachyon, 2 meters SE9900	XT8-JZ-050SS002PC
S1607	1 Plenum Fibre Cable for Tachyon, 20 meters SE9900	XT8-JZ-050SS020PC
S1608	1 Plenum Fibre Cable for Tachyon, 25 meters SE9900	XT8-JZ-050SS025PC
S1609	1 Plenum Fibre Cable for Tachyon, 50 meters SE9900	XT8-JZ-050SS050PC
S1610	1 Plenum Fibre Cable for Tachyon,5 meters SE9900	XT8-JZ-050SS005PC
S1611	1Pentium LC to LC 2Gb Fibre Channel Cable 25M - SE9900-	XT8-JZ-050LL025PC

Category Code: XT8-X

JKEY#	Description	Compatible Sun#
S1612	BROCADE SILKWORM 3800 SLIDE RACK MOUNT KIT WITH CABLE MANAGEMENT FOR 19 INCH RAC	XT8-XBR-3800-0007



Division #9) SUN Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category Code: XTA-3

JKEY#	Description	Compatible Sun#
S1613	RACK KIT 2U 19INCH CAB 22-28 INCH	XTA-3310-RK-19S
S1614	RACK KIT 2U 19INCH CAB 28-36	XTA-3310-RK-19L
S1615	Rack Kit, 2U, 19Cab Telco Ctr 2 post - center mount - contains 1 set of brackets	XTA-3310-RK-19C
S1616	Rack Kit, 2U, 19Cab Telco Frt 2 post - flush mount - contains one set of bracket	XTA-3310-RK-19F