



26th Year in Business
Our Cables make the “Right Connection”
The Original “24 Hour Cable”
JML, “We’re plugged in”

2004
Catalog - Division #6
Unisys Cables

JML Computer Products Incorporated
West Berlin, NJ
USA



Other Divisions of JML Catalog:

- #1) Cables: Network - Voice - Data - Communication - Video - Audio - Telecommunication - Fiber - SCSI - Unisys - HP - IBM**
- #2) Cable Adapters: Network - Voice - Communication - Video - Audio - Telecommunication - Fiber - SCSI**
- #3) Cabling Equipment: Jacks - Panels - Connectors - Terminators - Racks**
- #4) Bulk Cable: Network - Voice - Data - Communication - Video - Audio - Alarm - Telecommunication - Fiber - Underground - Aerial**
- #5) Cisco Cables**
- #6) Unisys Cables**
- #7) IBM Cables**
- #8) HP Cables**
- #9) SUN Cables**
- #10) Storage Technolgy Cables**
- #11) EMC Cables**
- #12) SGI Cables**
- #14) Nortel Cables**
- #15) Avaya Cables**
- #16) Lucent Cables**
- #17) Equinox Cables**
- #18) Belkin Cables**
- #19) Belden Cables**
- #20) APC Cables**
- #21) IMC Cables**
- #22) BlackBox Cables**
- #23) AMP Cables**
- #24) Amphenol Cables**
- #25) Viewsonic Cables**
- #26) Levitron Cables**
- #27) Panduit Cables**
- #28) Lantronix Cables**
- #29) Power Cords**
- #30) Power Supplies**



About Our Part Number

The JML 10 digit part # =
JML Key# + T + L + NNN

T	T Description
A	Adapter
B	Bulk PVC (CL2)
C	Fully Assembled; PVC (CL2)
D	Prepped for conduit; PVC (CL2)
E	Equipment
G	Miscellaneous Labor
H	Technical Help
K	Connector Kit
L	Bulk Shotgun; Plenum (CL2P)
M	Modular Version; PVC(CL2)
N	Bulk Plenum (CL2P)
P	Fully Assembled; Plenum (CL2P)
Q	Tool
R	Prepped for conduit; Plenum (CL2P)
S	Switch Kit
T	Terminator
V	Molded; PVC (CL2)
W	Modular Version; Plenum(CL2P)
Y	"Y" Cable; PVC (CL2)
Z	Bulk Shotgun; PVC (CL2)

L	L Description
F	FEET
M	METER(S)
N	INCHES
T	THOUSAND FEET
X	Special

NNN
001 to 999

Examples:

For a **6 inch**, fully assembled, PVC(CL2) rated cable with a JKEY# of **JS132**:
 The JML Part# = **JS132** + (T = **C**) + (L = **N**) + (NNN = **006**)
 = **JS132 C N 006**
 = **JS132CN006**

For a **10 foot**, fully assembled, PVC(CL2) rated cable with a JKEY# of **JS111**:
 The JML Part# = **JS111** + (T = **C**) + (L = **F**) + (NNN = **010**)
 = **JS111 C F 010**
 = **JS111CF010**

For a **10 meter**, fully assembled, Plenum(CL2P) rated cable with a JKEY# of **JS131**:
 The JML Part# = **JS131** + (T = **P**) + (L = **M**) + (NNN = **010**)
 = **JS131 P M 010**
 = **JS131PM010**

For an adapter JKEY# of **JS135**:
 The JML Part# = **JS135** + (T = **A**) + (L = **X**) + (NNN = **000**)
 = **JS135 A X 000**
 = **JS135AX000**



Dear cable user:

2004

Our Quality control is simple, every JMLCable is fully tested twice for resistance and capacitance to ensure high quality, then labeled with a unique serial # which gives it an identity that symbolizes the quality and workmanship that went into making it.

JMLCable is a BICSI certified Registered Communications Distribution Designer. The RCDD is a professional designation of superior design expertise in the implementation and integration of telecommunications and data communications transport systems, and related infrastructure.

In terms of sheer sweep of technological advancement the 26 years since JMLCable began providing custom, state-of-the-art computer interface cables represents an era of unparalleled progress.

JMLCable produces over 20,000 custom products which we provide today for a constantly expanding base of customers of every size, on six continents.

JMLCable has been presented numerous Supplier Recognition Awards for its excellence in supplying quality products on-time with superior service.

We here at JMLCable focus on three main areas in cabling:

#1) Cable Manufacturer(1980 - Present) - Built with copper, glass or plastic fiber optic material purchased direct from the industries top manufacturers like Madison Cable(Tyco), Alcoa(AFL) Fiber Cable, Quabbin Wire and Cable, Coleman Cable, Berk-Tek, Comtran Cable, AMP(Tyco) and Amphenol.

Cable types include:

- Bulk Cable and Connectors
- Computer and peripheral device data interface cables
- Network interface cables
- Internal and external SCSI cables
- Wireless antenna cables
- Analog/ Digital audio/ video cables
- Power cords(US/International), equipment cords, power strips, and replacement power supplies(laptops, monitors, scanners, etc.)
- CATV/ Satellite cables



Our cables are currently in use connecting the following system platforms:
Sperry/ Unisys, HP, IBM, SGI, Storage Technology, SUN, DEC, Cisco, etc.

JMLCable has built and shipped cables to every US Air Force base in the world, every FAA ARTCC facility; every Sperry Univac/Unisys office; and every Crown Cork & Seal facility in the country. We provide these and countless other customers with thousands of quality compatible cables.

#2) Design and Build Premise Wire Cabling Infrastructure(1981 - Present) - Onsite cabling includes Cat 5e, Cat 6, telco, RG-58, RG-59, RG-62, RG-6, Hadix, V.35, RS-232, RS-530, RS-449, USB, PS2, Block Mux Channel, IBAG, singlemode / multimode fiber and radar control.

We design, supply, and install complete telecommunication system. Racks, patch panels and cable management all configured with your servers, switches, shelves, and KVM+ extenders that also include grounding and installation of seismic tie downs if needed.

These premise cabling systems come complete with testing, a labeling system, with as built documentation and are supported over the life of the cable system.

Here is a list of some big installations completed by JMLCable:

FAA facilities(1992 - Present) - We installed over 1000 Cat 5e data cable runs in (4) of the Air Route Traffic Control Centers(ARTCC), over 300 fiber cable runs in (6) of the Air Traffic Control Towers(ACTC), and over 4000 custom built cables in the Tech Center(ACT).

United Parcel Service facilities(2001 - present) - We installed over 1400 Cat 5e data cable runs including multi-pair demarc extension runs in over 10 Philly/NY/DC locations.

#3) Certified National Accounts Dealer, and installer for the following products:

Samsung VoIP Phone Systems(1992 - Present) - Samsung iDCS500 Release 2 voice over IP system allowing 50+ systems linked via voIP with 500+ users each, including fully featured remote IP and wireless 802.11b IP KeyPhones and all connected with JMLCable brand telco and network cables.

Lantronix - Lightwave (service depot location) - Fiber optic extenders(over a mile), extending high quality analog and digital video, USB, PS2, and RS232 signals using Lightwave VDE 160/350 units all connected with JMLCable brand fiber cables. This system allows the Workstation or PC to be located in one location and the monitor, keyboard, mouse, and or bar code reader in another.



Symbol - Bar code readers all connected with JMLCable brand power and signal extender cables

Extron - Video splitters and boosters all connected with JMLCable brand video coax cables

NTI - Keyboard , Video, Mouse extensions and switches with JMLCable brand KVM cables

My 20+ years of practical experience in this industry is literally available to you 24/7. So, call me anytime you need a cable or just advice and I will do my best to support you.

Regards,

John McLaughlin Jr
BSEE, RCDD
800.326.4565 x202
sales@jmlcable.com
www.jmlcable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: 75 TO 120 OHM CONVERTER CABLE

JML Key#	Description	Part #
U2000	75ohm to 120ohm converter cable for Timing	15454E-120TMGCBL=
U2001	Adapter cable-converts 75 ohm to 120 ohm, Spare	CAB-ADPT-75-120=
U2002	4 pack 75-120 Ohm adapter cables, Spare	CAB-ADPT4P-75-120=

Category: 78 PIN D SHELL CABLE

JML Key#	Description	Part #
U2003	Downstream Bus and Tag Connection (78-pin D-Shell Cable to.)	CAB-PCA-VB=
U2004	78-pin D-Shell Cable for CIP (Spare)	CAB-PCA-Y=

Category: 8 LEAD OCTAL CABLE

JML Key#	Description	Part #
U2005	8 Lead Octal Cable and 8 Female RS232/V.24 DCE Connectors	CAB-OCT-232-FC=
U2006	8 Lead Octal Cable and 8 Male RS232/V.24 DTE Connectors	CAB-OCT-232-MT=
U2007	8 Lead Octal Cable and 8 Female V35 DCE Connectors	CAB-OCT-V35-FC=
U2008	8 Lead Octal Cable and 8 Male V35 DTE Connectors	CAB-OCT-V35-MT=
U2009	8 Lead Octal Cable and 8 Female X21 DCE Connectors	CAB-OCT-X21-FC=
U2010	8 Lead Octal Cable and 8 Male X21 DTE Connectors	CAB-OCT-X21-MT=
U2011	CABASY, Octopus	CAB-OCT=
U2012	8 Lead Octal Cable (68 pin to 8 Male RJ-45s)	CAB-OCTAL-ASYNC=
U2013	8 Lead Octal Cable and 8 Female DB-25 Terminal Connectors	CAB-OCTAL-FDTE=
U2014	8 Lead Octal Cable and 8 Male DB-25 Modem Connectors	CAB-OCTAL-KIT=
U2015	OCTAL CABLE WITH MALE DB25 CONNECTORS	CAB-OCTAL-MODEM=

Category: 8 PRI DFC Cable

JML Key#	Description	Part #
U2016	1 Meter 8 PRI DFC Cable - Female RJ45	CAB-DFC-OCTAL-1MF=
U2017	1 Meter 8 PRI DFC Cable - Male RJ45	CAB-DFC-OCTAL-1MM=
U2018	2 Meter 8 PRI DFC Cable - Female RJ45	CAB-DFC-OCTAL-2MF=
U2019	2 Meter 8 PRI DFC Cable - Male RJ45	CAB-DFC-OCTAL-2MM=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: 8 PRI DFC Cable

JML Key#	Description	Part #
U2020	3 Meter 8 PRI DFC Cable - Female RJ45	CAB-DFC-OCTAL-3MF=
U2021	3 Meter 8 PRI DFC Cable - Male RJ45	CAB-DFC-OCTAL-3MM=
U2022	0.3 Meter 8 PRI DFCCable-FemaleRJ45	CAB-DFC-OCTAL.3MF=

Category: 8 RJ45 to DB25 cables

JML Key#	Description	Part #
U2023	Eight RJ45 to DB25 cables for the AS25XX-RJ	CAB-RJ-MODEM-8=

Category: 802.11B CARD

JML Key#	Description	Part #
U2024	802.11b PC Card w/Dual MMCX Connectors	AIR-LMC352
U2025	802.11b PCI Adapter w/RP-TNC Connector, Dipole Antenna	AIR-PCI352

Category: ADSL CABLE

JML Key#	Description	Part #
U2026	ADSL cable straight RJ11	CAB-ADSL-RJ11=

Category: ALARM CABLE

JML Key#	Description	Part #
U2027	10 Meter Twisted Pair Alarm Cable, HDB-64 -Male,Single Ended	15454E-ALMCBL-010=
U2028	20 Meter Twisted Pair Alarm Cable, HDB-64 -Male,Single Ended	15454E-ALMCBL-020=
U2029	35 Meter Twisted Pair Alarm Cable, HDB-64 -Male,Single Ended	15454E-ALMCBL-035=
U2030	Alarm Cable Front	GSR10-ALRM-CBL=
U2031	Alarm Display Cable, Rear	GSR10-DISP-RECBL=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: ANTENNA

JML Key#	Description	Part #
U2032	2.4 GHz, 5.2 dBi Ceiling Omni Ant. w/RP-TNC Connector	AIR-ANT1728
U2033	2.4 GHz, 6 dBi Patch Ant w/RP-TNC Connector	AIR-ANT1729
U2034	2.4 GHz, 13.5 dBi Yagi Mast Mount Ant. w/ RP-TNC Connector	AIR-ANT1949
U2035	2.4 GHz, 6.5 dBi Diversity Patch Ant w/RP-TNC Connector	AIR-ANT2012
U2036	2.4 GHz, 5.2 dBi Mast Mount Omni Ant w/RP-TNC Connector	AIR-ANT2506
U2037	2.4 GHz, 3 dBi Patch Antenna w/ RP-TNC Connector	AIR-ANT3195
U2038	2.4 GHz, 21 dBi Solid Dish Antenna w/RP-TNC Connector	AIR-ANT3338
U2039	2.4 GHz, 2.2 dBi Divers. Dipole Ant. base w/MMCX Connectors	AIR-ANT3351
U2040	2.4 GHz, 9 dBi Patch Antenna w/ RP-TNC Connector	AIR-ANT3549
U2041	2.4 GHz, 12 dBi Omni Mast Antenna w/RP-TNC Connector	AIR-ANT4121
U2042	2.4 GHz, 2.2 dBi Dipole Antenna w/ RP-TNC Connector	AIR-ANT4941

Category: ANTENNA BASE

JML Key#	Description	Part #
U2043	Magnetic Antenna Mount Base w/RP-TNC Connector	AIR-ACC1725

Category: ANTENNA BRACKET

JML Key#	Description	Part #
U2044	60 in (1.5m) RP-TNC Ant. Cable w/Mounting Bracket	AIR-ACC2537-060
U2045	RP-TNC Connector with Mounting Bracket	AIR-ACC2538

Category: ANTENNA CABLE

JML Key#	Description	Part #
U2046	5 in. (12.7 cm) MMCX to RP-TNC Antenna Converter Cable	AIR-420-1625-0500
U2047	20 ft LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS	AIR-CAB020LL-R
U2048	50 ft. LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS	AIR-CAB050LL-R
U2049	100 ft. ULTRA LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS	AIR-CAB100ULL-R

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: ANTENNA CABLE

JML Key#	Description	Part #
U2050	150 ft. ULTRA LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS	AIR-CAB150ULL-R

Category: ANTENNA LIGHTNING ARRESTOR

JML Key#	Description	Part #
U2051	Lightning Arrestor with grounding ring, RP-TNC Connector	AIR-ACC3354

Category: APEX CABLE

JML Key#	Description	Part #
U2052	CABLE:12FT APEX SWITCH	CBL12-APX
U2053	CABLE:APEX	CBL20-APX
U2054	CABLE:25FT APEX SWITCH	CBL25-APX
U2055	CABLE:APEX	CBL40-APX

Category: AT Modem

JML Key#	Description	Part #
U2056	Cable - AT Modem Cable adapter 1ft DB9F DB25M	161070990
U2057	Cable - AT Modem Cable 6ft DB9f DB25M	161149992

Category: AT Serial Adapter

JML Key#	Description	Part #
U2058	Cable - AT Serial Adapter DB9F DB25M	161071998
U2059	Cable - AT Serial Adapter DB9M DB25F	161072996
U2060	Cable - AT Serial Adapter DB9M DB25M	161073994
U2061	Cable - AT Serial Adapter DB9f DB25f	161074992



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: ATM CABLE

JML Key#	Description	Part #
U2062	ATM Cable, DS-3 and E3, 10	CAB-ATM-DS3/E3
U2063	ATM Cable,DS3+e3;10ft.	CAB-ATM-DS3/E3=
U2064	ATM25 Cable, 96 pin to 4 Male RJ45s (spare)	CAB-ATM25-4=

Category: ATM OC3 NIC

JML Key#	Description	Part #
U2065	I/F:ATM OC3 COPPER NIC	ATM155011-P64
U2066	I/F:ATM OC3 FIBER NIC	ATM155013-P64

Category: AUXILLIARY CABLE

JML Key#	Description	Part #
U2067	RSM Auxilliary Cable (spare)	CAB-RSM2AUX=
U2068	RSP2 Auxiliary Cable (Spare)	CAB-RSP2AUX=

Category: Apple

JML Key#	Description	Part #
U2069	Cable - Apple Cables 6 Ft DB25 / C50 Premium System Cable	161407994

Category: Audio/ Video

JML Key#	Description	Part #
U2070	Cable - Audio and Video Cable 12ft Dual RCA M-M	161075999
U2071	Cable - Audio and Video Cable 12ft Single RCA M-M	161076997
U2072	Cable - Audio and Video Cable 6ft Dual RCA M-F	161077995
U2073	Cable - Audio and Video Cable 6ft Dual RCA M-M	161078993
U2074	Cable - Audio and Video Cable 6ft Single RCA M-F	161079991
U2075	Cable - Audio and Video Cable 6ft Single RCA M-M	161080999
U2076	Cable - Audio and Video Y-Cable 1ft RCA M-F-F	161081997

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: B9249

JML Key#	Description	Part #
U2077	Cable:150ft B9249/51 FCC	CB815

Category: BACK CARD

JML Key#	Description	Part #
U2078	SRM Back Card with three T3 BNC Connectors	AX-BNC-3T3-M
U2079	Eight Port E1 Back Card with RJ48 Connectors	AX-RJ48-8E1=
U2080	Eight Port T1 Back Card with RJ48 Connectors	AX-RJ48-8T1=
U2081	Two port HSSI back card, SCSI-2 connectors	AX-SCSI2-2HSSI
U2082	Eight Port E1 Back Card with SMB Connectors	AX-SMB-8E1=
U2083	BNM Back Card with BNC Clock Connector	AX-T3E3-B-BC
U2084	BNM Back Card with DB15 Clock Connector	AX-T3E3-D-BC
U2085	4 Port E1 Back Card with BNC Connector	BC-UAI-4-E1-BNC
U2086	4 Port E1 Back Card with DB15 Connector	BC-UAI-4-E1-DB15
U2087	UFM Back Card, 8 E1 Ports with BNC Connectors	BC-UF1-8E1-BNC=
U2088	UFM Back Card, 8 E1 Ports with DB15 Connectors	BC-UF1-8E1-DB15=
U2089	UFM Back Card, 8 T1 Ports with DB15 Connectors	BC-UF1-8T1-DB15=
U2090	Ethernet Cable - BNC Connectors - 10m	BNC-10M=
U2091	STM1 Elec. Interface back card for BXM-155-4, SMB Connectors	BPX-STM1-EL-4-BC=
U2092	Universal T3/E3 Back Card, SMB Connectors	BPX-T3/E3-BC=
U2093	MGX 2 port E3 back card, BNC connectors	MGX-BNC-2E3=
U2094	MGX 2 Port E3 Back Card, BNC Connectors - AU Compliant	MGX-BNC-2E3A=
U2095	MGX 2 port T3 back card, BNC connectors	MGX-BNC-2T3=
U2096	PXM1 4 port 155 Mbps Back Card, MMF, SC connectors	MGX-MMF-4-155/B=
U2097	Fast Ethernet Back Card for the RPM, MMF connector	MGX-MMF-FE=
U2098	Fast Ethernet Back Card for the RPM, RJ45 connector	MGX-RJ45-FE=
U2099	Eight Port E1 Back Card with RJ48 Connectors	MGX-RJ48-8E1=
U2100	Two port HSSI back card, SCSI-2 connectors	MGX-SCSI2-2HSSI/B=
U2101	SRME 1 Port 155Mbps Back Card, SMFIR, SC connector	MGX-SMFIR-1-155=
U2102	PXM1 4 port 155 Mbps Back Card, SMF-IR, SC connectors	MGX-SMFIR-4-155/B=
U2103	STM1 Elec. Interface back card for SRME-155-1, SMB Connector	MGX-STM1-EL-1=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: BARCODE CABLE

JML Key#	Description	Part #
U2104	JOINT BARCODE RDR/PTR CABLE	PL109212-CA

Category: BLOWER CABLE

JML Key#	Description	Part #
U2105	12416/12016 Blower Cable	12X16-BLWR-CBL=
U2106	Blower Cable	GSR10-BLWR-CBL=

Category: BMC

JML Key#	Description	Part #
U2107	CABLE:CSBMC DROP CBL 8FT	CBL225-8
U2108	ADPTR:BMC TERMINATOR	CBL50-TER
U2109	ADPTR:CABLE BMC I/F	CBL5048-IN
U2110	ADPTR:CABLE BMC I/F	CBL5048-OUT
U2111	CABLE:100FT BMC FIPS-60	CBL60-100
U2112	CABLE:200FT BMC FIPS-60	CBL60-200
U2113	CABLE:50FT BMC FIPS-60	CBL60-50

Category: BT3200&CONNECT KIT

JML Key#	Description	Part #
U2114	CABLE:BT3200&CONNECT KIT	CB781-NEC
U2115	CABLE:BT3200&CONNECT KIT	CB782-NEC

Category: BY PASS HOSE

JML Key#	Description	Part #
U2116	Cold By-Pass 1/2in Hose	BPC3000-001
U2117	Hot By-Pass 5/8in Hose	BPH3000-001



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: CABINET

JML Key#	Description	Part #
U2118	ENHNC:RACK CHASSISS D	ALP800099-FID
U2119	INSTL:36U 24" WIDE FRAME	APA1000-FRM
U2120	ACC:PARTS 19U W/O FTDOOR	BEZ1911-CAB
U2121	ACC:PARTS 36U W/O FTDOOR	BEZ3611-CAB
U2122	CABINET:19 U RACK CABINT	CAB191-SXR
U2123	CABINET:19 U RACK CABINT	CAB191-SXR=
U2124	CABINET:36 U RACK CABINT	CAB361-SXR
U2125	CABINET:36 U RACK CABINT	CAB361-SXR=
U2126	CABINET:Auxiliary Cabine	CS361941-DOR
U2127	INSTL:36U, 41"HRT CLRCAB	HRT3641-LNK
U2128	ACC:KIT TO LINK 19U CABS	LNK191-SXR
U2129	ACC:KIT TO LINK 36U CABS	LNK361-SXR
U2130	INSTL:USE CAB MOUNTING K	OSM3000-RMK
U2131	CABINET:54' OSR5000 22U	OSR5029-CAB
U2132	CABINET:36U,19X34 OPEN	RM361934-OFT
U2133	CABINET:36U,19X41 DOOR	RM361941-DR
U2134	CABINET:36U,19X41 OPEN	RM361941-OFT
U2135	INSTL:36U,34 CAB LINK	RM3634-LNK
U2136	INSTL:36U,41 CAB LINK	RM3641-LNK
U2137	CABINET:PRIMARY RACK SAP	RMP1-SAP
U2138	CABINET:ACC RACK FOR SAP	RMS1-SAP
U2139	36U 41' CAB LINK W/CABLE TROUGH	RMW3641-LNK

Category: CABLE ASSEMBLY

JML Key#	Description	Part #
U2140	Cable Assemblies Spares	CAB-5MODCM=
U2141	CABLE:CABLE ASSEMBLY	CB960-NEC



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: CABLE KIT

JML Key#	Description	Part #
U2142	CABLE:CBL KIT RS-232	CBL1200-232
U2143	CABLE:CBL KIT RS-530	CBL1200-530
U2144	CABLE:CBL KIT V35 ADAPTR	CBL1200-V35
U2145	CABLE:CBL KIT X21 ADAPTR	CBL1200-X21
U2146	Accessory Kit for CSS-11x5x (adapters/cable/etc.)	CSS-CONSOLE-KIT=
U2147	Accessory Kit for CSS 11000 (adapters/cable/ears/etc.)	CSS-RACKMOUNT-KIT:
U2148	ACC:TDD 68P-CBL/COOL KIT	TDD96501-KIT

Category: CAN EXTENSION KIT

JML Key#	Description	Part #
U2149	CAN Cable Extension Kit	EXT/CAN/15200

Category: CBUS

JML Key#	Description	Part #
U2150	CBUS Cable - Male/Female - DB9 Connectors - 0.5m	CBUS-MF-0.5M=
U2151	CBUS Termination - DB9 Connector - 130 Ohm	CBUS-TER=
U2152	Twisted Shielded Pair cable (CBUS) - DB9 Connectors - 1.25m	TSP-1.25M=
U2153	Twisted Shielded Pair cable (CBUS) - DB9 Connectors - 5m	TSP-5M=

Category: CISCO CABLE

JML Key#	Description	Part #
U2154	RF Switch cable bundle, 1.2m, MCX to F terminated	CAB-RFSW-3X10-T=

Category: CLAN

JML Key#	Description	Part #
U2155	CABLE: CLAN MSCS KIT	CLN10000-CLK
U2156	CABLE: 2M CLAN	CLN100002-CBL
U2157	CABLE: 5M CLAN	CLN100005-CBL

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: CLAN

JML Key#	Description	Part #
U2158	LAN HW:CLAN 1GB	CLN10001-D64
U2159	CABLE: 10M CLAN	CLN100010-CBL
U2160	CABLE: 30M CLAN	CLN100030-CBL

Category: CLUSTER CABLE

JML Key#	Description	Part #
U2161	CABLE:2.5FT CLUSTER	CBL6821-VHD

Category: CNA

JML Key#	Description	Part #
U2162	CABLE:CNA 10 FT	CSB364-10C
U2163	CABLE:CNA 15 FT	CSB364-15C
U2164	CABLE:CNA 20 FT	CSB364-20C
U2165	CABLE:CNA 25 FT	CSB364-25C
U2166	CABLE:CNA 5 FT	CSB364-5C

Category: CONCAT CABLE

JML Key#	Description	Part #
U2167	UPGRD:FIBRE CONCAT CABLE	OSM1000-FTF

Category: CONN BOX

JML Key#	Description	Part #
U2168	CABLE: CONN BOX - 15 FT	CBL378-15
U2169	CABLE: CONN BOX - 8 FT	CBL378-8

Category: CONNECTOR KIT

JML Key#	Description	Part #
U2170	LAN HW:FDDI KIT - CCM	CBL22-FDI

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: CONSOLE CABLE

JML Key#	Description	Part #
U2171	AUX/Console Part Cable Kit	ACS-2500ASYN=
U2172	Auxiliary and Console Port Cable Kit for Cisco 2600 Series	ACS-2600ASYN=
U2173	Auxiliary/Console Port Cable Kit for the Cisco 3600 Series	ACS-3600ASYN=
U2174	Auxiliary/Console Port Cable Kit for the Cisco 7100 Series	ACS-7100ASYN=
U2175	Serial Cable for 340/350 Series AP Console Port Cnfg	AIR-ACC5559-072
U2176	1200 Platform Console Cable	AIR-CONCAB1200=
U2177	Cisco 1600 Console Cable	CAB-1600-CON=
U2178	NI-2 Console Cable - Spare	CAB-CON-NI=
U2179	RSM Console Cable (spare)	CAB-RSM2CON=
U2180	RSP2 Console Cable (Spare)	CAB-RSP2CON=
U2181	Supervisor III Console Cable Kit	CAB-S3-CONSOLE
U2182	Cisco 1700 Console Cable	CAB1700-CON=
U2183	CABLE:RS232 RAID MONITOR	CBL3900-232
U2184	CSS11500 Console Cable	CSS5-CON=

Category: CSBUS

JML Key#	Description	Part #
U2185	CABLE:10FT CSBUS	CBL10-CS
U2186	CABLE:10FT CSBUS	CBL10-CSD
U2187	CABLE:15FT CSBUS	CBL15-CS
U2188	CABLE:25FT CSBUS	CBL25-CS
U2189	Cable:45ft CSBUS (DIFF.)	CBL45-CSD
U2190	Cable:45ftCSBUS(DIFF,RT,A	CBL45-CTD
U2191	CABLE:5FT CSBUS	CBL5-CS
U2192	CABLE:CS BUS III, 10 FT	CSB3-10
U2193	CABLE:CS BUS III, 15 FT	CSB3-15
U2194	CABLE:CSB III (COAX)15FT	CSB3-15C
U2195	CABLE:CS BUS III, 20 FT	CSB3-20
U2196	CABLE:CS BUS III, 25 FT	CSB3-25
U2197	CABLE:CS BUS III, 5 FT	CSB3-5

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Cisco 800 spare cabling kit

JML Key#	Description	Part #
U2198	Cisco 800 spare cabling kit (ethernet, console, ISDN)	CAB-800=

Category: DA-15 FEMALE TO RJ48 MALE

JML Key#	Description	Part #
U2199	DA-15 Female-to-RJ-48 Male Cable, 7.5 Meters	CAB-SDS0=

Category: DAT EXTERNAL CABLE

JML Key#	Description	Part #
U2200	CABLE:DAT EXTERNAL CBL	CBL211-HHX

Category: DB15/Y

JML Key#	Description	Part #
U2201	DB15/Y Cable /M15-F15 10ft	CAB-5607-10=

Category: DB25 PRODUCTS

JML Key#	Description	Part #
U2202	Female DB-25 Terminal Connector	CAB-25AS-FDTE=
U2203	Male DB-25 Modem Connector	CAB-25AS-MMOD=

Category: DELTEC

JML Key#	Description	Part #
U2204	CABLE:DELTEC 08-1163-993	CBL6260000-UPS
U2205	CABLE:DELTEC6000-(6010-4	CBL6260003-UPS



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: DFC OCTAL CABLE

JML Key#	Description	Part #
U2206	DFC Octal Cable Patch Panel Shelf 1 RU	DFC-CABLE-SHELVE=

Category: DHEI CABLE

JML Key#	Description	Part #
U2207	DHEI Input Cables, spare	CAB-6920-DHEI-IN=
U2208	DHEI Output Cable, spare	CAB-6920-DHEI-OUT=

Category: DIM TO SDM

JML Key#	Description	Part #
U2209	CABLE:DIM TO SDM 4 FT	CBL2000-4

Category: DSU/CSU CABLE

JML Key#	Description	Part #
U2210	Blue Color Cable for DSU/CSU, RJ-45, 6 feet	CAB-DSU-RJ45=

Category: DSX1 to CSU DB-15

JML Key#	Description	Part #
U2211	MIP-CT1: DSX1 to CSU DB-15 Thru Cable	CAB-7KCT1DB15=
U2212	MIP-CT1: DSX1 to CSU DB-15 Null Cable	CAB-7KCT1NULL=

Category: E AND M CROSSOVER CABLE

JML Key#	Description	Part #
U2213	MC3810 EandM Cross-over Cable for TBR-17 Compliance	CAB-E&M-TBR17



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: E1 CABLE

JML Key#	Description	Part #
U2214	10 Meter E1 cable, 120Ohm Twisted Pr, DB37-Male,Single Ended	15454E-DBCBL-010=
U2215	20 Meter E1 cable, 120Ohm Twisted Pr, DB37-Male,Single Ended	15454E-DBCBL-020=
U2216	35 Meter E1 cable, 120Ohm Twisted Pr, DB37-Male,Single Ended	15454E-DBCBL-035=
U2217	E1/BNC to BNC Cable 10 Feet	CAB-5697-10=
U2218	E1 Cable BNC 75ohm/Unbal 5m	CAB-E1-BNC
U2219	E1 Cable, BNC E1, 75ohm/Unbalanced, 3 Meters	CAB-E1-BNC-3M
U2220	E1 Cable DB15 120 ohm/Balanced, 5 Meters	CAB-E1-DB15
U2221	E1 Cable DB15 120 ohm/Bal 5m	CAB-E1-DB15=
U2222	E1 ISDN PRI CABLE, 10 FEET	CAB-E1-PRI=
U2223	E1 Cable RJ45 to Dual BNC (Unbalanced)	CAB-E1-RJ45BNC
U2224	E1 Cable RJ45 to dual BNC (unbalanced), Spare	CAB-E1-RJ45BNC=
U2225	Spare E1 Cable RJ45 to RJ45 TE	CAB-E1-RJ45TE=
U2226	E1 Cable RJ45 to Twinax (balanced), Spare	CAB-E1-RJ45TWIN=
U2227	E1 Cable Twinax 120ohm/Balanced 3 Meters	CAB-E1-TWINAX-3M

Category: E1 Y CABLE

JML Key#	Description	Part #
U2228	E1 / Y Cable 10 ft	CAB-5685-10=

Category: E1/E3/DS3

JML Key#	Description	Part #
U2229	10 Meter E1/E3/DS3 cable, 75 Ohm T54 connector, Single Ended	15454E-T54CBL-010=

Category: E1/E3/DS3 CABLE

JML Key#	Description	Part #
U2230	20 Meter E1/E3/DS3 cable, 75 Ohm T54 connector, Single Ended	15454E-T54CBL-020=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: E1/E3/DS3 CABLE

JML Key#	Description	Part #
U2231	35 Meter E1/E3/DS3 cable, 75 Ohm T54 connector, Single Ended	15454E-T54CBL-035=

Category: ESX026

JML Key#	Description	Part #
U2232	CBL:ESX026 IN TO EX CK	CBU202601-I2E

Category: ETHERNET

JML Key#	Description	Part #
U2233	I/F:802.3 LAN TRANSCIEVER	CP2013-5

Category: ETHERNET ADAPTER CABLE

JML Key#	Description	Part #
U2234	18 Inch Ethernet Adaptor Cable	CAB-3CE18=

Category: ETHERNET CABLE

JML Key#	Description	Part #
U2235	CABLE:LAN TRUNK/LOBE 25	CA229000-000
U2236	CABLE:LAN TRUNK/LOBE CBL	CA229000-001
U2237	CABLE:LAN TRUNK/LOBE CBL	CA229000-002
U2238	CABLE:LAN TRUNK/LOBE 200	CA229000-003
U2239	CABLE:LAN TRUNK/LOBE CBL	CA229000-004
U2240	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet	CAB-ETH-S-RJ45=
U2241	Ethernet Cross-over Cable	CAB-ETHXOVER=
U2242	Cable:15ft AUI (802.3)	CBL149-50
U2243	CABLE:7 METER ETHERNET	CBL24-7
U2244	CABLE:TW PAR 10BAST,1M	DSH600001-TBT
U2245	CABLE:TW PAR 10BAST,2M	DSH600002-TBT
U2246	CABLE:TW PAR 10BAST,3M	DSH600003-TBT

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: ETHERNET CABLE

JML Key#	Description	Part #
U2247	CABLE:TW PAR 10BAST,4M	DSH600004-TBT
U2248	CABLE:TW PAR 10BAST,10M	DSH600010-TBT
U2249	CABLE:TW PAR 10BAST,15M	DSH600015-TBT
U2250	CABLE:TW PAR 10BAST,30M	DSH600030-TBT
U2251	CABLE:TW PAR 10BAST,40M	DSH600040-TBT

Category: ETHERNET COAXIAL CABLE

JML Key#	Description	Part #
U2252	Ethernet Coaxial Cable - BNC / BNC Connectors - 12.5 Meter	BNC-12.5M
U2253	Ethernet Coaxial Cable - BNC / BNC Connectors - 12.5 Meter	BNC-12.5M=
U2254	Ethernet Coaxial Cable - BNC / BNC Connectors - 2.5 Meter	BNC-2.5M
U2255	Ethernet Coaxial Cable - BNC / BNC Connectors - 2.5 Meter	BNC-2.5M=
U2256	Ethernet Cable - BNC Connectors - 20m	BNC-20M=
U2257	Ethernet Cable - BNC Connectors - 5m	BNC-5M=
U2258	Ethernet Coaxial Cable - BNC / BNC Connectors - 7.5 Meter	BNC-7.5M
U2259	Ethernet Coaxial Cable - BNC / BNC Connectors - 7.5 Meter	BNC-7.5M=
U2260	Ethernet Termination - BNC Connector - 50 Ohm	BNC-TER=
U2261	CABLE:20M BNC PVC LAN	CBL149-3

Category: ETHERNET SMA CABLE

JML Key#	Description	Part #
U2262	Ethernet Cable - SMA Connectors - 1m	SMA-1M=
U2263	Ethernet Adaptor - SMA / DIN Connectors	SMA-DIN-ADP=
U2264	Ethernet T - SMA Connectors	SMA-T=

Category: FAIL OVER CABLE

JML Key#	Description	Part #
U2265	Local Director Fail Over Cable	LD-FO=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FAN CABLE

JML Key#	Description	Part #
U2266	Fan Power Short Cable	CAB-FAN-SHORT=
U2267	Fan Power Y-cable	CAB-FAN-Y=
U2268	MGX FAN spare cable	MGX-FAN-CAB=

Category: FE TO FE

JML Key#	Description	Part #
U2269	CABLE:9-PIN,10M,FE TO FE	CBL6099-10M

Category: FIBER CHANNEL CABLE

JML Key#	Description	Part #
U2270	CABLE:1METER FC NON-EQL	CBL135-1
U2271	CABLE:10METER FC NON-EQL	CBL135-10
U2272	CABLE:15METER FC NON-EQL	CBL135-15
U2273	CABLE:3METER FC NON-EQL	CBL135-3
U2274	CABLE:5 METER FC NON-EQL	CBL135-5
U2275	CABLE:.5M FC NON-EQL	CBL135-D5
U2276	1M FC CABLE W/HSSDC CONN	CBL136-1
U2277	10M FC CABLE W/HSSDC CON	CBL136-10
U2278	15M FC CABLE W/HSSDC CON	CBL136-15
U2279	3M FC CABLE W/HSSDC CONN	CBL136-3
U2280	5M FC CABLE W/HSSDC CONN	CBL136-5
U2281	CABLE:20METER FC EQLIZED	CBL137-20
U2282	CABLE:25 METER FC EQUAL	CBL137-25
U2283	CABLE:30 METER FC EQUAL	CBL137-30
U2284	20M FC EQUALIZED CBL W/H	CBL138-20
U2285	CABLE:HSSDC TO HSSDC FC 1 METER	CBL147-1
U2286	CABLE:HSSDC TO HSSDC FC 10 METER	CBL147-10
U2287	CABLE:HSSDC TO HSSDC FC 15 METER	CBL147-15
U2288	CABLE:HSSDC TO HSSDC FC 3 METER	CBL147-3
U2289	CABLE:HSSDC TO HSSDC FC 5 METER	CBL147-5

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER CHANNEL CABLE

JML Key#	Description	Part #
U2290	CABLE:HSSDC TO HSSDC FC CONCATONATION	CBL147-FTF
U2291	CABLE:HSSDC TO HSSDC FC 20 METER	CBL148-20
U2292	CABLE:HSSDC TO HSSDC FC 25 METER	CBL148-25
U2293	CABLE:HSSDC TO HSSDC FC 30 METER	CBL148-30
U2294	CABLE:HSSDC,FERRITE,1M	CBL156-1
U2295	CABLE:HSSDC,FERRITE,10M	CBL156-10
U2296	CABLE:HSSDL,FERRITE,3M	CBL156-3
U2297	CABLE:HSSDC FERRITE,30M	CBL156-30
U2298	CABLE:HSSDC,FERRITE,5M	CBL156-5

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2299	Cable - Fiber Cable St-St 62.5/125 3M	153014105
U2300	0.35m (14 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-02=
U2301	0.45m (17 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-03=
U2302	0.5m (20 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-04=
U2303	1.0m (40 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-05=
U2304	1.5m (60 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-06=
U2305	2.0m (79 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-07=
U2306	2.5m (98 in.) Tuned Low Loss MU-MU SM OADM Patch Cable	15500-CAB-MMU-08=
U2307	1.0m Tuned Low Loss MU to SC SM Patch Cable	15500-CAB-MSC01=
U2308	3.0m Tuned Low Loss MU to SC SM Patch Cable	15500-CAB-MSC02=
U2309	2.5m (86 in.) MTP to MTP cable	15500-CAB-MTP-01=
U2310	MTP to 8-MU optical cable - Mux/Demux to CC Drawer -Color	15500-CAB-MTPMU-M=
U2311	1.0m SC to SC 62.5 mic MM Patch Cable	15500-CAB-SC11=
U2312	1.0m SC to SC SM Patch Cable	15500-CAB-SC12=
U2313	50/125um Multimode Y Cable with SC for Channel Protection	15500-CAB-YMM-SC=
U2314	Single Mode Y Cable with SC for Channel Protection	15500-CAB-YSM-SC=
U2315	Cable - 1 Meter Fiber Cable SC SC 62.5/125	161120993
U2316	Cable - 2 Meter Fiber Cable SC SC 62.5/125	161121991
U2317	Cable - 3 Meter Fiber Cable SC SC 62.5/125	161122999
U2318	Cable - 4 Meter Fiber Cable SC SC 62.5/125	161123997

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2319	Cable - 5 Meter Fiber Cable SC SC 62.5/125	161124995
U2320	Cable - 6 Meter Fiber Cable SC SC 62.5/125	161125992
U2321	Cable - 1 Meter Fiber Cable ST SC 62.5/125	161126990
U2322	Cable - 2 Meter Fiber Cable ST SC 62.5/125	161127998
U2323	Cable - 3 Meter Fiber Cable ST SC 62.5/125	161128996
U2324	Cable - 4 Meter Fiber Cable ST SC 62.5/125	161129994
U2325	Cable - 5 Meter Fiber Cable ST SC 62.5/125	161130992
U2326	Cable - 6 Meter Fiber Cable ST SC 62.5/125	161131990
U2327	Cable - 10 Meter Fiber Cable St-St 62.5/125	161132998
U2328	Cable - Fiber Cable St-St 62.5/125 1M	161133996
U2329	Cable - Fiber Cable St-St 62.5/125 2M	161134994
U2330	Cable - Fiber Cable St-St 62.5/125 4M	161135991
U2331	Cable - Fiber Cable St-St 62.5/125 5M	161136999
U2332	Cable - Fiber Cable St-St 62.5/125 6M	161137997
U2333	Optical Adapter - SC-FC Connectors - Single Fiber	ADP-SC-FC=
U2334	Optical Adapter - SC-SC Connectors - Single Fiber	ADP-SC-SC=
U2335	Gigabit Ethernet Multimode Conditioning Cable	CAB-GELX-625=
U2336	1 meter cable for GigaStack GBIC	CAB-GS-1M
U2337	50 centimeter cable for GigaStack GBIC	CAB-GS-50CM
U2338	10 feet MMF-SMF Cable (FC and SC term, 10 dB Atten.)	CAB-MM-SM-SCFC=
U2339	MMF-SMF Long Reach Cable (FC and SC term, 15 dB Atten.)	CAB-MM-SMLR-SCFC=
U2340	Multi mode - LC cable	CAB-MMF-LC=
U2341	100 feet Multi-Mode Fiber Cable (SC term.)	CAB-MMF-SC-100=
U2342	10 feet Multi-Mode Fiber Cable (SC term.)	CAB-MMF-SC-10=
U2343	25 feet Multi-Mode Fiber Cable (SC term.)	CAB-MMF-SC-25=
U2344	50 feet Multi-Mode Fiber Cable (SC term.)	CAB-MMF-SC-50=
U2345	75 feet Multi-Mode Fiber Cable (SC term.)	CAB-MMF-SC-75=
U2346	Multi-Mode Y Cable, SC Connectors, Only One Allowed per Path	CAB-MMF-Y-SC=
U2347	100ft Single Mode Fiber Cable (FC term.)	CAB-SMF-FC-100=
U2348	10ft Single Mode Fiber Cable (FC term.)	CAB-SMF-FC-10=
U2349	25ft Single Mode Fiber Cable (FC term.)	CAB-SMF-FC-25=
U2350	50ft Single Mode Fiber Cable (FC term.)	CAB-SMF-FC-50=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2351	75ft Single Mode Fiber Cable (FC term.)	CAB-SMF-FC-75=
U2352	100 feet Single-Mode Fiber Cable (SC term.)	CAB-SMF-SC-100=
U2353	10 feet Single-Mode Fiber Cable (SC term.)	CAB-SMF-SC-10=
U2354	25 feet Single-Mode Fiber Cable (SC term.)	CAB-SMF-SC-25=
U2355	50 feet Single-Mode Fiber Cable (SC term.)	CAB-SMF-SC-50=
U2356	75 feet Single-Mode Fiber Cable (SC term.)	CAB-SMF-SC-75=
U2357	Single Mode Fiber Y Cable (FC Term)	CAB-SMF-Y-FC=
U2358	Single Mode Fiber Y Cable (SC Term)	CAB-SMF-Y-SC=
U2359	Single Mode IR LC - Y cable	CAB-SMFIR-LC-Y=
U2360	Single Mode IR LC cable	CAB-SMFIR-LC=
U2361	Single Mode LR LC - Y cable	CAB-SMFLR-LC-Y=
U2362	Single Mode LR - LC Cable	CAB-SMFLR-LC=
U2363	CABLE:DUPLEX FIBER 1M	CBL142-1
U2364	CABLE:DUPLEX FIBER 10M	CBL142-10
U2365	CABLE:DPLX FIBR 1M SC-ST	CBL142-1A
U2366	CABLE:DUPLEX FIBER 2M	CBL142-2
U2367	CABLE:DPLX FIBR 2M SC-ST	CBL142-2A
U2368	CABLE:DUPLEX FIBER 30M	CBL142-30
U2369	CABLE:DPLX FIBR 3M SC-ST	CBL142-3A
U2370	CABLE:DUPLEX FIBER 5M	CBL142-5
U2371	CABLE:DPLX FIBR 5M SC-ST	CBL142-5A
U2372	CABLE:FDI 2M	CBL142-FDI
U2373	CABLE:50UM DUPX FIBER 1M	CBL144-1
U2374	CABLE:50UM DUPX FIBER10M	CBL144-10
U2375	CABLE:50UM DUP FIBER100M	CBL144-100
U2376	CABLE:50UM DUPX FIBER 2M	CBL144-2
U2377	CABLE:50UM DUP FIBER200M	CBL144-200
U2378	CABLE:50UM DUPX FIBER30M	CBL144-30
U2379	CABLE:50UM DUP FIBER300M	CBL144-300
U2380	CABLE:50UM DUP FIBER400M	CBL144-400
U2381	CABLE:50UM DUPX FIBER 5M	CBL144-5
U2382	CABLE:50UM DUPX FIBER50M	CBL144-50
U2383	CABLE:50UM DUP FIBER500M	CBL144-500

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2384	CABLE:50UM DUPX FIBER.5M	CBL144-P5
U2385	CABLE:FIBER 10M	CBL146-10
U2386	CABLE:FIBER 100M	CBL146-100
U2387	CABLE:FIBER 5M	CBL146-5
U2388	CABLE:FIBER 50M	CBL146-50
U2389	Cable: FC 10m shortwave,	CBL170-10
U2390	Cable: FC 2m shortwave,	CBL171-2
U2391	Cable: FC 5m shortwave,	CBL171-5
U2392	CABLE:FDDI .5 METER	CBL3951-05
U2393	CABLE:FDDI 10 METER	CBL3951-10
U2394	CABLE:FDDI 100 METER	CBL3951-100
U2395	CABLE:FDDI 30 METER	CBL3951-30
U2396	CABLE:FDDI 5 METER	CBL3951-5
U2397	CABLE:FDDI 50 METER	CBL3951-50
U2398	CSS11500 10-Meter Fiber Single Mode LX LC-to-SC Connectors	CSS5-CABLX-LCSC
U2399	CSS11500 10-Meter Fiber Single Mode LX LC-to-SC Connectors	CSS5-CABLX-LCSC=
U2400	CSS11500 10-Meter Fiber Multimode SX LC Connectors	CSS5-CABSX-LC
U2401	CSS11500 10-Meter Fiber Multimode SX LC Connectors	CSS5-CABSX-LC=
U2402	CSS11500 10-Meter Fiber Multimode SX LC-to-SC Connectors	CSS5-CABSX-LCSC
U2403	CSS11500 10-Meter Fiber Multimode SX LC-to-SC Connectors	CSS5-CABSX-LCSC=
U2404	Optical Patchcord - E2000/APC Connectors - 0.5m	E2000-APC-0.5M=
U2405	Optical Patchcord - E2000/APC Connectors - 0.75m	E2000-APC-0.75M=
U2406	Optical Patchcord - E2000/APC Connectors - 1.25m	E2000-APC-1.25M=
U2407	Optical Patchcord - E2000/APC Connectors - 1.5m	E2000-APC-1.5M=
U2408	Optical Patchcord - E2000/APC Connectors - 10m	E2000-APC-10M=
U2409	Optical Patchcord - E2000/APC Connectors - 20m	E2000-APC-20M=
U2410	Optical Patchcord - E2000/APC Connectors - 3m	E2000-APC-3M=
U2411	Optical Patchcord - E2000/APC Connectors - 5m	E2000-APC-5M=
U2412	Optical Patchcord - E2000/APC Connectors - 2dB Attenuation	E2000-E2000-2DB=
U2413	Optical Patchcord - E2000/APC Connectors - 3dB Att. - 0.5m	E2000-E2000-3DB.5=
U2414	Optical Patchcord - E2000/APC Connectors - 5dB Att. - 0.5m	E2000-E2000-5DB.5=
U2415	Optical Patchcord - E2000/APC Connectors - 5dB Attenuation	E2000-E2000-5DB=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2416	Optical Patchcord - E2000/APC Connectors - 7dB Att. - 0.5m	E2000-E2000-7DB.5=
U2417	Optical Patchcord - E2000/APC Connectors - 7dB Attenuation	E2000-E2000-7DB=
U2418	Optical Patchcord - E2000/APC Connectors - 8dB Attenuation	E2000-E2000-8DB=
U2419	Optical Patchcord - E2000/APC Connectors - 9dB Att. - 0.5m	E2000-E2000-9DB.5=
U2420	Optical Patchcord - E2000/APC Connectors - 9dB Attenuation	E2000-E2000-9DB=
U2421	Double Fiber Coupler - E2000/APC Connectors	E2000-E2000ADAPT=
U2422	Optical Patchcord - FC-PC Connectors - 0.75m	FC-PC-0.75=
U2423	Optical Patchcord - FC-PC Connectors - 0.75m 5dB Attenuation	FC-PC-0.75M-5DB=
U2424	Optical Patchcord - FC-UPC Connectors - 10m	FC-PC-10=
U2425	Optical Patchcord - FC-UPC Connectors - 15m	FC-PC-15=
U2426	Optical Patchcord - FC-UPC Connectors - 20m	FC-PC-20=
U2427	Optical Patchcord - FC-UPC Connectors - 25m	FC-PC-25=
U2428	Optical Patchcord - FC-PC Connectors - 2m	FC-PC-2=
U2429	Optical Patchcord - FC-PC Connectors - 3.5m	FC-PC-3.5=
U2430	Optical Patchcord - FC-UPC Connectors - 30m	FC-PC-30=
U2431	Optical Patchcord - FC-PC Connectors - 5m	FC-PC-5=
U2432	Optical Cable - For ONS 15808 SHELF-MUX - 10 Meter	OPT-CBL-MUX-10M
U2433	Optical Cable - For ONS 15808 SHELF-MUX - 10 Meter	OPT-CBL-MUX-10M=
U2434	Optical Cable - For ONS 15808 SHELF-MUX - 20 Meter	OPT-CBL-MUX-20M
U2435	Optical Cable - For ONS 15808 SHELF-MUX - 20 Meter	OPT-CBL-MUX-20M=
U2436	Optical Cable - For ONS 15808 SHELF-MUX - 5 Meter	OPT-CBL-MUX-5M
U2437	Optical Cable - For ONS 15808 SHELF-MUX - 5 Meter	OPT-CBL-MUX-5M=
U2438	Optical Cable - For ONS 15808 SHELF-TXT - 10 Meter	OPT-CBL-TXT-10M
U2439	Optical Cable - For ONS 15808 SHELF-TXT - 10 Meter	OPT-CBL-TXT-10M=
U2440	Optical Cable - For ONS 15808 SHELF-TXT - 20 Meter	OPT-CBL-TXT-20M
U2441	Optical Cable - For ONS 15808 SHELF-TXT - 20 Meter	OPT-CBL-TXT-20M=
U2442	Optical Cable - For ONS 15808 SHELF-TXT - 5 Meter	OPT-CBL-TXT-5M
U2443	Optical Cable - For ONS 15808 SHELF-TXT - 5 Meter	OPT-CBL-TXT-5M=
U2444	SFP,FIBRE CH MM OR GIGABIT W/LC CONNECTOR	SN-SFP-FCGEMM-LC
U2445	SFP,FIBRE CH MM OR GIGABIT W/LC CONNECTOR,SPARE	SN-SFP-FCGEMM-LC=
U2446	SFP, FIBRE CHANNEL MM W/LC CONNECTOR	SN-SFP-FCMM-LC
U2447	SFP,GIGABIT W/MTRJ CONNECTOR	SN-SFP-GEMM-MTRJ
U2448	1 Meter Cable WS-X5031 Token Ring Fiber Cat5000 Module	WS-CAB01ST=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: FIBER OPTIC CABLE

JML Key#	Description	Part #
U2449	ST Cable for Catalyst 5000 Fiber Token Ring Switch Module,3m	WS-CAB03ST
U2450	3 Meter Cable WS-X5031 Token Rng Fiber Cat5000 Module	WS-CAB03ST=
U2451	ST Cable for Catalyst 5000 Fiber Token Ring Switch Module,8m	WS-CAB08ST
U2452	8 Meter ST Cable For Cat 5000 Fiber TR Switch Module	WS-CAB08ST=

Category: FIBER OPTIC CONNECTOR

JML Key#	Description	Part #
U2453	Block of 6 Backpanel E2000 Optical Connectors	6XE2000=
U2454	Cover Plate - 6TE - With Optical Connector	C06-OCW=

Category: FIBER OPTICAL ATTENUATOR

JML Key#	Description	Part #
U2455	Optical Attenuator - FC-PC Connectors - 10dB Attenuation	ATT-FC-PC-10DB=
U2456	Optical Attenuator - FC-PC Connectors - 15dB Attenuation	ATT-FC-PC-15DB=
U2457	Optical Attenuator - FC-PC Connectors - 20dB Attenuation	ATT-FC-PC-20DB=
U2458	Optical Attenuator - FC-PC Connectors - 2dB Attenuation	ATT-FC-PC-2DB=
U2459	Optical Attenuator - FC-PC Connectors - 3dB Attenuation	ATT-FC-PC-3DB=
U2460	Optical Attenuator - FC-PC Connectors - 5dB Attenuation	ATT-FC-PC-5DB=
U2461	Optical Attenuator - FC-PC Connectors - 7dB Attenuation	ATT-FC-PC-7DB=
U2462	Optical Attenuator - FC-PC Connectors - 9dB Attenuation	ATT-FC-PC-9DB=
U2463	Optical Attenuator - SC-PC Connectors - 10dB Attenuation	ATT-SC-PC-10DB=
U2464	Optical Attenuator - SC-PC Connectors - 15dB Attenuation	ATT-SC-PC-15DB=
U2465	Optical Attenuator - SC-PC Connectors - 20dB Attenuation	ATT-SC-PC-20DB=
U2466	Optical Attenuator - SC-PC Connectors - 2dB Attenuation	ATT-SC-PC-2DB=
U2467	Optical Attenuator - SC-PC Connectors - 3dB Attenuation	ATT-SC-PC-3DB=
U2468	Optical Attenuator - SC-PC Connectors - 5dB Attenuation	ATT-SC-PC-5DB=
U2469	Optical Attenuator - SC-PC Connectors - 7dB Attenuation	ATT-SC-PC-7DB=
U2470	Optical Attenuator - SC-PC Connectors - 9dB Attenuation	ATT-SC-PC-9DB=
U2471	8dB Attenuator, MU Connector,15200	ATTEN/MU/8/15200
U2472	8dB Attenuator, MU Connector,15200	ATTEN/MU/8/15200=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: GBIC CABLE

JML Key#	Description	Part #
U2473	GigaStack Stacking GBIC and 50cm cable	WS-X3500-XL

Category: GBIC MODULE

JML Key#	Description	Part #
U2474	1000base-LH GBIC module, singlemode fiber, SC connector	GBIC-LH-SM=
U2475	1000base-SX GBIC module, multimode fiber, SC connector	GBIC-SX-MM=
U2476	GE SFP, LC connector LH transceiver	GLC-LH-SM
U2477	GE SFP, LC connector SX transceiver	GLC-SX-MM

Category: GE SFP TRANSCEIVER

JML Key#	Description	Part #
U2478	GE SFP,LC connector LH transceiver	GLC-LH-SM=
U2479	GE SFP, LC connector SX transceiver	GLC-SX-MM=

Category: GROUND CABLE

JML Key#	Description	Part #
U2480	Spare Door and Ground Cable	15454-SA-GNDKIT=

Category: Gender Changer

JML Key#	Description	Part #
U2481	Cable - Gender Changer C50F C50F	161139993
U2482	Cable - Gender Changer DB25F DB25F	161140991
U2483	Cable - Gender Changer DB25F DB25F Mini Slimline	161141999
U2484	Cable - Gender Changer DB25M DB25M	161142997
U2485	Cable - Gender Changer DB25M DB25M Mini	161143995
U2486	Cable - Gender Changer DB9F DB9F	161144993
U2487	Cable - Gender Changer DB9F DB9F Mini Slimline	161145990
U2488	Cable - Gender Changer DB9M DB9M	161146998

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Gender Changer

JML Key#	Description	Part #
U2489	Cable - Gender Changer DB9M DB9M Mini Slimline	161147996

Category: H.100 PCI VOICE BOARD CABLE

JML Key#	Description	Part #
U2490	4 Drop H.100 PCI Voice Board Connector Cable	UNITY-CTBUS-4=
U2491	8 Drop H.100 PCI Voice Board Connector Cable	UNITY-CTBUS-8=

Category: H.100 VB CONNECTOR CABLE

JML Key#	Description	Part #
U2492	12 Drop H.100 PCI Voice Board Connector Cable	UNITY-CTBUS-12
U2493	4 Drop H.100 PCI Voice Board Connector Cable	UNITY-CTBUS-4
U2494	8 Drop H.100 PCI Voice Board Connector Cable	UNITY-CTBUS-8

Category: HANSET CORD

JML Key#	Description	Part #
U2495	Handset cord for 7900 series phones	CP-HANSET-CORD=
U2496	Spare LAN cord for 7900 Series IP phones	CP-LAN-CORD=

Category: HDD EXTERNAL CABLE

JML Key#	Description	Part #
U2497	CABLE:HDD EXTERNAL CBL	CBL221-MHX

Category: HSSI

JML Key#	Description	Part #
U2498	Cable - Cisco Hsi1 Equivalent Cable 10ft HSSI	161111992
U2499	Cable:200ftHSSI	CB623-H20



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: HSSI CABLE

JML Key#	Description	Part #
U2500	HSSI Cable, Male-to-Male Null Modem Cable, 10 Feet	CAB-HNUL=
U2501	HSSI Null Modem Cable for UFM-U and FRSM-HS1	CAB-HS1-DTE=
U2502	HSSI Cable, Male-to-Male Connectors, 10 Feet	CAB-HS1=

Category: IEEE Parallel Cable

JML Key#	Description	Part #
U2503	5 METER IEEE 1284 A-B FT4 RATED	153468954
U2504	6 METER IEEE 1284 A-B FT4 RATED	153468962
U2505	Cable - IEEE Parallel Cable A/A 10ft DB25M DB25F	161150990
U2506	Cable - IEEE Parallel Cable A/A 10ft DB25M DB25M	161151998
U2507	Cable - IEEE Parallel Cable A/A 20ft DB25M DB25M	161152996
U2508	Cable - IEEE Parallel Cable A/A 6ft DB25M DB25F	161153994
U2509	Cable - IEEE Parallel Cable A/A 6ft DB25M DB25M	161154992
U2510	Cable - IEEE Parallel Cable A/B 10ft DB25M C36M	161155999
U2511	Cable - IEEE Parallel Cable A/B 20ft DB25M C36M	161156997
U2512	Cable - IEEE Parallel Cable A/B 50ft DB25M C36M	161157995
U2513	Cable - IEEE Parallel Cable A/B 6ft DB25M C36M	161158993
U2514	Cable - IEEE Parallel Cable A/C 10ft DB25M Mc36M	161159991

Category: IP/VC CABLE

JML Key#	Description	Part #
U2515	IP/VC V.35/RS-366 Video Terminal Adapter Cable-DCE	CAB-IPVC-V35-DCE=
U2516	IP/VC V.35/RS-366 Gateway Cable-DTE	CAB-IPVC-V35-DTE=
U2517	IP/VC 3510/20/25/30 Accessory Cable Kit	CAB-IPVC3500-KIT
U2518	IP/VC 3540 Accessory Cable Kit	CAB-IPVC3540-KIT

Category: IPTV CABLE

JML Key#	Description	Part #
U2519	Spare cable set for MPEG 2 HD1/FD1 Cards	IPTV-MPEG2-CABLE=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: ISDN CABLE

JML Key#	Description	Part #
U2520	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet	CAB-S/T-RJ45=
U2521	Red Color Cable for ISDN BRI U, RJ-45, 6 feet	CAB-U-RJ45=

Category: Keyboard

JML Key#	Description	Part #
U2522	Cable - Keyboard Cable 10ft Ps/2 Din6M Din6M	161163993
U2523	Cable - Keyboard Cable 15ft Ps/2 Din6M Din6M	161164991
U2524	Cable - Keyboard Cable 25ft Ps/2 Din6M Din6M	161165998
U2525	Cable - Keyboard Cable 6ft Ps/2 Din6M Din6M	161166996
U2526	Cable - Keyboard Coiled Extension Cable 10ft At Din5M	161167994
U2527	Cable - Keyboard Coiled Extension Cable 6ft At Din5M Din5F	161168992
U2528	Cable - Keyboard Extension Cable 10ft At Din5M Din5F	161169990
U2529	Cable - Keyboard Extension Cable 10ft At Din5M Din5M	161170998
U2530	Cable - Keyboard Extension Cable 10ft PS/2 M-F	161171996
U2531	Cable - Keyboard Extension Cable 15ft At Din5M Din5F	161172994
U2532	Cable - Keyboard Extension Cable 15ft At Din5M Din5M	161173992
U2533	Cable - Keyboard Extension Cable 15ft Ps/2 M-F	161174990
U2534	Cable - Keyboard Extension Cable 25ft At Din5M Din5F	161175997
U2535	Cable - Keyboard Extension Cable 6ft At Din5M Din5F	161176995
U2536	Cable - Keyboard Extension Cable 6ft At Din5M Din5M	161177993
U2537	Cable - Keyboard Extension Cable 6ft Ps/2 M-F	161178991
U2538	Cable - Keyboard Extension Cable Coil 10ft Ps/2 M-	161179999
U2539	Cable - Keyboard Extension Cable Coil 6ft Ps/2 M-F	161180997
U2540	Cable - PS/2 Keyboard Adapter 6in Din6F Din5M	161215991
U2541	Cable - PS/2 Keyboard Adapter 6in Din6M Din5F	161216999
U2542	Cable - PS/2 Keyboard Adapter Din6f Din5M	161217997
U2543	Cable - PS/2 Keyboard Adapter Din6M Din5F	161218995
U2544	CABLE:KEYBOARD	CBL100-DP1
U2545	CABLE:KEYBOARD	CBL100-DP2
U2546	CABLE:PS2 KYB EXTENSION	PCK1-EXT



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: LINE MODULE

JML Key#	Description	Part #
U2547	Line Module, SC Connector, 15252 Multi-Channel Unit	LM/SC/15252=

Category: LOAD CABLE

JML Key#	Description	Part #
U2548	RPS 22/08 Load Cable (C2500 and MC3810 only)	CAB-RPS-2208=
U2549	RPS 22/18 Load Cable	CAB-RPS-2218=

Category: LVD CONCAT CABLE

JML Key#	Description	Part #
U2550	CABLE:LVD CONCAT CABLE	CBL134-CAT

Category: LapLink

JML Key#	Description	Part #
U2551	Cable - Laplink Cable Parallel DB25M DB25M 6ft	161181995
U2552	Cable - Laplink Cable Serial DB9F DB25F 4 Conn 6ft	161182993

Category: MCX to F

JML Key#	Description	Part #
U2553	RF Switch cable bundle, 10m, MCX to F, terminated	CAB-RFSW-3X10-10T=
U2554	RF Switch cable bundle, 1.2m, MCX to F terminated	CAB-RFSW-3X10-T

Category: MINI DIN TO DIN CONVERTER

JML Key#	Description	Part #
U2555	Cisco 7000 Series Mini DIN-to-DIN Converter Cable (Spare)	CAB-FMDD=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: MLI

JML Key#	Description	Part #
U2556	CABLE:10FT EXTERNAL MLI	CBL10-EXT
U2557	CABLE:15FT MLI	CBL15-MLI
U2558	CABLE:25FT MLI	CBL25-MLI
U2559	CABLE:5FT MLI	CBL5-MLI
U2560	CABLE:50FT MLI	CBL50-MLI

Category: MODULAR ADAPTER

JML Key#	Description	Part #
U2561	Cable - Modular Adapter Kit RJ45F DB25F	161183991
U2562	Cable - Modular Adapter Kit RJ12F DB25F	161184999
U2563	Cable - Modular Adapter Kit RJ12F DB25M	161185996
U2564	Cable - Modular Adapter Kit RJ12F DB9F	161186994
U2565	Cable - Modular Adapter Kit RJ12F DB9M	161187992
U2566	Cable - Modular Adapter Kit RJ45F DB25M	161188990
U2567	Cable - Modular Adapter Kit RJ45F DB25F	161189998
U2568	Cable - Modular Adapter Kit RJ45F DB9F	161190996
U2569	Cable - Modular Adapter Kit RJ45F DB9M	161191994

Category: MODULAR CABLE

JML Key#	Description	Part #
U2570	Cable - 14ft Modular Cable 4-Conductor Crossed	161045992
U2571	Cable - 14ft Modular Cable 4-Conductor Straight	161046990
U2572	Cable - SCSI 25ft Modular Cable 4-Conductor Crossed	161051990
U2573	Cable - SCSI 25ft Modular Cable 4-Conductor Straight	161052998
U2574	Cable - 50ft Modular Cable 4-Conductor Crossed	161057997
U2575	Cable - 50ft Modular Cable 4-Conductor Straight	161058995
U2576	Cable - 75ft Modular Cable 4-Conductor Straight	161063995
U2577	Cable - 7ft Modular Cable 4-Conductor Crossed	161064993
U2578	Cable - 7ft Modular Cable 4-Conductor Straight	161065990
U2579	Cable - 7ft Modular Cable 6-Conductor Straight	161066998

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: MOUSE

JML Key#	Description	Part #
U2580	CBL: MOUSE Y CABLE	CBL3020122-MSY

Category: Miniature SMB T3/E3 cable

JML Key#	Description	Part #
U2581	Miniature SMB T3/E3 cable	CAB-MCC-T3E3
U2582	Miniature SMB T3/E3 - Y cable	CAB-MCC-T3E3-Y=
U2583	Miniature SMB T3/E3 cable	CAB-MCC-T3E3=

Category: Monitor

JML Key#	Description	Part #
U2584	Cable - Video Monitor To Switchbox Cable VGA 6ft Hd15M HD15M	153179064
U2585	Cable - Video Monitor To Extension Cable VGA 6ft Hd15M HD15F	155004062
U2586	Cable - 2 Port Video Splitter	161049994
U2587	Cable Hardware - 4 Port Video Splitter	161054994
U2588	Cable - Video Monitor Extension Cable VGA 10ft HD15M HD15F	161194998
U2589	Cable - Video Monitor Extension Cable VGA 15ft HD15M HD15F	161195995
U2590	Cable - Video Monitor To Switchbox Cable VGA 25ft HD15M HD15M	161196993
U2591	Cable - Video Monitor To Switchbox Cable VGA 10ft HD15M HD15M	161197991
U2592	Cable - Video Monitor To Switchbox Cable VGA 15ft HD15M HD15M	161198999
U2593	Cable - SVHS Video Cable 12ft 4 Pin Mini M-M	161296991
U2594	Cable - SVHS Video Cable 25ft 4 Pin Mini M-M	161297999
U2595	Cable - SVHS Video Cable 50ft 4 Pin Mini M-M	161298997
U2596	Cable - SVHS Video Cable 6ft 4 Pin Mini M-M	161299995
U2597	Cable - Video Terminator VHDCI68M(Ts) Lvd/Se	161300991
U2598	Cable - VGA Video Extension Cable 100ft Hd15M Hd15F	161301999
U2599	Cable - VGA Video Extension Cable 25ft Hd15M Hd15F	161302997

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Monitor

JML Key#	Description	Part #
U2600	Cable - VGA Extension Cable 50ft Hd15M Hd15f	161303995
U2601	Cable - VGA Video Cable 10ft Hd15M 5 BNCs	161318993
U2602	Cable - VGA Video Cable 15ft Hd15M 5 BNCs	161319991
U2603	Cable - VGA Video Cable 6ft Hd15M 5 BNCs	161320999

Category: Monitoring Interface Module

JML Key#	Description	Part #
U2604	1000BaseSX Monitoring Interface w/ SC connector	IDS-4250-SX-INT=

Category: NETWORK

JML Key#	Description	Part #
U2605	Cable Hardware - Patch Panel 48-Port CAT5E 2u	159722883
U2606	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 7ft	159723071
U2607	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 10ft	159723105
U2608	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 25ft	159723253
U2609	Cable - 10BASE-T BNC T-Adapter F/F/M	161002993
U2610	Cable - 10BASE-T BNC Terminator	161003991
U2611	Cable - 10BASE-T BNC Terminator With 6" Strap	161004999
U2612	Cable - Cable RG58 15ft	161005996
U2613	Cable - Cable RG58 25ft	161006994
U2614	Cable - Cable RG58 15ft	161007992
U2615	Cable - Cable RG58 8ft	161008990
U2616	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Grey 10ft	161009998
U2617	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Grey 25ft	161010996
U2618	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Grey 5ft	161011994
U2619	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Yellow 14ft	161012992
U2620	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Yellow 3ft	161013990
U2621	Cable - 10BASE-T CAT5 Crossover Cable 4 Pair Yellow 7ft	161014998
U2622	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Blue 14ft	161015995
U2623	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Blue 25ft	161016993
U2624	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Blue 3ft	161017991

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: NETWORK

JML Key#	Description	Part #
U2625	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Blue 7ft	161018999
U2626	Cable - 10BASE-T CAT5 Patch Cable 4 Pair 14ft	161019997
U2627	Cable - 10BASE-T CAT5 Patch Cable 4 Pair 25ft	161020995
U2628	Cable - 10BASE-T CAT5 Patch Cable 4 Pair 3ft	161021993
U2629	Cable - 10BASE-T CAT5 Patch Cable 4 Pair 7ft	161022991
U2630	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 100ft	161023999
U2631	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 14ft	161024997
U2632	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 150ft	161025994
U2633	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 20ft	161026992
U2634	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 35ft	161028998
U2635	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 3ft	161029996
U2636	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 50ft	161031992
U2637	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 5ft	161032990
U2638	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Grey 75ft	161033998
U2639	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Red 14ft	161034996
U2640	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Red 3ft	161035991
U2641	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Red 25ft	161035993
U2642	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Red 7ft	161037999
U2643	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Yellow 14ft	161040993
U2644	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Yellow 25ft	161041991
U2645	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Yellow 3ft	161042999
U2646	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Yellow 7ft	161043997
U2647	Cable - 10BASE-T CAT5 Patch Cable 4 Pair Yellow 10ft	161044995
U2648	Cable - AUI Transceiver Cable 10ft DB15M - DB15F	161082995
U2649	Cable - AUI Transceiver Cable 3ft DB15M DB15f	161083993
U2650	Cable - AUI Transceiver Cable 6ft DB15M DB15f	161084991
U2651	Cable - CAT5 Bulk Cable Plenum Jacket 1000ft Box	161101993
U2652	Cable - CAT5 Bulk Cable Plenum Jacket 500ft Box	161102991
U2653	Cable - CAT5 Bulk Cable PVC Jacket 1000ft Box	161103999
U2654	Cable - CAT5 Bulk Cable PVC Jacket 500ft Box	161104997
U2655	Cable Tool - Crimp Tool Rj45	161119995
U2656	Cable - Patch Panel 12-Port CAT5E 1U	161211990
U2657	ADPTR:BNC TEE CONNECTOR	CP2049-921

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: NETWORK

JML Key#	Description	Part #
U2658	ADPTR:BNC TERMINATOR	CP2049-922
U2659	ADPTR:N TO BNC ADAPTOR	CP2049-923
U2660	ADPTR:BNC/TNC/TNC TEE CO	CP2049-928

Category: NULL HUB LOOP BACK

JML Key#	Description	Part #
U2661	CABLE:NULL HUB LOOP BACK	CBL1-AFW

Category: Network

JML Key#	Description	Part #
U2662	Cable - CAT5 RJ45 Connectors Bag Of 50	161105994
U2663	Cable - 1000 Hitachi 350 Mhz Hi-Net (PVC)	161341995
U2664	Cable - 1000 Hitachi 350 Mhz Hi-Net (Plenum)	161342993
U2665	Cable - 1000 PVC Cat 5 Wire - Solid	161343991
U2666	Cable - 500 PVC Cat 5 Wire - Solid	161344999
U2667	Cable - 1000 Plenum Cat 5 Wire	161345996
U2668	Cable - 500 Plenum Cat 5 Wire	161346994
U2669	Cable - RJ11 Stranded Plug - 4x4	161347992
U2670	Cable - RJ12 Modular Plug - 6x4	161348990

Category: Null Modem

JML Key#	Description	Part #
U2671	Cable - Null Modem Cable DB25M DB25f 10ft	151662103
U2672	Cable - Null Modem Adapter DB25M DB25F	161200993
U2673	Cable - Null Modem Cable 6ft DB25M DB25F	161201991
U2674	Cable - Null Modem Cable 6ft DB25M DB25M	161202999
U2675	Cable - Null Modem Cable 6ft DB9F DB9F	161203997
U2676	Cable - Null Modem Cable DB25F DB25F 6ft	161204995
U2677	Cable - Null Modem Cable DB25M DB25F 15ft	161205992
U2678	Cable - Null Modem Cable DB25M DB9F 10ft	161206990

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Null Modem

JML Key#	Description	Part #
U2679	Cable - Null Modem Cable DB25M DB9F 15ft	161207998
U2680	Cable - Null Modem Cable DB25M DB9F 6ft	161208996

Category: OC48/SRP COAX MATE CABLE

JML Key#	Description	Part #
U2681	Coax mate cable for OC48/SRP	CBL-SRP-OC48=

Category: OSM LVD CABLE

JML Key#	Description	Part #
U2682	CABLE:OSM LVD 1M	CBL134-1
U2683	CABLE:OSM LVD 10M	CBL134-10
U2684	CABLE:OSM LVD 2M	CBL134-2
U2685	CABLE:OSM LVD 3M	CBL134-3
U2686	CABLE:OSM LVD 5M	CBL134-5

Category: PC Modem

JML Key#	Description	Part #
U2687	Cable - PC Modem Cable DB25M DB25F 10ft	161212998
U2688	Cable - PC Modem Cable DB25M DB25F 15ft	161213996
U2689	Cable - PC Modem Cable DB25M DB25F 6ft	161214994

Category: PCN

JML Key#	Description	Part #
U2690	CABLE:2FT PCN/TB	CBL8820-2

Category: PDB

JML Key#	Description	Part #
U2691	CABLE:15 METER PDB I/F	CBL15-PDB

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: PDB

JML Key#	Description	Part #
U2692	CABLE:5 METER PDB I/F	CBL5-PDB

Category: PIX CABLE

JML Key#	Description	Part #
U2693	PIX 515/515E rack mounts, console cable, failover cable	PIX-515-HW=
U2694	PIX 525 rack mounts, console cable, failover cable	PIX-525-HW=
U2695	PIX 535 rack mounts, console cable, failover cable	PIX-535-HW=
U2696	PIX Failover serial cable	PIX-FO=

Category: POWER CABLE

JML Key#	Description	Part #
U2697	Cable Providing Power to AX-COOL2 or AX-BOOST2 from Axis	CAB-AX-COOL-DC=
U2698	Cisco 120 VAC Power Cable, US	CAB-DS-120VAC=
U2699	Cisco 6400 250 VAC Power Cable, USA	CAB-DS-250VAC=
U2700	Power Cables for AC Power Option, Australian	CAB-DS-ACA
U2701	Power Cables for AC Power Option, European	CAB-DS-ACE
U2702	Power Cables for AC Power Option, Italian	CAB-DS-ACI
U2703	Power Cables for AC Power Option, Japan	CAB-DS-ACJ-TWLK
U2704	Power Cables for AC Power Option, UK	CAB-DS-ACU
U2705	Cisco 12012 GSR AC Power Supply Cord, Australia	CAB-GSR12-AU=
U2706	Cisco 12012 GSR AC Power Supply Cord, Europe	CAB-GSR12-EU=
U2707	Cisco 12012 GSR AC Power Supply Cord, Italy	CAB-GSR12-IT=
U2708	Cisco 12012 GSR AC Power Supply Cord, UK	CAB-GSR12-UK=
U2709	Cisco 12012 GSR AC Power Supply Cord, US	CAB-GSR12-US=
U2710	Cisco 12016 GSR AC Power Supply Cord, Australia Spare	CAB-GSR16-AU=
U2711	Cisco 12016 GSR AC Power Supply Cord, Europe Spare	CAB-GSR16-EU=
U2712	Cisco 12016 GSR AC Power Supply Cord, Italy Spare	CAB-GSR16-IT=
U2713	Cisco 12016 GSR AC Power Supply Cord, UK Spare	CAB-GSR16-UK=
U2714	Cisco 12016 GSR AC Power Supply Cord, US Spare	CAB-GSR16-US=
U2715	Cisco 12404 220VAC Power Supply Cord, US	CAB-GSR4-220V-US=
U2716	Cisco 12406 220VAC Power Supply Cord, US	CAB-GSR6-220V-US=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER CABLE

JML Key#	Description	Part #
U2717	Cisco 12406 GSR AC Power Supply Cord, Australia	CAB-GSR6-AU=
U2718	Cisco 12406 GSR AC Power Supply Cord, Europe	CAB-GSR6-EU=
U2719	Cisco 12406 GSR AC Power Supply Cord, Italy	CAB-GSR6-IT=
U2720	Cisco 12406 GSR AC Power Supply Cord, UK	CAB-GSR6-UK=
U2721	Cisco 12406 GSR AC Power Supply Cord, US	CAB-GSR6-US=
U2722	Cisco 12008 GSR AC Power Supply Cord, Australia	CAB-GSR8-AU=
U2723	Cisco 12008 GSR AC Power Supply Cord, Europe	CAB-GSR8-EU=
U2724	Cisco 12008 GSR AC Power Supply Cord, Italy	CAB-GSR8-IT=
U2725	Cisco 12008 GSR AC Power Supply Cord, UK	CAB-GSR8-UK=
U2726	Cisco 12008 GSR AC Power Supply Cord, US	CAB-GSR8-US=
U2727	Power Cord-Japan	CAB-JPN=
U2728	RPS 22/08 Two-to-one DC Power Cable	CAB-RPSY-2208=
U2729	RPS 22/18 Two-to-one DC Power Cable	CAB-RPSY-2218=
U2730	Cable to connect 1200W 1U PS shelf to Chassis	SES-CAB-AC-1U=

Category: POWER CONNECTOR

JML Key#	Description	Part #
U2731	DC Power connector for OPAL DC Power Supply	CDN7-PWR-DC-CON=
U2732	APS connector for MGX 8950	MGX-APS-CON-8950=
U2733	Connector used to connect 2 single height BCs for APS	MGX-APS-CON=

Category: POWER CONTROL

JML Key#	Description	Part #
U2734	Cable:50ft REM PWR CNTRL	F8820-37

Category: POWER CORD

JML Key#	Description	Part #
U2735	Two Conductor AC Power Cable, ARG	15201-PWR-CBL-ARG=
U2736	Two Conductor AC Power Cable, AUS	15201-PWR-CBL-AUS=
U2737	Two Conductor AC Power Cable, EU	15201-PWR-CBL-EU=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER CORD

JML Key#	Description	Part #
U2738	Two Conductor AC Power Cable, KOR	15201-PWR-CBL-KOR=
U2739	Two Conductor AC Power Cable, North America	15201-PWR-CBL-NA=
U2740	Two Conductor AC Power Cable, UK	15201-PWR-CBL-UK=
U2741	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	15454E-PWRCBL-010=
U2742	20Meter, 8 AWG, 3 conductor Single Ended Power Cable	15454E-PWRCBL-020=
U2743	35Meter, 8 AWG, 3 conductor Single Ended Power Cable	15454E-PWRCBL-035=
U2744	Custom AC Power Entry Cable	15540-CAB-AC=
U2745	Cable - Power Cord 10ft UL Listed Molded	161219993
U2746	Cable - Power Cord 3ft UL Listed Molded	161220991
U2747	Cable - Power Cord 6ft UL Listed Molded	161221999
U2748	Cable - Power Cord Extension 10ft UL Listed Molded	161222997
U2749	Cable - Power Cord Extension 6ft UL Listed Molded	161223995
U2750	AIR Line Cord APAC Spare	AIR-PWR-CORD-AP=
U2751	AIR Line Cord Argentina/Uruguay Spare	AIR-PWR-CORD-AR=
U2752	AIR Line Cord Australia Spare	AIR-PWR-CORD-AU=
U2753	AIR Line Cord Central Europe Spare	AIR-PWR-CORD-CE=
U2754	AIR Line Cord China Main Spare	AIR-PWR-CORD-CH=
U2755	AIR Line Cord Denmark Spare	AIR-PWR-CORD-DM=
U2756	AIR Line Cord Israel Spare	AIR-PWR-CORD-IS=
U2757	AIR Line Cord Italy Spare	AIR-PWR-CORD-IT=
U2758	AIR Line Cord Japan Spare	AIR-PWR-CORD-JP=
U2759	AIR Line Cord North American Spare	AIR-PWR-CORD-NA=
U2760	AIR Line Cord South Africa/India Spare	AIR-PWR-CORD-SA=
U2761	AIR Line Cord Switzerland Spare	AIR-PWR-CORD-SW=
U2762	AIR Line Cord United Kingdom Spare	AIR-PWR-CORD-UK=
U2763	Long Cable, AC Shelf to MGX8220	AX-CAB-AC-LONG=
U2764	Short Cable, AC Shelf to MGX8220	AX-CAB-AC-SHRT=
U2765	PWR CORD:LINE CORD	B25-LC
U2766	PWR CORD:PWR CORD-DOMSTC	B26-LC
U2767	PWR CORD:Power Cord INTL	B27-LC
U2768	IGX/All,IPX16/32 Power Cord w/CEI 23-16/VII plug-Italy	CAB-590071=
U2769	IGX/All,IPX16/32 Power Cord w/CEE 7/7 plug-Europe	CAB-590072=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER CORD

JML Key#	Description	Part #
U2770	IGX/All,IPX16/32 Power Cord w/AS3112 plug-Aust and N Zealand	CAB-590073=
U2771	IGX/All,IPX 16/32 Power Cord w/BS 1363 plug-G.B and Ireland	CAB-590074=
U2772	Cisco 7513 Series AC Power Cord 208V Twist-Lock, US	CAB-7513AC-208VTL=
U2773	Cisco 7513 Series AC Power Cord Twist-Lock, US	CAB-7513AC-TL=
U2774	AC POWER CORD NORTH AMERICA	CAB-7513AC=
U2775	AC POWER CORD (EUROPE)	CAB-7513ACE=
U2776	AC POWER CORD (UK)	CAB-7513ACU=
U2777	AC Power Cord North America, 15A - spare	CAB-7KAC-15=
U2778	Cisco 7500 Series AC Power Cord, US	CAB-7KAC=
U2779	Cisco 7500 Series AC Power Cord, Australia	CAB-7KACA=
U2780	Cisco 7500 Series AC Power Cord, Europe	CAB-7KACE=
U2781	Cisco 7500 Series AC Power Cord CD12, Italy	CAB-7KACI=
U2782	AC Power Cord (South Africa) Spare	CAB-7KACSA=
U2783	Cisco 7500 Series AC Power Cord, UK	CAB-7KACU=
U2784	Power Cord for North America, 125VAC/13A	CAB-AC-125V/13A=
U2785	Power Cord, 250Vac 16A, Europe	CAB-AC-2500W-EU=
U2786	Power Cord, 250Vac 16A, INTL	CAB-AC-2500W-INT=
U2787	Power Cord, 250Vac 16A, straight blade NEMA 6-20 plug, US	CAB-AC-2500W-US1=
U2788	Power Cord for North America, 250VAC/13A	CAB-AC-250V/13A=
U2789	Europe Power Cord	CAB-AC-2800W-EU=
U2790	International Power Cord	CAB-AC-2800W-INT=
U2791	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	CAB-AC-2800W-TWLK=
U2792	Power Cord, 250Vac 16A, twist lock NEMA L6-20 plug, US	CAB-AC-C6K-TWLK=
U2793	Y power cord US, for use with 5300 redundant power supply	CAB-AC-Y-AS
U2794	Y power cord US, for use with 5300 redundant power supply	CAB-AC-Y-AS=
U2795	Spare 10A AC Pwr Cord, left-angle (Australia)	CAB-AC10A-90L-AU=
U2796	Spare 10A AC Pwr Cord, left-angle (Europe)	CAB-AC10A-90L-EU=
U2797	Spare 10A AC Pwr Cord, left-angle (Italy)	CAB-AC10A-90L-IT=
U2798	Spare 10A AC Pwr Cord, left-angle (UK)	CAB-AC10A-90L-UK=
U2799	Spare 15A AC Pwr Cord, left-angle (US)	CAB-AC15A-90L-US=
U2800	AC Power Cord, US	CAB-AC=
U2801	Y power cord AUS, for use w/ 5300 redundant power supply	CAB-ACA-Y-AS=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER CORD

JML Key#	Description	Part #
U2802	AC Power Cord, Australia	CAB-ACA=
U2803	Y power cord EUR, for use w/ 5300 redundant power supply	CAB-ACE-Y-AS=
U2804	AC Power Cord, Europe	CAB-ACE=
U2805	Y power cord Italy, for use with 5300 redundant power supply	CAB-ACI-Y-AS=
U2806	AC Power Cord, Italy	CAB-ACI=
U2807	Y power cord Argentina used with 5300 redundant power supply	CAB-ACR-Y-AS=
U2808	Power Cord Argentina, Spare	CAB-ACR=
U2809	Power cord for Switzerland (spare)	CAB-ACS=
U2810	Y power cord UK, for use with 5300 redundant power supply	CAB-ACU-Y-AS=
U2811	AC Power Cord, UK	CAB-ACU=
U2812	Cable Providing Power to AX-COOL2 or AX-BOOST2 from Axis	CAB-AX-COOL-DC==
U2813	Power Cable for AC Power Option - Argentina	CAB-NP1200-AC-AR=
U2814	Power Cable for AC Power Option - Australia/NZ	CAB-NP1200-AC-AU=
U2815	Power Cable for AC Power Option, China	CAB-NP1200-AC-CH=
U2816	Power Cable for AC Power Option - European	CAB-NP1200-AC-EU
U2817	Power Cable for AC Power Option - European	CAB-NP1200-AC-EU=
U2818	Power Cable for AC Power Option - Italian	CAB-NP1200-AC-IT=
U2819	Power Cable for AC Power Option, Japan	CAB-NP1200-AC-JP=
U2820	Power Cable for AC Power Option - UK	CAB-NP1200-AC-UK=
U2821	Power Cable for AC Power Option, North America	CAB-NP1200-AC-US=
U2822	Spare Japan Power Cable LRE 575 CPE	CAB-PS-LRE-JPN=
U2823	Cisco Two Conductor AC Power Cable ARG	CAB-PWR-2WIRE-ARG:
U2824	Cisco Two Conductor AC Power Cable AUS	CAB-PWR-2WIRE-AUS:
U2825	Cisco Two Conductor AC Power Cable EU	CAB-PWR-2WIRE-EU=
U2826	Cisco Two Conductor AC Power Cable KOR	CAB-PWR-2WIRE-KOR:
U2827	Cisco Two Conductor AC Power Cable NA	CAB-PWR-2WIRE-NA=
U2828	Cisco Two Conductor AC Power Cable UK	CAB-PWR-2WIRE-UK=
U2829	EMCHW: DUAL CAB POWER CORD AUSTRALIA	CLR41-AST
U2830	EMCHW: DUAL CAB POWER CORD IEC309	CLR41-IEC
U2831	EMCHW: DUAL CAB POWER CORD INTL TWIST	CLR41-INT
U2832	EMCHW: DUAL CAB POWER CORD US TWISTLO	CLR41-USL
U2833	EMCHW: DUAL DESKSIDE POWER CORD AUST	CLR46-AST
U2834	EMCHW: DUAL DESKSIDE POWER CORD DENM	CLR46-DEN

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER CORD

JML Key#	Description	Part #
U2835	EMCHW: DUAL DESKSIDE POWER CORD EURO	CLR46-EUR
U2836	EMCHW: DUAL DESKSIDE POWER CORD ITALY	CLR46-IT
U2837	EMCHW: DUAL DESKSIDE POWER CORD JAPA	CLR46-JPN
U2838	EMCHW: DUAL DESKSIDE POWER CORD SWITZ	CLR46-SWT
U2839	EMCHW: DUAL DESKSIDE POWER CORD UK	CLR46-UK
U2840	EMCHW: DUAL DESKSIDE POWER CORD US	CLR46-US
U2841	7900 Series Asia Pacific Power Cord	CP-PWR-CORD-AP=
U2842	7900 Series Transformer Power Cord, Australia	CP-PWR-CORD-AU=
U2843	7900 Series Transformer Power Cord, Central Europe	CP-PWR-CORD-CE=
U2844	7900 Series Transformer Power Cord, Japan	CP-PWR-CORD-JP=
U2845	7900 Series Transformer Power Cord, North America	CP-PWR-CORD-NA=
U2846	7900 Series Transformer Power Cord, United Kingdom	CP-PWR-CORD-UK=
U2847	3 Power Supply cables for 1 or 2 shelf IGX 8420 and IGX 8430	IGX-CABSET=
U2848	IGX 8410 Power Cord North America 8 feet 125V/15A	IGX8410-217884=
U2849	MGX8230 power supply cable	MGX-8230-CAB-AC=
U2850	Cable to Connect MGX 8850 AC or DC shelf to MGX 8850 Chassis	MGX-CAB-AC/DC=
U2851	Power cable set for MGX 8950 to AC tray	MGX-CAB-PWR-AC=
U2852	MGX 8850 DC PEM and MGX-CAB-AC/DC	MGX-DC
U2853	PWR CORD:IEC320-C13/C14	OSM1000-PRC
U2854	PWR CORD:125V10A N515P10	PWC125106-LCA
U2855	PWR CORD:250V10AC14/C19	PWC250141-C19
U2856	Power Cable for ONS 15801 - 3 Meter	PWR-3M=
U2857	MGX 30A AC Power Input Cord Europe	PWRCD-30A-EU
U2858	MGX 30A AC Power Input Cord North America	PWRCD-30A-NA
U2859	Power Cord with AS 3112 plug (Australia and New Zealand)	PWRCD-ANZ=
U2860	Power Cord with CEE 7/7 plug (Continental Europe)	PWRCD-EU=
U2861	Power Cord with BS 1363 plug (Great Britain and Ireland)	PWRCD-GBI=
U2862	Power Cord with CEI 23-16/VII plug (Italy)	PWRCD-IT=
U2863	Power Cord with NEMA L6-20 Twistlock plug (North America and	PWRCD-NA=
U2864	POWER CORD: INTERNATIONAL, IEC309-16A	USE1936-LC2
U2865	PWR CORD:C20/NEMA L6-20P	USE1936-LC6

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: POWER NET

JML Key#	Description	Part #
U2866	Cable:12ft Power Net	CBL8820-12
U2867	Cable:25ft Power Net	CBL8820-25
U2868	Cable:50ft Power Net	CBL8820-50

Category: POWER SUPPLY

JML Key#	Description	Part #
U2869	110/220V Power Supply Spare for Bridge, no line cord	AIR-PWR2124-002=
U2870	Spare 50A Dual Input DC PEM - No Power Cables	MGX-50A-DC=
U2871	1200W 1U Power Supply with Tray and Cable	MGX-8230-PS-AC
U2872	Two 1200W 1U Power Supplies with Tray and 2 Cables	MGX-8230-PS-AC-R
U2873	Redundant MGX 8850 DC PEM and MGX-CAB-AC/DC	MGX-DC-R
U2874	1200W 1U Power supply with cable and Tray	MGX8830-AC
U2875	Two 1200W 1U Power Supplies with tray and two cables	MGX8830-AC-R
U2876	1200W 1U Power supply with cable and Tray	MGX8830-AC=
U2877	Cisco 7000 AC Power Supply, US Cord	PWR-7000-AC=
U2878	Cisco 7000 AC Power Supply, Australian Cord	PWR-7000-ACA=
U2879	Cisco 7000 AC Power Supply, European Cord	PWR-7000-ACE=
U2880	Cisco 7000 AC Power Supply, Italian Cord	PWR-7000-ACI=
U2881	Cisco 7000 AC Power Supply, UK Cord	PWR-7000-ACU=
U2882	Cisco 7200 AC Power Supply With United States Cord	PWR-7200-AC=
U2883	Cisco 7200 AC Power Supply With Australian Cord	PWR-7200-ACA=
U2884	Cisco 7200 AC Power Supply With European Cord	PWR-7200-ACE=
U2885	Cisco 7200 AC Power Supply With Italian Cord	PWR-7200-ACI=
U2886	Cisco 7200 AC Power Supply With United Kingdom Cord	PWR-7200-ACU=
U2887	Redundant Power System 300 (RPS 300) w/ 1 connector cable	PWR300-AC-RPS-N1
U2888	600W Redundant AC Power System With DC Power Cables	PWR600-AC-RPS-CAB
U2889	600W Redundant AC Power System W/O DC Power Cables	PWR600-AC-RPS-NCAI
U2890	Two 1200W 1U Power Supplies with Tray and 2 Cables	SES-PS-1200-AC-R
U2891	4000W AC PowerSupply, International (cable included)	WS-CAC-4000W-INT=
U2892	Redundant 4000W AC Power Supply for US (cable attached)	WS-CAC-4000W-US/2
U2893	4000Watt AC Power Supply for US (cable attached)	WS-CAC-4000W-US=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Paralel

JML Key#	Description	Part #
U2894	Cable:6.5ft Parallel	CBL6035-06

Category: Parallel

JML Key#	Description	Part #
U2895	Cable - Parallel Cable Adapter DB25F C36M	161209994
U2896	Cable - Parallel Cable Adapter DB25M C36f	161210992
U2897	CABLE:IEEE 1284 COMPLIANT DB-25 MALE TO	FP9850-10
U2898	Cable:10ft Parallel I/F	XC698-18P

Category: Port Saver

JML Key#	Description	Part #
U2899	Cable - 9 Pin Port Saver DB9M DB9F	161067996

Category: Posi-Lok SMB to BNC

JML Key#	Description	Part #
U2900	Posi-Lok SMB to BNC Adaptor Cable for BXM-T3/E3	CAB-T3E3-PL-AD
U2901	Posi-Lok SMB to BNC 12 Adaptor Cables Bundle for UXM-T3/E3	CAB-T3E3-PL-AD-12=
U2902	Posi-Lok SMB to BNC 16 Adaptor Cables Bundle for BXM-T3/E3	CAB-T3E3-PL-AD-16=
U2903	Posi-Lok SMB to BNC 24 Adaptor Cables Bundle for BXM-T3/E3	CAB-T3E3-PL-AD-24=
U2904	Posi-Lok SMB to BNC 6 Adaptor Cables Bundle for UXM-T3/E3	CAB-T3E3-PL-AD-6=
U2905	Posi-Lok SMB to BNC Adaptor Cable for BXM-T3/E3	CAB-T3E3-PL-AD=
U2906	Posi-Lok SMB to BNC 12 Y Cables Bundle for UXM-T3/E3	CAB-T3E3-PL-Y-12=
U2907	Posi-Lok SMB to BNC 16 Y Cables Bundle for BXM-T3/E3	CAB-T3E3-PL-Y-16=
U2908	Posi-Lok SMB to BNC 24 Y Cables Bundle for BXM-T3/E3	CAB-T3E3-PL-Y-24=
U2909	Posi-Lok SMB to BNC 6 Y Cables Bundle for UXM-T3/E3	CAB-T3E3-PL-Y-6=
U2910	Posi-Lok SMB to BNC Y Cable for BXM-T3/E3	CAB-T3E3-PL-Y=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: RIBBON CABLE

JML Key#	Description	Part #
U2911	Assy Cable/Folded 100 SIG/500 HM	CAB-FOLDED=

Category: RING EXTENDER

JML Key#	Description	Part #
U2912	Cable:50ft LCL RNG XTNR	CBL1020-50

Category: RJ CABLE

JML Key#	Description	Part #
U2913	Cable:10ft Standard RJ	CBL1000-10
U2914	Cable:20ft Standard RJ	CBL1000-20

Category: RJ45 CABLE

JML Key#	Description	Part #
U2915	RJ-45 to RJ-45 Cable, 14 Feet	CAB-500RJ=

Category: RJ45 X CABLE

JML Key#	Description	Part #
U2916	CABLE:RJ45 X-WIRE	CBL4500121-RJX

Category: RJ45 X-WRE CABLE

JML Key#	Description	Part #
U2917	CABLE:RJ45 X-WIRE,12FT	CBL450012-RJX

Category: RJ48(M) to RJ48(F) Y

JML Key#	Description	Part #
U2918	ASSY CBL RJ48(M) to RJ48(F) Y CABLE, 4	CAB-5686-04

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: RJ48(M) to RJ48(F) Y

JML Key#	Description	Part #
U2919	ASSY CBL RJ48(M) to RJ48(F) Y CABLE, 4	CAB-5686-04=
U2920	ASSY CBL RJ48(M) to RJ48(F) Y CABLE, 6	CAB-5686-06
U2921	ASSY CBL RJ48(M) to RJ48(F) Y CABLE, 6	CAB-5686-06=

Category: RP-TNC PRODUCTS

JML Key#	Description	Part #
U2922	RP-TNC Male Connector for 9913 Cable	AIR-ACC1622
U2923	RP-TNC Female Connector for 9913 Cable	AIR-ACC1623
U2924	RP-TNC Male Connector for RG-58 Cable	AIR-ACC1655
U2925	RP-TNC Female Connector for RG-58 Cable	AIR-ACC1828

Category: RPS 300

JML Key#	Description	Part #
U2926	1 RPS 300 CONNECTOR CABLE 14/14	CAB-RPS-1414=

Category: RS232 PRODUCT

JML Key#	Description	Part #
U2927	Cable - Cisco 232FC Equivalent Cable 10ft DB- 60M To DB-25F	161106992
U2928	Cable - Cisco 232Mt Equivalent Cable 10ft - DB60M To DB25M	161107990
U2929	RS-232 Cable, DCE, Female, 10 Feet	CAB-232FC=
U2930	RS-232 Cable, DTE, Male, 10 Feet	CAB-232MT=
U2931	DB-25 Female DCE to RJ-45 Connector	CAB-500DCF=
U2932	DB-25 Male DCE to RJ-45 Connector	CAB-500DCM=
U2933	DB-25 Female DTE to RJ-45 Connector	CAB-500DTF=
U2934	DB-25 Male DTE to RF-45 Connector	CAB-500DTM=
U2935	RS-232 Cable, Female-to-Male Connectors, 3 Meters	CAB-R23=
U2936	RS-232 Cable, DCE Female to Smart Serial, 10 Feet	CAB-SS-232FC=
U2937	RS-232 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-232MT=
U2938	Cable:15ft NEC88 RS232	CBL240-15

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: RS232 PRODUCT

JML Key#	Description	Part #
U2939	CABLE:25FT NEC88 RS232	CBL240-25
U2940	ADPTR:25 TO 9 PIN CONN	CBL259-ADP
U2941	CABLE:3FT RS232	CMT3
U2942	Cable:50ft RS232 DIR CONN	F8830-07
U2943	CABLE:10FT 9F/9F DTE	FP10-XP2
U2944	CABLE:20FT 9F/9F DTE	FP20-XP2
U2945	CABLE:5FT 9F/9F DTE	FP5-XP2
U2946	CABLE:NCR SER 9F TO 25F	FP925-NC5
U2947	CABLE:OLV SER 9F TO 25M	FP925-PR4
U2948	CABLE:NCR SER 9F TO 9F	FP99-NC5

Category: RS232/Y

JML Key#	Description	Part #
U2949	RS232/Y Cable/M25 - F25 (RS232/Y) 10 Feet	CAB-5624-10=
U2950	RS232/Y Cable/M15 - F15 (LDI/Y) 10 Feet	CAB-5629-10=

Category: RS422/Y

JML Key#	Description	Part #
U2951	RS422/Y Cable (RS422/Y) 10 Feet	CAB-5644-10=

Category: RS449 PRODUCT

JML Key#	Description	Part #
U2952	Cable - Cisco 449c Equivalent Cable 10ft DB60M-DB25F	161108998
U2953	Cable - Cisco 449Mt Equivalent Cable 10ft - DB60M-DB25M	161109996

Category: RS449 PRODUCTS

JML Key#	Description	Part #
U2954	RS-449 Cable, DCE, Female, 10 Feet	CAB-449FC=
U2955	RS-449 Cable, DTE, Male, 10 Feet	CAB-449MT=



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: RS449 PRODUCTS

JML Key#	Description	Part #
U2956	RS-449 Cable, DCE Female to Smart Serial, 10 Feet	CAB-SS-449FC=
U2957	RS-449 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-449MT=

Category: RS530 PRODUCT

JML Key#	Description	Part #
U2958	Cable - Cisco 530Mt Equivalent Cable 10ft - DB60M - DB25M	161110994

Category: RS530 PRODUCTS

JML Key#	Description	Part #
U2959	Male DTE RS-530 Cable, 10 foot	CAB-530MT=
U2960	RS-530A Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-530AMT=
U2961	RS-530 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-530MT=

Category: SCSI

JML Key#	Description	Part #
U2962	SCSI 3FT 50 PIN CENTRONICS SCSI 1 TO SCSI 1	152714036
U2963	SCSI 5 FT 50 PIN HIGH DENSITY SCSI 2 TO SCSI 2	153311050
U2964	SCSI 10FT 50 PIN HIGH DENSITY SCSI 2 TO SCSI 2	153311105
U2965	Cable Assy, AMP-WW, 100 FT	15454-AMP-WW-100=
U2966	Cable Assy, AMP-WW, 250 FT	15454-AMP-WW-250=
U2967	Cable Assy, AMP-WW, 30 FT	15454-AMP-WW-30=
U2968	Cable Assy, AMP-WW, 50 FT	15454-AMP-WW-50=
U2969	SCSI 6 FT 50 PIN CENTRONICS LOW DENSITY TO 50 PIN HIGH SCSI 1 TO SCSI2	158217067
U2970	Cable - 18" VHDCI Male To Male SCSI Cable	161047998
U2971	Cable - SCSI 3 VHDCI Male To Male SCSI Cable	161053996
U2972	Cable - 6 VHDCI Male To Male SCSI Cable	161059993
U2973	Cable - Int-Extension SCSI-2 Adapter W/ 3 50 Pin Conn-Micro DB50F	161161997
U2974	Cable - SCSI Active Terminator C50M	161224993
U2975	Cable - SCSI Active Terminator Micro DB50M	161225990

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SCSI

JML Key#	Description	Part #
U2976	Cable - SCSI Adapter Md50f/DB25M	161226998
U2977	Cable - SCSI Adapter Micro (DB68F-DB50M) Clips	161227996
U2978	Cable - SCSI Adapter Micro DB68F - Micro DB50F	161228994
U2979	Cable - SCSI Adapter Micro MD68F - C50F	161229992
U2980	Cable - SCSI Adapter C50f Micro DB68M	161230990
U2981	Cable - SCSI Adapter Md68f/50 Header	161231998
U2982	Cable - SCSI Adapter Md68M W/Ts Hd50f	161232996
U2983	Cable - SCSI Adapter Md68M/50 Header	161233994
U2984	Cable - SCSI Adapter Micro DB50F Micro DB68M	161234992
U2985	Cable - SCSI Cable 1.5ft VHDCI M MD68M	161235999
U2986	Cable - SCSI Cable 3ft VHDCI M MD68M	161236997
U2987	Cable - SCSI Cable 6ft VHDCI M MD68M	161237995
U2988	Cable - SCSI Lvd/Se Terminator Extension MD68M W/Ts	161239991
U2989	Cable - SCSI Lvd/Se Terminator Internal MD68F	161240999
U2990	Cable - SCSI Passive Terminator Micro DB50M	161242995
U2991	Cable - SCSI Pass thru Terminator C50M C50F	161243993
U2992	Cable - SCSI Terminator Active Micro DB68M W/Latch Clips	161244991
U2993	Cable - SCSI Terminator Active Micro DB68M W/Thumb Screw	161245998
U2994	Cable - SCSI Terminator Active Neg W/Led Md68M	161246996
U2995	Cable - SCSI Terminator C50M Active Neg/Led	161247994
U2996	Cable - SCSI Terminator C50M Passive	161248994
U2997	Cable - SCSI Terminator C50M-F Active	161249990
U2998	Cable - SCSI Terminator DB25M-F Active	161250998
U2999	Cable - SCSI Terminator DB25M-F Passive	161251996
U3000	Cable - SCSI Terminator Differential Micro DB68M	161252994
U3001	Cable - SCSI-2 Adapter Micro DB50f C50M	161254990
U3002	Cable - SCSI-2 Adapter Micro DB50M C50F	161255997
U3003	Cable - SCSI-2 Adapter Micro DB50M DB25F	161256995
U3004	Cable - SCSI-2 Cable 12ft C50M C50M	161257993
U3005	Cable - SCSI-2 Cable 6ft Micro DB50M Micro DB50M	161258991
U3006	Cable - SCSI-2 Cable 7.5ft C50M C50M	161259999
U3007	Cable - SCSI-2 Cable C50M C50M 3ft	161260997
U3008	Cable - SCSI-2 Cable Micro DB50M C50M 3ft	161261995

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SCSI

JML Key#	Description	Part #
U3009	Cable - SCSI-2 Cable Micro DB50M C50M 6ft	161262993
U3010	Cable - SCSI-2 Cable Micro DB50M DB25M 10ft	161263991
U3011	Cable - SCSI-2 Cable Micro DB50M DB25M 3ft	161264999
U3012	Cable - SCSI-2 Cable Micro DB50M DB25M 6ft	161265996
U3013	Cable - SCSI-2 Cable Micro DB50M Micro DB50M 1ft	161266994
U3014	Cable - SCSI-2 Cable Micro DB50M Micro DB50M 3.5ft	161267992
U3015	Cable - SCSI-2 To SCSI-3 Cable 10ft Micro DB68M C50M	161268990
U3016	Cable - SCSI-2 To SCSI-3 Cable 10ft Micro(DB68M-DB50M)	161269998
U3017	Cable - SCSI-2 To SCSI-3 Cable 3ft Micro DB68M C50M	161270996
U3018	Cable - SCSI-2 To SCSI-3 Cable 3ft Micro(DB68M-DB50M)	161271994
U3019	Cable - SCSI-2 To SCSI-3 Cable 6ft Micro DB68M C50M	161272992
U3020	Cable - SCSI-2 To SCSI-3 Cable 6ft Micro(DB68M-DB50M)	161273990
U3021	Cable - SCSI-2 Zip Drive Cable DB25M DB25M 6ft	161274998
U3022	Cable - SCSI-3 Cable 3ft Micro DB68M Micro DB68M	161275995
U3023	Cable - SCSI-3 Cable 6ft Micro DB68M Micro DB68M	161276993
U3024	Cable - SCSI-3 Cable Micro DB68M W/Screws C50M 10ft	161277991
U3025	Cable - SCSI-3 Cable Micro DB68M W/Screws C50M 3ft	161278999
U3026	Cable - SCSI-3 Cable Micro DB68M W/Screws C50M 6ft	161279997
U3027	Cable - SCSI-3 Cable Micro DB68M W/Screws DB25M 3ft	161280995
U3028	Cable - SCSI-3 Cable Micro DB68M W/Screws DB25M 6ft	161281993
U3029	Cable - SCSI-3 Cable Micro DB68M W/Screws Micro DB50M 10ft	161282991
U3030	Cable - SCSI-3 Cable Micro DB68M W/Screws Micro DB50M 3ft	161283999
U3031	Cable - SCSI-3 Cable Micro DB68M W/Screws Micro DB50M 6ft	161284997
U3032	Cable - SCSI-3 Cable Micro DB68M-M 10ft	161285994
U3033	Cable - SCSI-3 Cable Micro DB68M-M W/Screws 10ft	161286992
U3034	Cable - SCSI-3 Cable W/Screws Micro DB68M-M 3ft	161287990
U3035	Cable - SCSI-3 Cable W/Screws Micro DB68M-M 6ft	161288998
U3036	Cable - 18" Ultra2 VHDCI 68 Male To Male Cable - Ts	161399993
U3037	ADPTR:SCSI-1 TO SCSI-2	ADP131-1T2
U3038	ADPTR:SCSI-1 TO SCSI-3	ADP131-1T3
U3039	ADPTR:VHD68 TO HD68	ADP25421-FTM

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SCSI

JML Key#	Description	Part #
U3040	ADPTR:68 TO 50 PIN FEMAL	ADP68501-FTF
U3041	ADPTR:68 TO 50 PIN MALE	ADP68501-MTM
U3042	8 ft long SCSI-II cable for AIC	CAB-AIC-008=
U3043	Y-cable for supporting 1:1 redundancy of the SCSI2 module	CAB-SCSI2-Y=
U3044	CABLE: 8FT SINGLE RIBBON	CBL1-8
U3045	CABLE:7/CON WDE SCSI CBL	CBL100-SVD
U3046	Cable:10ft SCSI I/O	CBL131-10A
U3047	Cable:20ft SCSI I/O	CBL131-20A
U3048	Cable:3ft SCSI I/O	CBL131-3
U3049	Cable:40ft SCSI I/O	CBL131-40A
U3050	Cable:5ft SCSI I/O	CBL131-5
U3051	Cable:60ft SCSI I/O	CBL131-60
U3052	Cable:80ft SCSI I/O	CBL131-80
U3053	CABLE:16 IN SCSI-3 CABLE	CBL133-1
U3054	CABLE:10 FT SCSI-3 CABLE	CBL133-10
U3055	CABLE:100FT SCSI-3 CABLE	CBL133-100
U3056	CABLE:20 FT SCSI-3 CABLE	CBL133-20
U3057	CABLE:3 FT SCSI-3 CABLE	CBL133-3
U3058	CABLE:40 FT SCSI-3 CABLE	CBL133-40
U3059	CABLE:5 FT SCSI-3 CABLE	CBL133-5
U3060	CABLE:60 FT SCSI-3 CABLE	CBL133-60
U3061	CABLE:80 FT SCSI-3 CABLE	CBL133-80
U3062	CABLE:SCSI-3 Y CBL	CBL13304-06Y
U3063	CABLE:SCSI-3 Y CBL	CBL13314-08Y
U3064	CABLE:SCSI, 68P, 10 INCH DRIVE TO DRIVE	CBL180-DDC
U3065	CABLE:SCSI, 68P, 10 INCH DRIVE TO DRIVE	CBL1801-DDC
U3066	CABLE: 8FT SINGLE WOVEN	CBL2-8
U3067	CBL: 68P SCSI LVD VHD/HD	CBL200000-VHD
U3068	CBL:INT/EXT SCS ADP 2026	CBL202601-I2E
U3069	CABLE:5FT LVD U/WIDE-SINGLE ENDED	CBL2205-OSM
U3070	CABLE:EXTNL SCSI 10FT 68	CBL2210-OSM
U3071	CABLE:15FT LVD U/WIDE-SI	CBL2215-OSM
U3072	CABLE:EXTNL SCSI 4FT 68P	CBL224-OSM

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SCSI

JML Key#	Description	Part #
U3073	ACC:INT U/WIDE 40IN SCSI	CBL23341-F3
U3074	ACC:EXT U/WIDE 30IN SCSI	CBL23431-F2
U3075	CABLE: 8FT DUAL WOVEN	CBL3-8
U3076	ACC:LVD INLINE TERMINATOR	CBL3000-TRM
U3077	CABLE:SFR WIDE SCSI CBL	CBL321-SFR
U3078	CBL:LVD3 CBL FOR OTR TAPE	CBL344-OTR
U3079	CABLE: 8FT TWISTED	CBL4-8
U3080	CABLE:SXE WIDE SCSI CBL	CBL421-SXE
U3081	CABLE: 8FT PRINTER/TAPE	CBL5-8
U3082	CABLE: 8FT DUAL RIBBON	CBL6-8
U3083	CABLE:SCSI WIDE 1.5M	CBL6016-M1
U3084	CABLE:SCSI WIDE 3M	CBL6016-M3
U3085	CABLE:SCSI WIDE NARROW 2	CBL6016-WN2
U3086	ADPTR:3" SCSI SINGLE-END	CBL6016-WN3
U3087	CABLE: 8FT ICD	CBL7-8
U3088	CABLE:SCSI, 68P, 10 INCH DRIVE TO DRIVE	CBL700-DDC
U3089	CABLE:SCSI, 68P, 10 INCH DRIVE TO DRIVE	CBL7001-DDC
U3090	CABLE:7CON SCS ULT NAROW	CBL701-MTN
U3091	CABLE:7CON SCS ULT WIDE	CBL701-MTW
U3092	CABLE:SCSI 7DEVICE CABLE	CBL701-SCS
U3093	CABLE: 8FT SCSI WOVEN	CBL8-8
U3094	CABLE:SXE SCSI CABLE	CBL811-SXE
U3095	Cable:20ft SCSI DUAL INIT	CBL8856-10Y
U3096	Cable:10ft SCSI DUAL INIT	CBL8856-5Y
U3097	Cable:10ft SCSI DUAL INIT	CBL885610-SCY
U3098	10 IN. SCSI 68 DR TO DR	CBL9840-1F
U3099	18 IN. SCSI 68 DR TO DR	CBL9840-2F
U3100	CBL:EX SCSI 68 HD2VHD CK	CBU686802-VHD
U3101	ENHNC:SCSI/10/100BASET	CLU2000-10T
U3102	ENHNC:ULTRA SCSI D/CHNL	CLU2000-DSA
U3103	CABLE:SCSI 68P 48 BLKHD	CLU9710-FDC
U3104	CABLE:SCSI 68P 96 BLKHD	CLU9710-RCC
U3105	ACC:SCSI CONVERTER	CNV221-SCI

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SCSI

JML Key#	Description	Part #
U3106	CABLE:2.5M OFFSET 68PIN	D6020-A
U3107	CABLE:INTER DUAL SCSI W	DNT18-SWY
U3108	1 meter SCSI cable - 68 pin, spare	SCSI-CABLE-1M=
U3109	3 meter SCSI cable - 68 pin, spare	SCSI-CABLE-3M=

Category: SMB-BNC CABLE

JML Key#	Description	Part #
U3110	Cable Assy, SMB-BNC, 10 FT	15454-SMB-BNC-10=
U3111	Cable Assy, SMB-BNC, 30 FT	15454-SMB-BNC-30=
U3112	Cable Assy, SMB-BNC, 50 FT	15454-SMB-BNC-50=
U3113	Cable Assy, SMB-BNC, 75 FT	15454-SMB-BNC-75=
U3114	Cable pair SMB to BNC - female	2CBLE-SMB-BNC-F
U3115	Cable pair SMB to BNC - female -spare	2CBLE-SMB-BNC-F=
U3116	Cable pair SMB to BNC - male	2CBLE-SMB-BNC-M
U3117	Cable pair SMB to BNC - male - spare	2CBLE-SMB-BNC-M=
U3118	ASSY CBL SMB(M) to BNC(F) Y CABLE, 5	CAB-5681-06=

Category: STRATM

JML Key#	Description	Part #
U3119	STRATM - Unconfigured Cabinet	STRATM-CAB=
U3120	STRATM - Cable Management Option	STRATM-CMGMT=

Category: SVGA EXTENSION CABLE

JML Key#	Description	Part #
U3121	CABLE:SVGA EXTENSION	SVG100-EXT

Category: SVR NET CABLE

JML Key#	Description	Part #
U3122	CABLE:15 METER SVR NET	CBL15-SVN

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: SVR NET CABLE

JML Key#	Description	Part #
U3123	CABLE:30 METER SVR NET	CBL30-SVN
U3124	CABLE:4 METER SVR NET	CBL4-SVN

Category: SWITCH CABLE

JML Key#	Description	Part #
U3125	RCK:12F 8P KVM SWC CBL	CBL12081-KVM
U3126	CABLE:12 SWITCH EXTENSION	CBL121-SWX
U3127	RCK:12F 16P KVM SWC CBL	CBL12161-KVM
U3128	RCK:7F 8P KVM SWC CBL	CBL7081-KVM
U3129	CABLE:7 SWITCH EXTENSION	CBL71-SWX
U3130	RCK:7F 16P KVM SWC CBL	CBL7161-KVM
U3131	CABLE:12FT EXTENSION	KVM12-EXT

Category: SYBCON

JML Key#	Description	Part #
U3132	CABLE:SYBCON 10M	CBL143-10
U3133	CABLE:SYBCON 100M	CBL143-100
U3134	CABLE:SYBCON 30M	CBL143-30
U3135	CABLE:SYBCON 50M	CBL143-50

Category: SYSTEM CABLE

JML Key#	Description	Part #
U3136	CABLE:12FT SYS TO ADJ RK	CBL121-SWC
U3137	CABLE:7FT SYS TO SWCH DR	CBL71-SWC

Category: Serial

JML Key#	Description	Part #
U3138	Cable - HP Plotter Serial Pr Cable 6ft DB25F DB25M	161148994
U3139	Cable - Serial Extension Cable 10ft DB9M DB9F	161289996

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: Serial

JML Key#	Description	Part #
U3140	Cable - Serial Extension Cable 15ft DB9M DB9F	161290994
U3141	Cable - Serial Extension Cable 25ft DB9M DB9F	161291992
U3142	Cable - Serial Extension Cable 50ft DB9M DB9F	161292990
U3143	Cable - Serial Extension Cable 6ft DB9M DB9F	161293998
U3144	Cable:10ft Y Cable	CBL16-10
U3145	Cable:10ft Serial	CBL6034-10
U3146	Cable:20ft Serial	CBL6034-20
U3147	Cable:25ft Serial I/F	CMT25
U3148	Cable:6.5ft Serial I/F	XC698-31S
U3149	Cable:10ft Serial I/F	XC698-32S

Category: Serial/ Parallel

JML Key#	Description	Part #
U3150	Cable - Cable Serial Parallel DB25M DB25M 10ft All Lines	151192101
U3151	Cable - Cable Serial Parallel DB25M DB25M 50ft All Lines	151192507
U3152	Cable - Cable Serial Parallel DB25M DB25F 10ft All Lines	151196102
U3153	Cable - Cable Serial Parallel DB25M DB25F 25ft All Lines	151196250
U3154	Cable - Cable Serial Parallel DB25M DB25F50ft All Lines	151196508
U3155	Cable - Serial Parallel DB25f DB25F 10ft All Lines	161091996
U3156	Cable - Serial Parallel DB25M DB25f 100ft All Lines	161092994
U3157	Cable - Serial Parallel DB25M DB25f 15ft All Lines	161093992
U3158	Cable - Serial Parallel DB25M DB25f 6ft All Lines	161095997
U3159	Cable - Serial Parallel DB25M DB25f 75ft All Lines	161096995
U3160	Cable - Serial Parallel DB25M DB25M 100ft All Lines	161097993
U3161	Cable - Serial Parallel DB25M DB25M 15ft All Lines	161098991
U3162	Cable - Serial Parallel DB25M DB25M 6ft All Lines	161099999
U3163	Cable - Serial Parallel DB25M DB25M 75ft All Lines	161100995

Category: T1 CABLE

JML Key#	Description	Part #
U3164	T1 Cable RJ45 to RJ45 Bare, Spare	CAB-T1-RJ45BARE=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: T3/E3 CABLE

JML Key#	Description	Part #
U3165	T3/E3 Interface Coax Cable 100 Feet	CAB-T3-E3-00=
U3166	T3/E3 Interface Coax Cable 10 Feet	CAB-T3-E3-10=
U3167	T3/E3 Interface Coax Cable 25 Feet	CAB-T3-E3-25=
U3168	T3/E3 Interface Coax Cable 50 Feet	CAB-T3-E3-50=
U3169	T3/E3 Interface Coax Cable 75 Feet	CAB-T3-E3-75=
U3170	T3/E3 Y Cable	CAB-T3-E3-Y=

Category: T3/E3 SMB to SMB Posi-Lok

JML Key#	Description	Part #
U3171	T3/E3 SMB to SMB Posi-Lok Cable 6 Feet	CAB-5698-6=

Category: TELCO PRODUCTS

JML Key#	Description	Part #
U3172	Category 3 Telco Cable Adapter (110 Degree)	CAB-3-ADPTR-TEL=
U3173	Category3TelcoCableAssy.M180toF90,10	CAB-3-M180F90-10=
U3174	Category 3 Telco Cable Assy. M180 to F90, 5	CAB-3-M180F90-5=
U3175	Category3TelcoCableAssy.M90toF90,10	CAB-3-M90F90-10=
U3176	Category 3 Telco Cable Assy.M90 to F90,5	CAB-3-M90F90-5=
U3177	Category 5 Telco (RJ-21X) to (12)RJ-45 cable, 10 ft	CAB-5-M120HYD-10=
U3178	Category 5 Telco (RJ-21X) to (12)RJ-45 cable, 5 ft	CAB-5-M120HYD-5=
U3179	Category 5 Telco (RJ-21X) cable, Male-120 to Male-120, 10 ft	CAB-5-M120M120-10=
U3180	Category 5 Telco (RJ-21X) cable, Male-120 to Male-120, 5 ft	CAB-5-M120M120-5=
U3181	Category 5 Telco (RJ-21X) cable, Male-180 to Male-120, 10 ft	CAB-5-M180M120-10=
U3182	Category 5 Telco (RJ-21X) cable, Male-180 to Male-120, 5 ft	CAB-5-M180M120-5=

Category: TP CABLE

JML Key#	Description	Part #
U3183	CBL: TPE200000-LTO EXT	CBL200000-LTO
U3184	CBL:TPI20000-LTO INT	CBL20011-LTO

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: TP CABLE

JML Key#	Description	Part #
U3185	CBL:TPI262211-SDL INT	CBL2622011-SDL
U3186	CBL:TPE2622021-SDL EXT	CBL2622021-SDL

Category: UBR CABLE

JML Key#	Description	Part #
U3187	uBR10012 LCD Display Module Cable, Spare	UBR10-DSPL-CAB=
U3188	uBR10012 Fan Assembly Cable, Spare	UBR10-FAN-CAB=
U3189	uBR10012, Monitor cable for ext AC power shelf	UBR10-PWR-MON-CAB

Category: UFM-U "Y" CABLE

JML Key#	Description	Part #
U3190	Y-Cable for IGX-UFM-U HSSI	CAB-Y-HS1=
U3191	Y-Redundancy Cable for UFM-U (V.35 or X.21)	CAB-Y-UF1=

Category: UPS CABLE

JML Key#	Description	Part #
U3192	Cable:10ftUPS-INTRCNT BOX	CBL10-UPS
U3193	Cable:100ftUPS-INTRCNT BX	CBL100-UPS
U3194	CABLE:15FT UPS INTERCONN	CBL15-UPS
U3195	Cable:25ftUPS-INTRCNT BOX	CBL25-UPS
U3196	Cable:5ftUPS-Intrcnct Box	CBL5-UPS
U3197	Cable:50ftUPS-INTRCNT BOX	CBL50-UPS
U3198	CABLE:EXIDE PWRWARE PLUS	CBL5429000-UPS
U3199	CABLE:SCP/UPS DELTEC2000	CBL6260001-UPS
U3200	CABLE:BEST POWER TECH	CBL6278000-UPS
U3201	CABLE: UPS INTRF CBL	CBL9000-UPS



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: USB

JML Key#	Description	Part #
U3202	Cable - USB 10ft A/B Cable	161304993
U3203	Cable - USB 15ft A/B Cable	161305990
U3204	Cable - USB 2-Port Adapter W/ Bracket	161306998
U3205	Cable - USB 3ft A/B Cable	161307996
U3206	Cable - USB 6ft A/B Cable	161308994
U3207	Cable - USB Active Extension Cable A/A 2M	161309992
U3208	Cable - USB Active Extension Cable A/A 5M	161310990
U3209	Cable - USB To Ethernet Adapter	161311998
U3210	Cable - USB To Parallel Adapter 6ft Cable	161312996
U3211	Cable - USB To Serial Modem Adapter	161313994

Category: V.35 PRODUCT

JML Key#	Description	Part #
U3212	Cable - Cisco Npv35cv2 Equivalent Cable, DB50M To V.35F	161112990
U3213	Cable - Cisco V35fc Equivalent Cable 10ft DB60M To V.35 F	161113998
U3214	Cable - Cisco V35Mt Equivalent Cable 10ft, DB60M - V.35M	161114996
U3215	Cable - Cisco V35Mt Equivalent Cable 15ft, DB60M - V.35M	161115993
U3216	Cable - Cisco V35Mt Equivalent Cable 25ft, DB60M - V.35M	161116991
U3217	Cable - Modem V.35M V.35F Cable All Lines Molded 12ft	161314992
U3218	Cable - Modem V.35M V.35M Cable All Lines Molded 25ft	161315999
U3219	Cable - Modem V.35M V.35M Cable All Lines Molded 6ft	161316997
U3220	Cable for IGX-UFM-U 2 Port V35 Cable (Female DCE)	CAB-2V35FC=
U3221	Cable for IGX-UFM-U 2 Port V35 Cable (Male DTE)	CAB-2V35MT=
U3222	V.35 Cable, DCE Female to Smart Serial, 10 Feet	CAB-SS-V35FC=
U3223	V.35 Cable, DTE Female to Smart Serial, 10 Feet	CAB-SS-V35FT=
U3224	V.35 Cable, DCE Male to Smart Serial, 10 Feet	CAB-SS-V35MC=
U3225	V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT=
U3226	V.35 Cable, DCE, Female, 10 Feet	CAB-V35FC=
U3227	V.35 Cable, DTE, Female, 10 Feet	CAB-V35FT=
U3228	V.35 Cable, DCE, Male, 10 Feet	CAB-V35MC=
U3229	V.35 Cable, DTE, Male, 10 Feet	CAB-V35MT=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: V.35 PRODUCT

JML Key#	Description	Part #
U3230	Cable:100ft V.35 Modem	CBL1535-100
U3231	Cable:25ft V.35 Modem	CBL1535-25
U3232	Cable:50ft V.35 Modem	CBL1535-50

Category: V.35 Y CABLE

JML Key#	Description	Part #
U3233	V.35/Y Cable/Jumpers (V.35/Y) (Enhanced) 10 Feet	CAB-5635E-10=
U3234	V.35/Y Cable (Enhanced) 9 inches	CAB-5636E-10=

Category: VIM/NIU

JML Key#	Description	Part #
U3235	Cable:100ft VIM/NIU	CBL380-100

Category: WIRELESS BRIDGE

JML Key#	Description	Part #
U3236	2.4 GHz, 11 Mbps Bridge, Dual RP-TNC Connectors, FCC Cnfg	AIR-BR350-A-K9
U3237	2.4GHz, 11 Mbps Bridge, Dual RP-TNC Connectors, ETSI Cnfg	AIR-BR350-E-K9
U3238	2.4 GHz, 11 Mbps Bridge, Dual RP-TNC Connectors, TELEC Cnfg	AIR-BR350-J-K9
U3239	802.11b WorkGroup Bridge w/Dual RP-TNC Connectors	AIR-WGB352R

Category: X.21 PRODUCT

JML Key#	Description	Part #
U3240	Cable - Cisco X21fc Equivalent Cable 10ft, DB60M - DB15F	161117999
U3241	Cable - Cisco X21Mt Equivalent Cable 10ft, DB60M-DB15M	161118997
U3242	Cable for IGX-UFM-U 2 Port X21 Cable (Female DCE)	CAB-2X21FC=
U3243	Cable for IGX-UFM-U 2 Port X21 Cable (Male DTE)	CAB-2X21MT=
U3244	X.21 Cable, DCE Female to Smart Serial, 10 Feet	CAB-SS-X21FC=
U3245	X.21 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-X21MT=

JML Computer Products Incorporated ● 1019 Industrial Drive ● West Berlin, NJ 08091

ph: 856.753.8500 ● 800.326.4JML(4565) ● fax: 856.753.0355 ● Sales@JMLCable.com ● JMLCable.com



Division #6) Unisys Cables

JML Part# = JKEY# + T + L + NNN = JKEY#TLNNN = 10 Digits
 L = F(feet), I(inches), M(meters), T(thousands of feet) / NNN = 001 to 999

Category: X.21 PRODUCT

JML Key#	Description	Part #
U3246	X.21 Cable, DCE, Female, 10 Feet	CAB-X21FC=
U3247	X.21 Cable, DTE, Male, 10 Feet	CAB-X21MT=

Category: X.21 TRUNK/Y

JML Key#	Description	Part #
U3248	X.21 Trunk - Y Cable (DB15) 10 Feet	CAB-5695-10=

Category: Y CABLE

JML Key#	Description	Part #
U3249	CABLE:Y CABLE F-M-F	ADP133-FMF